

Audio Visual Tables LCD Mounts Plasma Mounts Projector Mounts Computer Workstations Multi-Media Workcenters

New Products




MRCS1 • All steel construction, available in two sizes. Page 46



MRCW2 • All steel wire construction, available in two sizes. Page 46



MRCW2 • Stainless steel tub cart. Available in two sizes. Page 46



LXUA1330L • Swing out LCD display mount. Page 6



LXUF133L • LCD display flat wall mount. Page 6




LXUT1330L • LCD display tilt mount. Page 6



LXUT3760 • LCD or Plasma universal tilt mount. Available in two sizes. Page 6

LXUF3760 • LCD or Plasma universal flat mount. Available in two sizes. Page 6



for 2008-2009!


Luxor's new Prestige Series














MRCS1 • 3-shelf multi-media workstation with pull-out keyboard/laptop shelf. Page 16







STC & TC Tub Carts • Tub and flat shelves are now available in 6 colors for TC and STC tub carts. Legs are now available in 9 colors for TC and STC tub cars. Page 52



LCD20 • childrens desk with wood top and steel frame. Available in two colors. Page 36

LKCP15 • Plastic chair available in 5 colors and 5 sizes. Page 36



EUXOR 2008 - 2009

Luxor is committed to providing high-quality, cost effective furniture that improves efficiency, enhances performance and increases productivity. All luxor products meet the highest standards of quality making them durable and reliable. This assurance of quality is backed-up by a lifetime guarantee on every product sold.

Fast Facts - Under every product picture you will find basic information such as: model name, dimensions, weight and price (for priced version of catalog).



Luxor warehouses all of our product and ships promptly. Speedy delivery keeps customers happy!

Most Products Ship UPS

New Mounts Projector Mounts Mobile Plasma Mounts..... Plasma TV Mounts Economount TV Mounts... LCD Monitor Mounts ..

Contents

Table

Computer Workstations

36

38

39

.45

....37

8

10

12

15

New Computer Workstations
Laptop/Presentation Workstations
Multi-Media Workstations
Multi-Function Endura Tables
Children's Workstations
Endura Computer Workstations
Economical Hi-Tech
Adjustable Height Workstations
Modern Computer Workstations
Modern Style Workstations
Versatile Computer Workstations
Computer Security Centers
Multi-Media Workstations
Steel Computer Workstations

Hi-Tech

1 1

New Hi-Tech Versatile Workcenters Hi-Tech Computer Workstations..... Computer Centers . While Supplies Last

> Audio/Visual New Audio Visual ... Steel Overhead Tables Endura Overhead Tables ... Duraweld Tables..... Steel Adjustable Height Tables

Video Tables Large Screen Monitor Tables . Universal Table Accessories....

Easels..

Endura Equipment Tables


Endura Editing Production Centers

Endura Video Consoles Low Priced Plastic Tables White Boards

Multi-Purpose New Multi-Purpose ...

Bussing/Serving Carts.. General Purpose Carts Color STC & TC carts..

Lecterns



.47



Storage Systems

N.

Display Racks .. Library Book Trucks

100 10 10



LXUA1330L - Designed to fit displays up to 30 inches, the Swingout Arm mount is a top choice for mounting LCD displays in locations where having viewing flexibility is a priority. The swingout design allows consumers to pull displays up to ten inches away from the wall and retract to less than four inches in depth. Additionally, the mount has a maximum tilt range of 20 degrees and can be swung left or right 180 degrees. VESA 75/100 mm compatible, the mount incorporates a snapin design for easy installation. \$80



LXUT1330L - Ideal for placing 13 to 30-inch LCD displays in locations where adjustments are necessary, the LCD Tilt Mount has a maximum tilt range of 20 degrees up or down. The VESA 75/100 mm compatible mount holds the LCD display less than four inches from the wall. this mount is a great solution for many difficult display placements. \$40



LXUF1330L - Designed to fit LCD displays up to 30 inch, the LCD Flat Wall Mount is perfect for mounting displays in any room in the house. The spacesaving design holds the display two inches from the wall and is VESA 75/100 mm compatible. With an easy snap-in design and built-in cable management system this mount is an ideal solution for many situations. \$30



LXUT3760 - Available in models to fit 26 to 37 inch (LXUT2637) or 37 to 60 inch (LXUT3760) LCD and plasma displays, the Universal Tilt Mount is designed for mounting displays above eye-level. Holding the display three inches from the wall, the mount has a maximum tilt range of 15 degrees up or down. These mounts also feature a built-in level for easy installation andlateral shift adjustment capabilities. \$150

LXUT2637 - Fits 26" - 37" monitors. \$130

LXUF3760 - With two models to select from, the Universal Flat Mount fits 26 to 37 inch (LXUF2637) and 37 to 60 inch (LXUF3760) LCD and plasma displays, and is suited for the majority of home entertainment situations. Ideal for mounting displays for eye-level viewing, the Universal Flat Mount holds displays less than one inch from the wall. Also features a lift and hook design, safety lock and lateral shift adjustment capabilities. \$100

LXUF2637 - Fits 26" - 37" monitors. \$80



Projector Mounts

LLPMS - Universal projector mount with an adjustable tilt upwards and downward 0-10 degrees. Mast, telescopes 27¹/₂"-46"¹/₄" from the ceiling. Mounting plate included Wt. 8 lbs. Black glossy powder coat paint finish.

LSPM - Universal small projector mount rotates 360°. Holds most 10" - 21" LCD projectors. Adjustable tilt 0° to 10°. Opens from 7" to 14" (left to right). Opens from 3" to 5.75" (top to bottom). 8 point clamping mechanisms adjust from 6.5" - 10" (front to back). Mast telescopes 18" - 30" from ceiling. Integrated flush mount plate included. Load capacity 75 lbs. Wt. 15 lbs. Black powder coat paint finish.

LXPBL - Universal projector mount, rotates 360 degrees, with an adjustable upward and downward 0-20 degree tilt and is an easy installation with a low-profile and cable channel enclosure. Wt. 10 lbs.

LXAPL - Adapter kit for the LXPBL allowing for adjustable extension lengths from 26"-47" continuing the channel enclosure for holding the cables while providing that clean look. Wt. 9 lbs.

LXSCS - Dual-Cable security system providing safety and security. Protecting the mounting points on the chassis and the two installation mounting points of wall or ceiling. Wt. 2 lbs.

LVDH - Wall mount brackets for VHS/DVD recorders, CD players, digital cable receivers, and HD receivers. For your convenience, brackets are stackable to create a tower effect. The mounting ring tray extends 12" from the wall and has a load capacity of 25 lbs. Wt. 5 lbs. Black glossy powder coat finish.



LE27WTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle shelf is 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord.

LE40WTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle and bottom shelves are 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord.

LE48WTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle and bottom shelves are 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord.

LEB54WTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle and bottom shelves are 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord.



LE48WTUD • 42"W x 24"D x 48"H • 99 Lbs. \$860 LEB54WTUD • 42"W x 24"D x 54"H • 99 Lbs. \$869



LE27CWTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle shelf is 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord and locking steel cabinet.

LE40CWTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle and bottom shelves are 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord and locking steel cabinet.

LE48CWTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle and bottom shelves are 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord and locking steel cabinet.

LEB54CWTUD - 42" wide top cart with built in plasma/LCD mount that can accomodate up to a 50" screen. Middle and bottom shelves are 32"W x 24"D. All shelves are reinforced with two aluminum bars for added strength. Molded plastic shelves will never dent, rust or stain. Includes 3-outlet surge suppressing electric with 15' cord and locking steel cabinet.

LEB54CWTUD • 42"W x 24"D x 27"H • 129 Lbs**\$992 LEB54CWTUD** • 42"W x 24"D x 27"H • 129 Lbs.**\$998**

Plasma TV Mounting Systems

Innovative Universal Plasma Mounts determine which mounting configuration is needed for which plasma display. Utilizing the adjustable mounting tray and the unique slotted rail system, any plasma display with a square or rectangular mounting hole pattern, can be accommodated.

LUPM - Universal plasma wall mount is a multi-configurable mount with a single arm, double arm articulating or near flush mount. Parts are provided. Holds all 40" - 50" plasma displays with a square or rectangular mounting hole pattern. Adjustable tilt 0°-10°. Mount rotates 240° at monitor, 160° at the wall, and 240° at the elbow joint (double arm configuration). Load capacity 130 lbs. Mounting assembly included. Wt. 42 lbs. Silver powder coat paint finish.

LUPMW - Universal plasma wall flush mount holds all 40" - 50" plasma displays with a square or rectangular mounting hole pattern. Distance from wall to back of mount is 311/44". Load capacity 130 lbs. Mounting assembly included. Wt. 29 lbs. Silver powder coat paint finish.

LUPMC - Universal plasma ceiling mount holds all 40" - 50" plasma displays with a square or rectangular mounting hole pattern. Mast telescopes 18" - 30" from ceiling. Mount rotates 360° and has adjustable tilt 0° - 10°. Mount can accommodate a second plasma display. Load capacity 130 lbs. Mounting assembly included. Wt. 30 lbs. Silver powder coat paint finish.


LUMA - Universal mounting assembly included with all plasma mounts. Silver powder coat paint finish.

LUD3 - Fixed mount with lift and lock installation for plasma or LCD monitors. Includes mounting guide, locking system, and complete mounting hardware kit. Fits 32" - 60" flat panel displays up to 200 lbs. Silver finish.

LUD2 - Tilt mount with lift and lock installation for plasma or LCD monitors. Tilts from 15° to -5°. Includes mounting guide, locking system, and complete mounting hardware kit. Fits 23" - 37" flat panel displays up to 80 lbs. Silver finish.



10



Multi-Configurable!

LUPMC w/LUMA • 18" - 30" long • 30 Lbs. **\$169** LUD2 • 8¾"W x 1¾"D x 14½"H • 5 Lbs.



Plasma TV Mounting Systems

LUPMWX - Universal plasma wall mount supports almost any 32"-63" plasma display. Universal brackets easily hook onto the mount bars for fast installation. Adjustable 15° forward tilt, 5° backward tilt with one touch effortless screen positioning. Tilt can be locked into place if necessary. Load capacity 185 lbs. Wt. 22 lbs. Black glossy powder coat paint finish.

LUPMSS - Universal plasma single stud wall mount. Features heavy steel construction and 10° tilt. TV's can be attached flush to wall or with a 10° tilt. Available for 30", 42" and 60" plasma and flat panel TV's. Includes hardware for flat and 10° tilt mounting to plasma stand. Black glossy powder coat paint finish.

LUFMPRC - This plasma floor mount integrates exceptionally well with it's unique style holding your 37" to 50" plasma displays. Fully adjustable to a 72" height and the casters provide the mobility you need to cover multiple locations. Wt. 80 lbs. The base is 26³/₄"W x 25¹⁷/₂"D x 6½"H.

LUFMPRG - Same as above with leveling floor glides instead of casters.

LDDFS68 - Mobile plasma or LCD floor stand. Perfect for presentation or digital signage environments. Locking casters allow for easy mobility and secure placement when needed. Cables can be routed through chrome poles. Base is shaped so that it can be nested with other units for easy, compact storage. Maximum load 160 lbs. To be used with LXRTM (below) or LXCTM2 (page 13) mounting assemblies. 68" high.

LDDFS80 - Same as above with a height of 80".

LXCTM2 - Universal plasma mount holds 37"-50" plasma displays in a horizontal position and allows for 2 degree tilt. The LXCTM is used in conjunction with the LUFMPRC and LUFMPRG, Wt. 28 lbs.

LXCTM1 - Same as above, hold plasma displays up to 32". Wt. 22 lbs.

LXPSD - 20"W x 16"D shelf accessory for VHS/DVD player. CD player, digital cable and HD receiver. This accessory is used in conjunction with LUFMPRC. Black color.

Economount TV/VCR Mounts

LTE35 Jumbo wall mount will accommodate up to 35" monitors. TV rests on 26" deep platform with ½" front retainer lip. Top clamps have adhesive pads that wrap around the top edges of the TV to provide added stability. Maximum forward tilt 20° and 240° swivel capability. Load capacity 250 lbs. Wt. 79 lbs.

LTE1PA Platform wall mount with dual pivoting arm will accommodate most 19" and 20" TV receivers. TV rests on 20" wide by 13 ½" deep platform with ½" front retainer lip. Maximum forward tilt 15° and 240° swivel capability. Load capacity 90 lbs. Wt. 20 lbs.

LTE1 Platform wall mount will accommodate most 19" and 20" TV receivers. TV rests on 20" wide by 13 ½" deep platform with ½" front retainer lip. Maximum forward tilt 15° and 240° swivel capability. Load capacity 90 lbs. Wt. 18 lbs.

LTE2 Same as above but will accommodate most 25" to 27" TV receivers. TV rests on 26" wide by 13½" deep platform. Load capacity 110 lbs. Wt. 24 lbs.

LTE4 Adjustable, full platform wall mount will accommodate most 19" to 27" TV receivers. TV rests on 13 ½" deep platform with a full 1" front retainer lip which adjusts up to 30 ½" wide. Platform is perforated to allow the monitor to be bolted down for added security. Maximum forward tilt 15° and 240° swivel capability. Load capacity 110 lbs. Wt. 19 lbs.

LTE6 Adjustable yoke-style ceiling mount will accommodate most 19" to 27" TV receivers. Adjusts from 21½" to 33" without LTEV accessory VCR shelf, or 23 ½" to 33" with LTEV. Includes 3"W x 10"L steel supports covered in non-skid material. Maximum forward tilt 15° and 240° swivel capability. Load capacity 110 lbs. Distance between ceiling and top of mount has four settings: 18 ³/₄", 22 ½", 26 ⁵/₆" and 30 ³/₄". Wt. 35 lbs.

12


- Heavy gauge steel tube/plate assembly.
- Arc welded joints for maximum strength.
- Durable baked-on powder

coat paint finish.


 Safety strap included with Economount TV mounts.


· Mounting systems accommodate















\$219



Economount TV/VCR Mounts

LTE10 - Full platform locking wall mount will accommodate most 25" to 27" TV receivers. TV rests on a 15" deep platform. Features 240° swivel and a maximum forward tilt of 15°. Platform is perforated to allow the monitor to be bolted down and locked in place for added security. Load capacity 110 lbs. Wt. 30 lbs.

LTE9 - Same as above but will accommodate most 19" and 20" TV receivers. TV rests on a 13^{3/4}" deep platform. Load capacity 90 lbs.

Wt. 24 lbs.

LTE11 - Platform wall mount will accommodate up to a 14" TV receiver. TV rests on a 12" wide by 11" deep platform with $^{1/2"}$ front retainer lip. Maximum forward tilt of 15° and 240° swivel capability. Load capacity 66 lbs. Wt. 7 lbs.

LTE12 - Platform wall mount with pivoting arm will accommodate up to a 14" TV receiver. TV rests on a 12" wide by 11" deep platform with ^{1/2"} front retainer lip. Maximum forward tilt of 15° and 240° swivel capability. Load capacity 66 lbs. Wt.7 lbs.

LTEV2 - Locking VCR bracket fits all Luxor LTE TV mounts. Adjusts from 14" to 21^{1/2"} wide to accommodate most DVD/VCR while resting on 2^{1/2"} x 6" brackets. Swivels independently of TV mount. All mounting hardware included. Wt. 6 lbs.

LTEVD - Adjustable dual stacking VCR bracket fits all Luxor LTE TV mounts. Adjusts from 14" to 20" wide. VCRs rest on 2^{3/4"} x 6" brackets. Attaches and swivels independently of TV mount. All mounting hardware included. Wt. 7 lbs.

LTEV - VCR bracket fits all Luxor LTE TV mounts. Adjusts from 14" to 20" wide to accommodate most front loading recorders. VCR rests on $2^{3/4"} \times 6$ " brackets. Swivels independently of TV mount. All mounting hardware included. Wt. 5 lbs.



TV Mounts & Mounting Options

LTE7 - Adjustable, full platform yoke style wall mount will accommodate most 19" to 29" TV receivers. TV rests on a 18" deep platform with full 1" front retainer lip that adjusts up to 30" wide. Platform is perforated to allow the monitor to be bolted down for added security. Maximum forward tilt 10° and 360° swivel capability. Load capacity 110 lbs. Wt. 35 lbs.

LTE8 - Adjustable full platform, yoke style, ceiling mount will accommodate most 19" to 29" TV receivers. TV rests on a 18" deep platform with full 1" front retainer lip that adjusts up to 30" wide. Platform is perforated to allow the monitor to be bolted down for added security. Maximum forward tilt 10° and 360° swivel capability. Load capacity 110 lbs. Wt. 34 lbs.

SP100 - Heavy duty steel, self-adhesive mounting plates. Plate attaches to your TV/VCR equipment, then bolt passes through the mount and is secured with nylon lock nut provided. Eliminates the need for screwing into your TV/VCR case. Two sets are recommended for TV installation. (Set of 2) Wt. 1 lb.

LTVS - Safety kit for TV mounts. Includes 2" heavy duty safety strap and two selfadhesive corners which attach to monitor case and serve as a track for safety strap. Wt. 2 lbs.



\$14 LTVS • Safety Kit • 2 Lbs. **SP100** • Self-Adhesive mounting plate • 1 Lbs.





Maximize your work space with the LLMSD!



Mounting Systems

LCD Monitor Mounts

Revolutionary Universal LCD Monitor Mounts offer the first multi-configurable design with the ability to configure the LLMSW into several different mounting styles. Can accommodate nearly every wall mount application, with just one mount! The LLMSW works with nearly every LCD monitor from 10" - 21" that uses a 75 or 100mm VESA standard.

LLMSW - Universal LCD monitor wall mount is a multi-configurable mount as a single arm, double arm articulating or near flush mount. Parts are provided. Holds most 10"-21"LCD monitors. Accommodates monitors with 75 or 100mm VESA standards. Adjustable tilt -5° to + 10°. Mount rotates 240° at monitor, 160° at the wall, and 240° at the elbow joint (double arm configuration). Feed through wall plate with decorative cover. Load capacity 25 lbs. Wt. 7 lbs. Silver powder coat paint finish.

LLMSWB - Same as above with black finish.

LLMSW2537 - Same features as above, holds 25"-37" LCD monitors. 50 lb. capacity Wt. 7 lbs.

LLMSC - Universal LCD ceiling mount holds most 10"- 21" LCD monitors. Accommodates monitors with 75 or 100mm VESA standards. Adjustable tilt -5° to + 30°. Mount rotates 360° at monitor. Mast telescopes 17"-27" from the ceiling. Includes clip based management system. Load capacity 25 lbs. Wt. 7 lbs. Silver powder coat paint finish.

LLMSC2537 - Same features as above, holds 25"-37" LCD monitors. Telescopes 18"-30" from celing. Wt. 7 lbs.

LLSW100 - Universal cantilever mount for LCD displays. Low profile design goes from a near flush 2¹/₄" to 16" from wall. Easily adjusts to provide optimum viewing angles. 75x75/100x100 VESA compliant. Ideal for displays from 13" to 24" weighing up to 25 lbs. Includes complete mounting hardware kit. Constructed of die-cast aluminum.

LLMSD - Universal LCD monitor table/desk mount can be attached to any type of work surface as a clamp-on or bolt through mount. Holds most 10" - 21" LCD monitors. Accommodates monitors with 75 or 100mm VESA standards. Adjustable tilt -5° to + 30°. Mount rotates 360°. Force arm has adjustable 0° to 60° forward tilt. Load capacity 25 lbs. Wt. 9 lbs. Silver powder coat paint finish.



PSLP46 - 3-shelf desktop or laptop multi-media workstation with pull-out keyboard or laptop shelf. includes 4" casters, two with locking brake and 3outlet electric assembly with 15' cord. Measures 24"W x 18"D x 46"H.

\$477

Prestige

PS3945 - Mobile adjustable height computer workstation. Perfect for desktop or laptop computer. Height adjusts from 39" to 45". Features dark gray wood laminate desk tops with black powder coat painted steel frame. Includes 3" casters, two with locking brake. 24"W x 31"D x 39" - 45"H.

\$199



Laptop/Presentation

LT Units Feature:

- Integral safety push handle is molded into top shelf.
- 3-outlet, 15' surge suppressing electric, UL and CSA listed.
- "Cable track" cord management system keeps cords neatly secured and free of entanglements.
- 4" casters, two with locking brake.
- Lifetime warranty. Molded shelves and legs won't stain, scratch, dent or rust.
- Retaining lip and sure grip safety pads prevent equipment from sliding.

LT342S - Versatile sit down laptop/overhead or standard computer workstation. Unit includes an adjustable keyboard shelf, surge electric and 4" casters, two with locking brake. Black color only. Wt. 33 lbs.

LT34 - Same as LT342S with additional middle shelf. Black color only. Wt. 38 lbs.

LT45 - Versatile laptop or standard computer workstation for stand-up applications. Unit includes an adjustable keyboard shelf, surge electric and 4" casters, two with locking brake. Black color only. Wt. 40 lbs.

LT45C - Same as LT45 with locking steel cabinet. Black/Gray color. Wt. 62 lbs.

LT45CLL - Same as LT45C with the addition of a locking lid and tub top shelf. Wt. 64 lbs.

LT45LL - Same as the LT45 with the addition of a locking lid and tub top shelf. Wt. 45 lbs.

LAMC2936 - Hydraulic adjustable multimedia cart, adjusts from 29" to 36" in height. The base of the cart can be utilized as a printer platform/CPU platform, for your requirements. Constructed of heavy duty laminate with a steel frame. The work surface measures 24"W x 29"D and pull-out keyboard shelf measures 27"W x 12"D. Assembly required. Teak color. Wt. 40 lbs.

LAMC3037 - Same as above with gray laminate finish and an adjustable height from 30" - 37".

PC42KB - Stand-up or sit-down multimedia presentation center. Features dual keyboard shelves, CPU holder, 3-outlet surge suppressing electric assembly and integral safety push handle. Molded shelves and legs will not stain, scratch, dent or rust.

PC51KB - Stand-up multi-media presentation center. Perfect for laptop or CPU use. Features dual keyboard shelves, large bottom shelf for supplies or CPU, 3-outlet surge suppressing electric assembly and integral safety push handle. Molded shelves and legs will not stain, scratch, dent or rust.

PC44KBC - Stand-up multi-media presentation center. Features locking steel cabinet, middle shelf for supplies or storage, 3outlet surge suppressing electric assembly and integral safety push handle. Molded shelves and legs will not stain, scratch, dent or rust.

LE42PC - Multi-media presentation workstation with four fixed shelves and two pullout keyboard shelves that can adjust in height to any position on the legs. Includes molded cord wrap, built in handle, 3-outlet surge suppressing electric assembly and 4" casters, two with locking brake. Available in putty, black or gray.

LT45PC - Multi-media presentation cart with locking steel cabinet. Includes pull-out shelf and plenty of room for an overhead or LCD projector and laptop computer. Locking cabinet is perfect for storing your equipment when not in use. Includes 3-outlet surge suppressing electric assembly and 4" casters, two with locking brake.

LT34PC - Presentation cart with locking steel cabinet and pull-out shelf. Easy to transport and store with built in handle and removable side shelf. 3-outlet surge suppressing electric assembly mounts inside cabinet. Includes 4" casters two with locking brake.





AVJ42KBCDL - Compact steel computer workstation and presentation center with pull-out keyboard and mouse shelf. Features a drop leaf on each side to accomodate equipment and supplies as needed. Locking steel cabinet is perfect for storing supplies and equipment when not in use. Height of top shelf is adjustable from 24" - 42". Available in black only with cabinet. Available without cabinet in black, green, red, royal blue and yellow

AVJ422KB4 - Compact steel stand-up or sit-down multi-media presentation center with two pull-out keyboard and mouse shelves. Height of top shelf is adjustable from 24" - 42".

ATV56KB4 - Adjustable height multimedia workstation with pull out keyboard and mouse shelf. Keyboard can be mounted on the front or side of unit. Features roll formed shelves with cable pass through holes, 3-outlet surge suppressing electric assembly and 4" casters, two with locking brake.

LMC - Multi-media cart with locking cabinet and drawer. Features $15^{5/87}W \times 10^{3/47}$ pullout laptop shelf and $10''W \times 12''D$ shelf that flips up from side. All metal construction. Comes with 3" casters, two with locking brake. Specify gray, black or brown/taupe. $19^{1/47}W \times 18^{1/47}D \times 35^{1/47}H$. Wt. 69 lbs.

LMC2 - Same as the LMC above with the addition of a second flip up side shelf and adjustable height inside shelf. 79 lbs.

Multi-Media Workstations

AVJ42KB - Compact steel mobile computer workstation with pull-out keyboard and mouse shelf. Unit is adjustable in 2" increments from 24"-42", and includes 3outlet, 15' UL and CSA electric assembly, and 4" casters, two with locking brake. Wt. 50 lbs.

Specify color when ordering AVJ42KB. AVJ42KB = Black AVJ42KBGN = Green AVJ42KBRD = Red AVJ42KBYW = Yellow AVJ42KBRB = Royal Blue

AVJCPU - Adjustable CPU holder for all AVJ42 carts attaches to either side of cart. Wt. 9 lbs.

AVJ42KBC - Same as the AVJ42KB with the addition of an all steel locking cabinet with full piano hinges. Wt. 62 lbs.

LSCW60 - Sleek and clean fully adjustable mobile LCD workstation. The workstation comes complete with a flat panel mounting bracket and 75mm and 100mm mounting plates, printer shelf, CPU holder, and a keyboard shelf with a mouse shelf. For your convenience, you can mount each of the accessories at any height on the 5' extruded aluminum mast. The unit comes complete with cord management and a stainless steel base with 2" furniture casters, two with locking brake. Accessory shelves are gray glossy powder coat finish. Load capacity 100 lbs. Wt. 65 lbs.

LSC50WMT - Wall mounted computer workstation with adjustable height shelves. Includes LCD monitor mounting bracket, printer shelf, CPU holder and keyboard shelf with mouse shelf. Any of the accessories can be mounted at any height on the 50" aluminum mast. Gray glossy powder coat finish.

LSC25WMT - Same as above with a length of 25", comes with one shelf only.

MSC37 - All steel welded multi-media cabinet with 4 roll-out shelves. Features locking front door, two large accessory trays inside door, and room for a LCD projector, DVD, VCR, laptop, disks, tapes and power adapter. Includes 5' security cable with padlock and two keys for attaching the cabinet to a fixed object, and 4" casters two with locking brake. Measures 21"W x 24"D x 37"H Wt. 105 lbs.





Multi-Function Endura® Tables

- Endura[®] Tables Feature:
- 48"Wide x 24"Deep shelves.
- Lifetime Warranty. Molded shelves and legs won't stain, scratch, dent or rust.
- 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed except for models LEW40C and LEW29C.
- · Available in putty, black or gray colors.
- Molded cord wrap attaches around table leg and swings out for easy access except for models LEW40C and LEW29C.
- Retaining lip around back and sides of shelves.
- Available in two or three shelf models.
- Models ship via UPS.
- All shelves reinforced with two aluminum bars.

LEW35 - Three shelf workstation Shelf Clearance 12 ^{1/2}"

LEW32 - Two shelf workstation Shelf Clearance 23 ^{1/2}"

LEW32TWR - Two shelf workstation with built-in tower support plates which can position and support your CPU on the right, left or middle of the bottom shelf.

LEW40C - 40" high, three shelf extra wide mobile workcenter with steel locking, vented cabinet. Ideal for use with multimedia equipment or heavy equipment, such as large screen monitors. Weight capacity 300 lbs. Specify putty, gray or black unit with black cabinet only. Pneumatic and semipneumatic tires available. Wt. 140 lbs.

LEW28 - Two shelf workstation Shelf Clearance 19"

LEW29C - 29" high, two shelf extra wide mobile work center with steel locking, vented cabinet. Ideal for use with heavy equipment such as laminating machines or large screen monitors. Weight capacity 300 lbs. Specify putty, gray, or black unit with black cabinet only. Pneumatic and semi-pneumatic tires available. Wt. 102 lbs.

LEW Options

LEMRO - Puli-our keyboard shelf for dual purpose. LEW units will accommodate up to 2 LEMRO keyboards. Order individually. Gray, black or putty color. Wt. 7 lbs. **\$98**

LEWKB - Pull-out keyboard shelf with pullout mouse shelf, not to be used for dual, side by side keyboards. See LEMRO. Black color only. Wt. 3 lbs. **\$89**

TLMD - Slide out media storage drawer. $12^{1/4^{\prime\prime}}W \times 16^{3/4^{\prime\prime}}L \times 3^{\prime\prime}D$. Black only. Wt. 4 lbs. **\$60**

TLMD2 - Slide out media storage drawer. $12^{1/4^{\prime\prime}}W \times 16^{3/4^{\prime\prime}}L \times 6^{\prime\prime}D$. Black only. Wt. 6 lbs. **\$72**

21

\$188

Children's Workstations

LEW26 - 26" high, two shelf extra wide computer workstation especially designed for early childhood applications, grades K-6. Complete with electric and 4" casters, two locking. Shelf clearance 17 ½". Specify putty, black or gray color. Wt. 55 lbs.

LEM32DUO - Workstation with leg room cut-out with multi-height capabilities. Assemble to your choice 22" or 24". Complete with surge electric and 4" casters, two locking. LSS safety strap included. Ideal for K-6 age group. Specify putty, black or gray color. Wt. 35 lbs.

LEM32DUOK - Video or computer cart with multi-height capability. Has pull-out keyboard shelf and leg room cut-out. Complete with surge electric and 4" casters, two locking. LSS safety strap included. Assemble to your choice of 22" or 24" high. Specify putty, black or gray color. Wt. 41 lbs.

LEM332KB - Dual computer workstation with two pull-out keyboards, wide workspace for two monitors, and wide lower shelf for two CPU towers. Mouse shelf attaches left or right side. Cable pass through hole for easy cord management. Complete with ESE 6-outlet 15' surge suppressing electric assembly and 4" casters, two locking. Specify putty, black or gray color. Wt. 57 lbs.

LEM332KBC - Dual computer workstation with bottom cabinet. and 2" casters. Specify putty, black or gray color. Wt. 104 lbs.

LEW Options

LEMRO - Pull-out keyboard shelf for dual purpose. LEW units will accommodate up to 2 LEMRO keyboards. Order individually. Gray, black or putty color. Wt. 7 lbs. **\$98**

LEWKB - Pull-out keyboard shelf with pullout mouse shelf, not to be used for dual, side by side keyboards. See LEMRO. Black color only. Wt. 3 lbs. **\$89**

TLMD - Slide out media storage drawer. $12\frac{1}{3}W \times 16\frac{3}{4}L \times 3^{\circ}D$. Black only. Wt. 4 lbs. **\$60**

TLMD2 - Slide out media storage drawer. 12 $\frac{1}{4}$ "W x 16 $\frac{3}{4}$ "L x 6"D. Black only. Wt. 6 lbs. **\$72**





Shown with 2 optional LEMRO keyboard shelves.







 OEPS32 • 24"W x 18"D x 31"H • 24 Lbs.
 \$284

 OEPS26 • 24"W x 18"D x 23"H • 19 Lbs.
 \$231

 EMS • Slide out mouse shelf • 8 Lbs.
 \$64

Computer Workstations

Endura® Computer Workstations

- Integral safety push handle is molded into top shelf.
- 3-outlet, 15' surge suppressing electric, UL and CSA listed.
- "Cable track" cord management system keeps cords neatly secured and free of entanglements.
- Assembly required.
- Lifetime warranty. Molded shelves and legs won't stain, scratch, dent or rust.
- Retaining lip and sure grip safety pads prevent equipment from sliding.

LEM32 - Workstation with leg room cutout and 4" casters, two with locking brake. Specify putty, black or gray color. Assembly required. Wt. 35 lbs.

LEM32T - Workstation with leg room cutout, monitor platform, and 4" casters, two with locking brake. Specify putty, black or gray color. Assembly required. Wt. 42 lbs.

LEM32K - Interactive video cart with pullout keyboard shelf. Complete with surge electric and 4" casters, two with locking brake. Specify putty, black or gray color. Assembly required. Wt. 41 lbs.

OEPS32 - 31" three shelf printer stand with chrome wire print-out basket and 2" casters, two with locking brake. Assembly required. Specify putty, gray, or black color. Wt. 24 lbs.

OEPS26 - Same as above with two shelves and 23" high. Wt. 19 lbs.

EMS - Mounts to existing pull-out keyboard shelf on workstations. Wt. 8 lbs.



Endura[®] Computer Workstations

LEM32TWR - Workstation designed for CPU tower users. Lower shelf includes 9 ^{1/2}"W x 20"D side area with built-in tower support plates for safety. Complete with surge electric and five 2" casters, two with locking brake. Putty, black or gray color. Wt. 36 lbs.

LEM32TWRK - Same as LEM32TWR with pull-out keyboard shelf (19 ^{1/2}"Wx16"D). Putty, black or gray color. Wt. 47 lbs.


LEM32TWRT - Same as LEM32TWR with monitor platform. Putty, black or gray color. Wt. 42 lbs.

LEM32TWRTK - Workstation designed for CPU tower users with monitor platform and pull-out keyboard shelf. Lower shelf includes 9^{1/2}"W x 20"D side area with builtin tower support plates for safety. Complete with surge electric and five 2" casters, two with locking brake. Putty, black or gray color. (19^{1/2}"W x 16"D). Wt. 55 lbs.

LEM32TWRKPS -Interactive video/computer cart with full top shelf and pull-out keyboard shelf and LEPS3 printer stand. Complete with surge electric and 2" casters, two with locking brake. Specify putty, black or gray color. Assembly required. Wt. 56 lbs.

LEM32S - Workstation with LEPS3 printer stand. Complete with surge electric and 2" casters. Specify putty, black or gray color. Assembly required. Wt. 49 lbs.

LEPS3 - 15^{1/2"} high, 2 shelf printer stand with 4" casters can also be ordered separately. Specify putty, black or gray color. Wt. 15 lbs.





Endura[®] Computer Workstations

LEM32FT - Interactive video cart with full top shelf and pull-out keyboard shelf. Complete with surge electric and 4" casters, two with locking brake. Specify putty, black or gray color. Assembly required. Wt. 57 lbs.

LEM32FTO - Same as LEM32FT with overhead projector stand and 2" casters. Specify putty, black or gray color. Assembly required. Wt. 73 lbs.

LEM32P - Heavy duty sit-down mobile workstation with pull-out keyboard shelf. Complete with surge electric and 8" pneumatic tires. Specify putty, black or gray color. Assembly required. Wt. 70 lbs.

LEM32P5 - Same as above except 28"H with solid core 5" plate casters in lieu of pneumatic tires. Wt. 53 lbs.

LEM32PT - Heavy duty stand-up workstation with pull-out keyboard shelf and full top shelf. Complete with surge electric and 8" pneumatic tires. Specify putty, black or gray color. Assembly required. Wt. 85 lbs.

LEM32PT5 - Same as above except 39"H with solid core 5" plate casters in lieu of pneumatic tires. Wt. 67 lbs.



Endura[®] Computer Workstations

LEMS - Workstation with leg room cut-out. Complete with surge electric and 4" casters, two with locking brake. Putty, black or gray color. Wt. 20 lbs.

LEMST - Same as LEMS with monitor platform. Wt. 28 lbs.

LEMSDUO - Same as LEMS with multiheight. Assemble to your choice 22" or 24". Includes LSS safety strap. Ideal for K-6 age group. Wt. 21 lbs.

LEMFP - Workstation with one adjustable pull-out keyboard shelf (19 ^{1/2"}W x 16"D) and fixed printer shelf. Versatile child/adult application. Complete with surge electric and 4" casters, two with locking brake. Specify putty, black or gray color. Wt. 36 lbs.

LEMPS - Workstation with two adjustable pull-out shelves ($19^{1/2}$ "W x 16"D). Complete with surge electric and 4" casters, two with locking brake. Specify putty, black or gray color. Wt. 37 lbs.

LEMSS - Workstation with one adjustable pull-out shelf ($19^{1/2n}W \times 16^{n}D$). Complete with surge electric and 4" casters, two with locking brake. Specify putty, black or gray color. Wt. 30 lbs.

LEM58 - Stand-up workstation with one adjustable pull-out shelf (19^{1/2}"Wx16"D). Complete with chrome wire print-out basket, surge electric and 2" casters, two with locking brake. Specify putty, black or gray color. Wt. 43 lbs.

LE58 - Same as the LEM58 with 16" clearance between middle shelves. Shown with optional 4" casters. Specify putty, black or gray color. Wt. 43 lbs.







Economical Hi-Tech

LCTL2428 - 28"W x 29"D x 28"H 2 shelf workstation design with adjustable height of shelves up to 28" max. Shelves can be interchanged for application. Black frame color. Includes 2" casters two with locking brake. Moderate assembly required. Wt. 36 lbs.

LCTL1830 - 18"W x 21"D x 30"H Workstation with adjustable height shelves. Sturdy construction provides versatility in compact locations. Black frame color. Includes 2" casters two with locking brake. Moderate assembly required Wt. 29 lbs.

LCTL2435 - 24"W x 29"D x 35"H 2 shelf workstation with adjustable height of shelves up to 35" height max. Shelves can be interchanged for application. Black frame color. Includes 2" casters two with locking brake. Moderate assembly required. Wt. 37 lbs.

LCTL29 - 24"W x 29"D x 28"H Single shelf workstation. This sturdy black tubular frame unit has 2" casters, two with locking brake. Moderate assembly required Wt. 31 lbs.

LCTL2452 - 24"W x 29"D x 52"H 2 shelf workstation. The sturdy black tubular frame unit has 2" casters, two with locking brake. Moderate assembly required. Wt. 46 lbs.

All LCTLS While supplies Last!

27

LCTL29 • 24"W x 29"D x 28"H • 31 Lbs. **\$136** LCTL2452 • 24"W x 29"D x 52"H • 46 Lbs. **\$232**

Adjustable Height Workstations

LHDAWS - Two shelf adjustable height computer workstation. Shelves adjust independently in a fluid motion using crank. They adjust from 19¼" to 29½" in height. Perfect for use in an environment used by children and adults where frequent height adjustment is necessary. Black metal frame with teak wood colored top. 43"W x 29½"D x 19¼"-29½"H. Wt. 81 lbs.

LACT2030 - Hydraulic adjustable height computer workstation. Adjusts in height from 20½"-30½". Features wood laminate top and keyboard shelf with metal frame. 47"W x 27½"D x 20½"-30½"H. Wt. 63 lbs.

LCW2948 - Fully adjustable, mobile computer workstation with laminate shelving surrounded by steel frame. Five, fun, steel frame colors all selected to match a popular line of computers. Complete with 2" furniture casters, two with locking brake. Light gray color available for shelving only. Specify gray, blue, rose, orange or purple frame. Assembly required. Wt. 53 lbs.





LCT5A • 23"W x 19¼"D x 33"H • 41 Lbs. \$264

Computer Workstations

Modern Computer Workstations

LCT26 - Extra wide wood and steel computer workstation. Generous work surface to accommodate a variety of hardware and equipment. Complete with pull-out keyboard shelf that opens up to a supply drawer, 2" casters, two with locking brake. Keyboard shelf measures 28 ^{1/4}"W x 11 ^{3/4}"D. Oak/Black frame. Wt. 53 lbs.

LCT6 - All steel, wood look top computer workstation complete with pull-out keyboard shelf, and 2" casters, two with locking brake. Keyboard shelf measures 12" x 28". Teak/Black frame. Wt. 41 lbs.

LCT6B - Wood and steel computer workstation with pull-out keyboard shelf, telephone shelf, copy holder, and 2" casters, two with locking brake. Keyboard shelf measures 12" x 28". Oak/Gray color. Wt. 53 lbs.

LCT2 - All steel computer workstation complete with pull-out keyboard shelf, built-in CD rack, printer stand and 2" casters, two with locking brake. Keyboard shelf measures 12" x 28". Gray color. Wt. 45 lbs.

LCT5A - All steel adjustable computer workstation with two pull-out shelves, CPU holder and 2" casters, two with locking brake. Height adjusts from 29" to 33" in 1" increments. Pull-out shelves measure 15 ^{1/4"} x 22 ^{1/4"}. Gray color. Wt. 41 lbs.



SPEAKER BRACKETS

LCTSB - All steel adjustable speaker brackets for LCT2 model only. Gray color. Wt. 3 lbs. \$37

CPU PLATFORM

LCPU1A- All steel adjustable CPU platform for LCT2 model only. Gray color. Wt. 3 lbs. **\$72**

COPY HOLDER

LCTCH - Copy holder to hold and secure your documents for LCT2 model only. Gray color. Wt. 4 lbs. **\$28**

ELECTRIC ASSEMBLY

LCTE - 15' surge suppressing electric assembly includes mounting hardware. Wt. 2 lbs. **\$84**


Modern Style Workstations

LCT43 - Extra wide computer workstation w/ extra wide pull-out keyboard shelf and mobile combination printer/CPU stand. Constructed of heavy duty laminate with steel frame. Comes with 3-outlet, 15' surge suppressing electric assembly. Has 3" casters, two locking on workstations, and 2" casters, two locking on printer/CPU stand. Assembly required. Measures 27^{1/2}"H x 29"D x 34^{1/2}"W. Teak color with black frame. Wt. 67 lbs.

PCS24 - Adjustable height personal computer workstation complete with keyboard shelf, hinged mouse shelf (which mounts on left or right side), bottom storage or printer shelf, CPU tower holder (which mounts on right or left side) 3-outlet, 15´ surge suppressing electric assembly, and 2" casters, two with locking brake. Constructed of heavy duty laminate with steel frame. Assembly required. Teak color with black frame. Wt. 44 lbs.

LCT15 - Wood and steel 3-tier computer workstation with semi-recessed monitor well, pull-out keyboard shelf, CPU tower holder, printer shelf, CD storage, and 2" casters, two with locking brake. Assembly required. Teak color with black frame. Wt. 70 lbs.

UCC1 - Personal computer workstation with pull-out keyboard and mouse shelf. Features all wood construction, 3" casters, two with locking brake, LCD monitor shelf and locking cabinet. 22^{3/4}"W x 19^{3/4}"D x 37^{1/4}"H. Wt. 73 lbs.





Versatile Computer Workstations

LCW180 - Two person/tower computer workstation complete with keyboard shelves, and CPU tower holder. Has a wide work surface for supplies and equipment. Constructed of heavy duty laminate with steel frame. Comes with two 3-outlet, 15' surge suppressing electric assemblies. Assembly required. Teak color with light gray frame. Wt. 105 lbs.

LCW180B - Same as above, with black base color instead of gray.

LCW120D - Single person/tower computer workstation complete with keyboard shelf, and CPU tower holder. Has a wide work surface for supplies and equipment. Constructed of heavy duty laminate with steel frame. Comes with 3-outlet, 15' surge suppressing electric assembly. Assembly required. Teak color with light gray frame. Wt. 57 lbs.

LCW120DB - Same as above, with black base color instead of gray.



LCW120 - Same as the LCW120 without the locking front and rear cabinet and no electric assembly. Limited Time Offer. **\$273**

LCT29 - Computer workstation made with wood and steel. Six, fun colors to choose from to energize your environment with color. Complete with 2" furniture casters, two with locking brake. Comes with pull-out keyboard shelf, and a pull-out mouse shelf. Specify yellow, red, blue, purple, gray, or charcoal. Assembly required. Wt. 36 lbs.

ALL LUXOR PRODUCT

Computer Security Centers

CSC61 - Locking steel, heavy duty mobile computer security center with a plexiglass window and welded keyboard shelf. Includes 3-outlet, 15' surge electric assembly U.L. and C.S.A. listed, ventilation louvers in back panel and heavy-duty, 4" ballbearing casters, 2 with locking brake. Cabinet ships assembled. Wt. 125 lbs.

CSC58KD - Locking steel, mobile computer security center. Roll-out keyboard shelf and mouse shelf, adjusts from 28" to 34" in 1^{1/2"} increments. Includes 3-outlet, 15' surge electric assembly U.L. and C.S.A. listed, ventilation louvers in back panel and heavyduty, 4" ball-bearing casters, 2 with locking brake. Cabinet knocked-down. Shelf installation required. Wt. 126 lbs.

CSC57 - Locking mobile computer security center. Includes roll-out keyboard shelf and 3-outlet, 15' surge electric assembly U.L. and C.S.A. listed, ventilated upper back panel with easy cabling access and heavy-duty, 3" ball-bearing casters, two with locking brake. Model comes complete with 2 attractive locking tambour doors. Unit supports up to a 19" monitor. Assembly required. Gray color only. Wt. 125 lbs.


CSC47 - Same as CSC57 without lower locking tambour door. Assembly required. Wt. 125 lbs.

PS570KD - Steel video security center with locking doors. Includes one fixed monitor shelf and one adjustable stationary equipment shelf. Lower cabinet allows for tape and equipment storage. Complete with 3-outlet, 15' surge suppressing power cord, UL and CSA listed. Ships knocked down. Wt. 118 lbs.

LLTS24 - All steel laptop computer workstation with 24 compartments for storing laptops. Has wide, nonskid top surface for supplies and equipment. Surge suppressing electric assembly is optional. Putty color. Wt. 225 lbs.

LLTSE - Four 6-outlet surge suppressing electric for LLTS24 models. Wt. 16 lbs.







Multi-Media Workstations

LE554 - Interactive video cart with pull-out keyboard shelf that can be positioned on either the side or front of cart. Complete with surge electric and 4" casters two with locking brake. Black color. Assembly required. Wt. 81 lbs.

LE554TO - Interactive video cart with overhead stand and pull-out keyboard shelf. Keyboard shelf can be positioned on either the side or front of cart. Complete with surge electric and 2" casters. Black color. Assembly required. Wt. 97 lbs.

MWC54 - Pyramid shape, three shelf, large screen multi-media cart with 5" casters, two with locking brake, 3-outlet 15´ UL & CSA listed electric assembly, 2" wide 20´ long safety strap with easy lock buckle. Cart includes 23^{1/2"} x 28^{1/2"} locking turntable with 150 degree swivel for best monitor viewing position, 18^{1/2"} x 17" accessory shelf which mounts under top shelf, built-in CPU tower support plates, and pull-out mouse shelf. Constructed of ^{7/8"} high-density particleboard with resilient vinyl T-moulding. Assembly required. Wt. 177 lbs.

LMMW48 - Multimedia computer workstation complete with adjustable overhead projector platform. Work surface provides ample room for all your computer and overhead needs. Unit features 3-outlet, 15' surge electric assembly, UL and CSA listed with adjustable leveler glides. Overhead projector platform adjusts easily with a hydraulic pneumatic lever and can be adjusted above, below, or flush with work surface top. Constructed of a heavy-duty laminate and steel frame. Assembly required. Teak color/black frame. Wt. 62 lbs. Please note: LMMW48 unit shown with optional LMMCPU holder and LMA monitor platform, both sold separately.

LMA - Monitor platform easily swivels and has side-to-side movement for better viewing and increased work surface space. Weight capacity 30 lbs. 16"W x 16"D. Assembly required. Wt. 12 lbs.

LMMCPU - Adjustable CPU tower holder. Teak color with black frame. 9"W x 18"D. Assembly required. Wt. 7 lbs.

Steel Computer Workstations

AVJOH48MM2 - 2 shelf steel adjustable height multi-media center has pull-out keyboard shelf with built-in mouse shelf. Work surface adjusts from 31" to 51". Transparency drawer located under projector well. Includes 8" pneumatic tires. Wt. 104 lbs.

AVJOH48M25 - Same as above with solid core 5" plate casters. Work surface adjusts from 28^{1/47} to 48". Wt. 90 lbs.

AVJOH48MM - 3 shelf steel adjustable height multi-media center has pull-out keyboard shelf with built-in mouse shelf. Work surface adjusts from 31" to 51". Transparency drawer located under projector well. Middle shelf adjusts to allow for a variety of equipment, including a CPU tower. Includes 8" pneumatic tires. Wt. 131 lbs.

AVJOH48M5 - Same as above with solid core 5" plate casters. Work surface adjusts from 28^{1/4"} to 48". Wt. 107 lbs.

MMC56 - All steel 3 shelf steel multi-media center with a powder coat paint finish. Center comes complete with a keyboard shelf with pull-out mouse shelf (R or L), a slide shelf with 8" clearance for scanner/printer, adjustable CPU bracket, adjustable VCR/DVD mount, 6-outlet surge suppressing electrical assembly, LRS safety strap, 4" ball bearing casters, two with locking brake. Clearance between the bottom and middle shelf is 22" and between the middle and top shelf is 24". The center measures 42" W x 24"D x 56"H. Assembly required. Black color. Wt. 110 lbs.

CS36 - All steel computer workstation with fully adjustable pull-out keyboard shelf. Adjusts from 23" to 34" in height. Has bottom shelf with CPU tower holder. Comes with 4" casters, two with locking brake. Black color. Wt. 53 lbs.

CS36S - Same as above with 3-outlet surge protected electric. Black color. Wt. 54 lbs.

LFT71 - Wide workcenter can be used for multiple applications. Table folds down to for easy, space-saving storage. Constructed of heavy duty laminate with steel frame. Assembly required. Teak color with light gray frame. Wt. 55 lbs.







LCD20 - Childrens desk with wood top. Top is available in bright blue and gray. Features tray under desk top to hold books and supplies. Chair sold seperately. Frame available in gray only. $28^{1/2^{10}}W \times 17^{1/2^{10}}D \times 27^{"}H$. Wt. 28 lbs. **\$155**



LKCP15 - Plastic chair available in bright blue, gray, yellow, red and green. Size 16"W x 15"D x 15" seat height. Wt. 8 lbs. \$50
LKCP14 - 14" height \$32
LKCP12 - 12" height \$28
LKCP11 - 11" height \$26
LKCP10 - 10" height \$24



Versatile Workcenters

- **Hi-Tech Units Feature:**
- · Strong heavy gauge tubular steel construction.
- · Heavy duty 1" shelves with resilient vinyl T-
- molding. Thermally fused laminate shelves coated with mar-resistant, durable, melamine finish.
- · Choice of frame color Black or gray bakedon powder coat paint finish.
- · Shelves adjustable in 1" increments; allows moving and adding shelves.
- Optional 3 MOV high spike surge suppressing electric. 3-outlet, 15⁻ cord, UL and CSA listed. TLES
- Open shelf design provides easy access and spacious work surface.
- 2" twin wheel casters available in place of glides at no extra charge. Add suffix "C2S" to model number. Example:

TL72C2S. Casters standard on most models. Assembly required.

TL6035 - 60" wide workstation with two shelves and 2" casters, two with locking brake. Available in ebony granite shelf color only. Specify black or gray frame. Assembly required. Maximum height 35". Wt. 103 lbs.

TL6028 - Same features as above with 28" maximum height. Wt. 100 lbs.

TL6050 - 60" wide editing center. Complete with 2" casters, two with locking brake. Specify black or gray frame. Assembly required. Wt. 131 lbs.

TL4850 - Same as above but 48" wide. Wt. 108 lbs

ccessories



TL4 - 4" dual wheel furniture caster. Not recommended for high mobility. Wt. 5 lbs. In lieu of standard casters, add suffix TL4. \$84



TLSB - Swing-out chrome wire storage basket. Attach to right leg tube only. Adjusts up/down in 1" increments. 13" x 101/2" x 4". Wt. 4 lbs. \$63



TLKB - Pull-out keyboard shelf. Fits all Hi-Tech workstations. Dual adjustment for added comfort and convenient covered storage compartment. Wt. 8 lbs. \$156

Hi-Tech Computer Workstations

TL4828 - 48" wide workstation with two shelves and 2" casters, two with locking brake. Specify color(s) when ordering, see Color Key on page 26. Choose black or gray frame. Assembly required. Maximum height 28". Wt. 85 lbs.

TL4835 - Same features as above with 35" maximum height. Wt. 87 lbs.

TL3628 - 36" wide workstation with two shelves and 2" casters, two with locking brake. Specify color(s) when ordering, see Color Key. Choose black or gray frame. Assembly required. Maximum height 28". Wt. 69 lbs.

TL2435RR - 24" wide workstation with two shelves and 2" casters, two with locking brake. Specify color(s) when ordering, see Color Key. Choose black or gray frame. Assembly required. Maximum height 35". Wt. 57 lbs.

TL2428YY - 24" wide workstation with 2 shelves and 2" casters, two with locking brake. Specify color(s) when ordering, see Color Key. Choose black or gray frame. Assembly required. Maximum height 28". Wt. 57 lbs.

TL28 - Same as above without bottom shelf. Wt. 26 lbs.

TL3635 - 36" wide workstation with two shelves and 2" casters, two with locking brake. Specify color(s) when ordering, see Color Key. Choose black or gray frame. Assembly required. Maximum height 35". Wt. 71 lbs.

TL48W - 48" wide wheelchair workstation. Shelf height adjusts in 1" increments. Complete with 2" casters, two with locking brake. Specify color(s) when ordering, see Color Key on page 26. Specify black or gray frame. Assembly required. Wt. 66 lbs.

TL36W - 36" wide wheelchair workstation with same features as above. Wt. 58 lbs.

Ordering Instructions: When ordering Luxor's Hi-Tech colored models, please use the following codes for assistance:

Color Key: R=Red, B=Blue, G=Green, Y=Yellow

*Traditional Ebony Granite shelf color, specify base color only

Bottòm

Shelf

Color







Computer Centers/Printer

These compact adjustable computer centers are extremely mobile and will accommodate a complete system. These space-saving units incorporate the same high quality features as listed on page 39.

TL2452 - 24" wide computer center with two shelves, and 2" casters, two with locking brake. Specify black or gray frame. Assembly required. Maximum height 50". Wt. 64 lbs.

TL2453 - Same as above but three shelves. Wt. 79 lbs.

TL2458 - 24" wide computer center with four shelves, and 2" casters, two with locking brake. Specify black or gray frame. Assembly required. Maximum height 56". Wt. 90 lbs.

TL2454 - Same as above but 50" maximum height. Wt. 87 lbs.

TL1837 - 18" wide, 37" tall, multiple use mobile workstation. Ideal for laptop computers and overhead projectors. Complete with 2" furniture casters, two with locking brake. Specify black or gray frame. Assembly required.Wt. 43 lbs.

TL16PS - 22" wide printer stand with two shelves, and 2" casters, two with locking brake. Black frame only. Designed to fit under 35" Hi-Tech units and other selected models. Assembly required. Wt. 25 lbs.

TL24P4 - 24" wide printer stand with four shelves, and 2" casters, two with locking brake. Specify black or gray frame. Assembly required. Wt. 74 lbs.

TLMS - Optional mouse shelf. \$61



TLPC - Optional storage basket. **\$32**





Computer Centers/Printer

TL4835MM - 48" wide multi-media workstation with terminal/monitor platform. Complete with 2" casters, two with locking brake. Specify black or gray frame. Assembly required. Wt. 122 lbs.

TL4828MM - Same as above without terminal/monitor platform. Maximum height 28". Wt. 81 lbs.

TLOH38 - 36" high stand-up overhead projector table with side shelves to hold transparencies and other supplies. Complete with 2" furniture casters, two with locking brake. Specify black or gray frame. Assembly required. Wt. 48 lbs.

TLOH29 - 29" high sit-down overhead projector table with same features as above. Wt. 47 lbs.

TL37TV - 37" high audio visual table with two shelves. Complete with 2" furniture casters, two with locking brake. Black frame color. Assembly required. Wt. 46 lbs.

S24 - Optional 24" wide shelf. Ebony granite color. Assembly required. Wt. 16 lbs.

TL1830 - 18" wide workstation. Complete with 2" twin wheel furniture casters, two with locking brake. Specify black or gray frame. Assembly required. Wt. 40 lbs.

TL1830MD - Same as above with slideout media drawer. Wt. 44 lbs.







Line drawings for the Hi-Tech section are on page 43.

40

	Hi-Tech
Notes:	
	41

LUXOR SERVICES

SERVICE

Satisfaction guaranteed means just that! We want you and your customer to be happy



with our products. If there is a problem we want to hear about it. Luxor also has a toll-free number for your customers' use. It's a direct line to our Customer Service Department which allows us to solve problems for you. You may give this number to your customers, if you wish. The number is **1-800-323-4656**.

SEND US

We have a

A FAX OR EMAIL

toll-free fax number, 1-800-327-1698, which may be used throughout the U.S. including Alaska, Hawaii and in Canada, or you can e-mail orders to: orders@luxorfurn.com.



Automotive Product

Cataloo

Faxing and e-mailing orders speeds delivery and saves you money. You can e-mail questions to: **sales@luxorfurn.com**.

DELIVERY

We warehouse all of our products and ship promptly. Speedy



delivery keeps your customers happy and turns your profit dollars more quickly. If there should be a delay, we'll call and keep you informed.

OPPORTUNITIES

NEW MARKET

Luxor offers

products which have application in other markets. Example: We manufacture a wide range of hospital carts, restaurant and janitorial carts, in addition to our expanded line of children's furniture. Many of your customers are prospects for these products and we can help you pursue these new market sales. Write for brochures and confidential dealer pricing. Luxor will

also customize a flyer for your company. You pick the products - we design and print them free of charge!

CUSTOM TABLES

AND CABINETS

Call us if you have a requirement for a custom table or cabinet.

We can, and do, modify our products for special applications. Modifications usually affect cost, the lead time required for delivery and are most commonly done on large quantity requirements. But don't



hesitate to call with your ideas. We want to hear from you.

SHOW

SAMPLES

Sample products provided for your showroom or convention display.



- Samples are 70% off list price or free freight!
- We can ship to you or direct to a convention hall.
- If stand up easel signs will help sell, they are available also.

CATALOGS




The Luxor full-line catalog is 84 pages in full color. It's available in quantity free of charge. Imprinting is also available. We'll even do custom layouts and photography at no cost to you. To put our marketing service people to work for you, just call.

ANYTHING

Tell us if there's **ELSE** other service Luxor can provide or action we can take to help you sell and profit. We love new ideas and welcome suggestions.



Luxor Literature Request Form



LUXOR FULL LINE CATALOG

This 84 page full color catalog displays Locor's full line of audio visual and computer furniture. Order by quantity:

Priced Versien:_____

Vapriced: _____



LUXOR AUTOMOTIVE CATALOG

This 20 page full color catalog displays Luxor's complete line of quality carts for automotive, shop, and maintenance applications. Order by quantity:

Vapricesi:_____



LUXOR

Dealer Pricelist


LUXOR HEALTHCARE CATALOG

This 44 page full color catalog displays Lucor's complete line of furniture designed for healthcare, food service, restaurant, and maintenance applications. Order by quantity:

Price &_____

LUXOR PRICE LIST

20 page complete price list of Luxor's full line of audio visual and computer furniture. **Order by quantity:**



Shin to:

LUXOR CHILDREN'S CATALOG

This 16 page full color catalog displays Luxor's complete line of computer and audio visual furniture specially designed for early childhood and primary education. Order by quantity:

Vapriced: _____



LUXOR CUSTOM FLYER PROGRAM

Luxor offers the chance to have a fiver designed for an individual company's need. This brochure explains how you can participate in this spectacular offer. Check below.

Yes, I am interested in Luxor's Custom Flyer Program: _____

Get your FREE Luxor Literature today.						
Fill in the information and fax toll-free at 1-800-327-1698.						
Or E-mail To:sales@luxorfurn.com						

Cempany: Address:	



THE LUXOR GUARANTEE

All Luxor products are provided with a lifetime guarantee. Luxor will replace or repair any unit which is found to be damaged in transit or is unsatisfactory in use. This guarantee is for the life of the product provided the product is used for its intended purpose and used with weight loads not exceeding those recommended. Since rental applications do not fall under the category of normal usage, Luxor will be unable to provide the Lifetime Guarantee on units used for rental applications. We will, however, make parts and/or entire units available at a special purchase price upon request.

HOW TO ORDER

Call Toll Free: Toll Free Fax: Email: Email: 1-800-323-4656 1-800-327-1698 sales@luxorfurn.com orders@luxorfurn.com

Mail: P.O. Box 830, Waukegan, Illinois 60079-0830 Large Quantity Orders: Luxor ships most quantity orders within 5 days of receipt. However, larger quantity orders may be acknowledged with a longer lead time. If a specific shipping date is an important consideration, call (toll free) to confirm product availability. Minimum order limitations on stocking prices for Universal Table Accessories. See page 18.

DISCOUNT POLICY

All prices are F.O.B. the Luxor warehouse in Waukegan, Illinois and/or Trussville, Alabama. Dealer pricing is determined by the total quantity ordered. Orders may be combined for maximum discount. All products (except accessories) can be mixed to count toward the total quantity.

Freight Paid Pricing: Luxor will quote prices Freight Paid, for any order upon request. This pricing can be guaranteed for a specific period of time. Please call for these quotations.

All pricing is subject to change upon notice. All prices are stated in U.S. Dollars,

Terms: Net 30 days. Requests for special terms should be approved prior to processing your order.

Return Goods: Merchandise should not be returned without written authorization and should be sent prepaid. A 25% restocking charge applies. Units returned unauthorized will receive a maximum of 50% credit. All returns must be made within 60 days.

Order Cancellation: A 10% order cancellation fee will be charged on all cancelled orders.

SHIPPING INFORMATION

Drop Shipments: Luxor will drop ship any order at **no extra charge**. All orders received on the same day are considered as one to give you the maximum discount.

Freight Charges: UPS shipments are pre-paid and added to your invoice. Shipments via motor freight to your company are made freight collect. If you wish service otherwise, please specify on your orders. Drop shipments via motor freight are billed directly to you by the carrier. Your purchase order number and our acknowledgement number appear on the carrier's bill to aid in matching our bill with the freight bill.

Carrier Selection: If you have a carrier preference, please mark each order to indicate this. Luxor will ship by the carrier you specify, if possible. If not specified, Luxor will ship the most economical way.

SATISFACTION GUARANTEE

Luxor products are guaranteed to be free of manufacturing defects and to be of the quality represented in Luxor catalogs. If any product is determined to be unsatisfactory, contact Luxor's Customer Service Department for an immediate return authorization. No restocking charge will apply when a product is being returned under this satisfaction guarantee. It is our intention that you be completely satisfied with Luxor products and service. Therefore, all questions are resolved promptly and fairly. For future reference, all Luxor products are provided with a Lifetime Guarantee. Luxor will replace or repair any unit which is found to be damaged in transit or is unsatisfactory in use. This guarantee is for the life of the product provided the product is used for its intended purpose and used with weight loads not exceeding those recommended. Since rental applications do not fall under the category of normal usage, Luxor will be unable to provide the Lifetime Guarantee on all units used for rental applications. We will, however, make parts and/or entire units available at a special purchase price upon request.

All Luxor products are inspected carefully and shipped in packaging which has been tested and approved by the Motor Freight Carriers Association.

If damage in transit occurs, it is generally the motor carrier's responsibility and must be reported promptly. Failure to report freight damage make any loss the consignee's responsibility.

Luxor will assist in pursuit of freight claims. However, you or your customers must do the following:

- Do not sign "clear" for a shipment when there is any noticeable damage to the cartons or to the product. Visible damage must be noted on the carrier's bill of lading before signing. Failure to do this negates the possibility of claim.
- 2. Inspect all shipments immediately for concealed damage. If there is concealed damage, contact the carrier and request a Damage Inspection. This must be done within 15 days of delivery. Failure to report concealed damage within 15 days also negates the possibility of claim.

"Concealed Damage" - Concealed damage occurs when a product is damaged even though the carton appears to be in good condition. This kind of damage occurs occasionally. It is the motor carrier's responsibility and must be reported promptly.





New Multi-Purpose Carts! Each cart on this page is available in two sizes

SST2L - Two tub stainless steel transport cart. Top and bottom tubs are 4" deep. Includes four 4" locking casters. measures 35^{1/2}"W x 19"D x 35^{1/2}"H**\$330**

SST2S - Same features as above with dimensions of 331/2"W x 171/2"D x 351/2"H. **\$292**



MRCS1 - Two tub steel transport cart. Top tub is 10"D, bottom tub is 3" deep. Includes two 10" big wheels and two 4" locking casters. Light gray powder coat paint finish. measures 18"W x 16"D x 39"H. **\$259**

 $\mbox{MRCS2}$ - Same features as above with dimensions of 381/2"W x 16"D x 39"H. **\$309**



MRCW2 - Two tub steel wire transport cart. Top tub is 10"D, bottom tub is 7" deep. Includes two 10" big wheels and two 5" locking casters. Light gray powder coat paint finish. measures 31"W x 17"D x 39"H.**\$287**

MRCW1 - Same features as above with dimensions of 361/2"W x 17"D x 39"H. **\$265**



Stainless Steel Carts



LICWT3014 • 24"W x 14"D x 32"H • 34 Lbs. \$





\$169 LICWT2918 • 30"W x 18"D x 30"H • 33 Lbs. **\$193**



LICWT3014 - Fully adjustable three shelf chrome wire tub cart. Shelves adjust in 1" increments Ideal for industrial, healthcare, food service, or restaurant applications. Unit comes with one 3½" deep tub shelf and two 1" deep shelves. Complete with 3" casters, two with locking brake. 24"W x 14"D x 32"H. Wt. 34 lbs.

LICWT2918 - Same as LICWT3014 with measurements of 30"W x 18"D x 30"H and top tub 5" deep. Wt. 33 lbs.

L100S2 - All stainless steel two shelf cart with a clearance of 24" between shelves. Ideal for light weight industrial, healthcare, food service, or restaurant applications. Complete with 4" NSF casters, two with locking brake. 26"W x 16"D x 35"H. Wt. 27 lbs.

L100S3 - Same as L100S2 except with three shelves and a 12" clearance between shelves. Wt. 35 lbs.



Wire Carts/Packing Station

LICW4218 - Fully adjustable, mobile wire computer workstation. Includes pull-out keyboard shelf, CPU tower holder measures 9"W x 18"D and swing-out mouse shelf measures 9^{1/2}"W x 9^{1/2}"D. Ideal for hospital and restaurant use. Complete with 3" casters, two with locking brake. 29^{1/2}"W x 18"D x 42"H. Assembly required. Chrome color. Wt. 43 lbs.

LICW3018 - Same as LICW4218 except 32" H. Wt. 39 lbs.

LICWES - Optional extra shelf for LICW units. Wt. 9 lbs.

LWT970 - Easy transport wire dolly with white powder coat paint finish. Ideal for transporting cartons, mail, office supplies and accessories, or presentation materials. Comes complete with 6" pneumatic wheels. 34"W x 17"D with a handle. Wt. 30 lbs.

LIWPS - Open wire packing station. Galvanized work surface combines with open wire shelves to give you an extremely strong and durable packing bench. Work surface is strong enough to support 500 lbs. Tough powdercoat finish wire shelves will not trap dirt and provide good air circulation and ventilation to supplies. Lower shelf holds up to 650 lbs. - ideal for storing heavy cartons or supplies. Two upper 60"W x 14"D adjustable shelves are included and support up to 150 lbs. each. Top shelf includes six 121/2" adjustable dividers, middle shelf has a backstop to keep items secure. 60"W x 30"D x 34"H overall. Wt. 125 lbs.



LIWUB • Utility Basket • 2 Lbs.	\$28	LIWBR • Bin Rail • 10 Lbs.	\$42
LIWRE • Reel Holder • 3 Lbs.	\$42	LIWCD • Carton Divider • 15 Lbs.	\$135
LIWRO • Roll Holder • 5 Lbs.	\$42	LIWSS • Scale Stand • 28 Lbs.	\$157



Janitorial Carts

HL13 - Laundry cart folds for easy storage. Comes complete with an orange nylon laundry bag and 3" casters. Blue color. 25"W x 25"D x 36^{1/2}"H. Assembly required. Wt. 23 lbs.

JCB8 - Heavy-duty three shelf janitor cart with an orange nylon trash bag. Top two shelves have a tray for supplies. Comes complete with 8" big wheels. 36"W x 17"D x 38"H. Clearance between bottom to middle shelf 13", middle to top shelf 16". Mop bucket and cleaning supplies not included. Gray color. Assembly required. Wt. 31 lbs.

JCB30 - Heavy-duty, three shelf janitor cart with black nylon trash bag. Top two shelves have tray for supplies. Complete with 8" big wheels and caster bumpers. Mop bucket and cleaning supplies not included. 32"W x 24"D x 48"H. Black color. Clearance between shelves 171/2". Assembly required. Wt. 47 lbs.

MSB42 - Three shelf housekeeping cart with black nylon trash bag. Complete with 8" big wheels and caster bumpers. Black color. 32"W x 24"D x 42"H. Clearance between shelves 11" and 19". Assembly required. Wt. 59 lbs.

JCB40 - Heavy-duty, four shelf janitor cart with black nylon trash bag. Top two shelves have space for supplies. Complete with 8" big wheels and caster bumpers. Mop bucket and cleaning supplies not included. 32"W x 24"D x 50"H. Black color. Clearance between shelves 8", 17", and 111/2". Assembly required. Wt. 61 lbs.

LPD300 - Large platform dolly constructed of steel frame and non-skid vinyl deck surface. 321/2" handle folds down for compact storage. Platform size 25" x 35". Includes 4" casters. 600 lb. capacity.

SPD140 - Small platform dolly constructed of steel frame and non-skid vinyl deck surface. 32^{1/2}" handle folds down for compact storage. Platform size 19" x 29". Includes 4" casters. 400 lb. capacity.

PPD200 - Plastic heavy duty dolly. Deck size 16" x 24". Includes 3" poly-swivel casters. 800 lb. capacity.

JXOR PROD



Bussing/Serving Carts

BC55 - Large five shelf banquet serving cart with 4" swivel casters, two with locking brake. Specify putty, black, or gray color. 24"W x 32"D x 49"H. Clearance between shelves 8". Assembly required. Wt. 73 lbs.

BCB55 - Same as above with 8" big wheels. Wt. 77 lbs.

BC45 - Four shelf banquet cart with 4" swivel casters, two with locking brake. Specify putty, black, or gray color. 18"W x 24"D x 36"H. Clearance between shelves 8³⁴". Assembly required. Wt. 29 lbs.

BCB45 - Same as above with 8" big wheels. Wt. 35 lbs.

SC14 - Open shelf serving/bussing cart with plastic polypropylene shelves and aluminum legs. Comes standard with 3" casters. Gray color. 40"W x 19³⁴"D x 34"H. Clearance between shelves 11". Assembly required. Wt. 48 lbs.

SCB30 - Open shelf serving cart with side shelf. Includes 3-outlet, 15' U.L. and C.S.A. listed electric assembly, 8" big wheels and caster bumpers. Specify putty, black, or gray color. 24"W x 18"D x 33"H. Clearance between shelves 12". Assembly required. Wt. 40 lbs.

SCB30C - Three shelf serving cart with locking cabinet and side shelf. Includes 3-outlet, 15' U.L. and C.S.A. listed electric assembly, 8" big wheels, and caster bumpers. Specify putty, black, or gray with walnut cabinet. 24"W x 18"D x 33"H. Clearance between shelves 6^{1/4}" and 17^{3/4}". Assembly required. Wt. 62 lbs.

IBC4 - Open 4 shelf serving/bussing cart with plastic polypropylene shelves and brushed aluminum legs. Comes standard with 3" casters. Gray color. 40"W x 19^{3/4}"D x 47^{3/4}"H. Clearance between shelves 11". Assembly required. Wt. 61 lbs. **IBC5** - Same as above with 5 shelves. 61^{1/2}"H. Wt. 74 lbs.

Accessories For IBC4 & IBC5

IPTS - Plastic tub with lid. 13^{1/2}"W x 16"D x 5"H. Wt. 2 lbs. **\$34**

ISB - Silverware bin, hangs from side of cart. Wt. 1 lbs. **\$19**

ITB - Trash bin, hangs from side of cart. Wt. 3 lbs. **\$39**



IBC4 • 40"W x 19¾"D x 47¾"H • 61 Lbs.

\$398 IBC5 • 40"W x 19¾"D x 61½"H • 74 Lbs. **\$496**



LPT42 • 32"W x 24"D x 42"H • 51 Lbs.

\$509 LPT44 • 32"W x 24"D x 44"H • 54 Lbs.

Multi-Purpose

Bussing/Gerneral Purpose Carts

IBCFA - Serving/bussing cart with plastic polypropylene shelves and aluminum legs. A wide range of accessories can be attached to this cart to meet almost any food service need. Comes with 3" casters, two with locking brake.

MTC30DL/N - Three shelf general purutility cart with tub middle & top pose shelves, and flat bottom shelf. Includes 6 removable tray dividers which can be arranged in numerous positions for increased flexibility, un-hinged plastic lid, and 4" casters, two with locking brake. 24"W x 15^{3/4}"D x 33"H. Black color. Wt. 36 lhs

MTC30DLL/N - Three shelf general purpose utility cart with tub middle & top shelves, and flat bottom shelf. Includes 6 removable tray dividers which can be arranged in numerous positions for increased flexibility, hinged locking plastic lid, and 4" casters, two with locking brake. 24"W x 15^{3/4}"D x 33"H. Black color. Wt. 37 lbs.

MTC40DN - Four shelf general purpose utility cart with tub middle & top shelves, and flat bottom shelf. Includes 6 removable tray dividers which can be arranged in numerous positions for increased flexibility, and 4" casters, two with locking brake. 24"W x 15^{3/4}"D x 46^{1/2}"H. Black color. Wt. 46 lbs.

MTC40DLL/N - Same as above with locking plastic lid on top shelf. Black color. Wt. 48 lbs.

LPT42 - Stand-up tool/utility cart with flat work surface area for convenience, large tub base shelf for plenty of storage, and a small top tub shelf for additional parts and accessories. Comes with 4" casters, two with locking brake. 32"W x 24"D x 42"H. Assembly required. Wt. 51 lbs.

LPT44 - Same as above with an additional middle tub shelf for plenty of storage. 32"W x 24"D x 44"H. Assembly required. Wt. 54 lbs.



Locking lid (MTCLL) and non-locking lid (MTCL) available for all MTC, LPT42, and LPT44 models.



ATC332 - Three shelf compact adjustable utility cart constructed of blow-molded plastic with metal frame. 22"W x $15^{1/2}$ "D x 32"H. Complete with 3" heavy duty casters, two with locking brake. Red color only. Wt. 23 lbs.

ATC232 - Same as above, except 2-shelf model. Wt. 20 lbs.



• Push handle molded into top shelf.

- Easy and quiet rolling.
- Easy assembly with rubber mallet included.
- Available in 6 tub colors and 9 leg colors
- Carts available with 2, 3 or 4 shelves.
- Lifetime warranty!



TC and STC tub carts now available in 6 colors!

Legs now available in 9 colors!

To specify shelf color, add the prefix listed below to the model number. Example: STC111 with red shelves= RDSTC111

F							Coloi		Code
							Gree	n	GN
							Red		RD
	11						Black	¢	BK
							Putty	,	PY
							Blue		BU
		- 4.	_				Gray		GY
			4.4				to the ber. E STC1	add listeo mod xamp 11 wi	the d below lel num-
Color	Red	Orange	e Yellow	Green	Blue	Purple	Putty	Gray	Black
Code	RD	OR	YW	GN	BU	PR	PY	GY	BK





BUSTC111PR • 24"W x 18"D x 40½"H • 29 Lbs. \$257 RDSTC111YW • 24"W x 18"D x 40½"H • 29 Lbs. \$257





RDSTC221BU • 24"W x 18"D x 40½"H • 29 Lbs. **\$230** BUSTC121GY • 24"W x 18"D x 38"H • 28 Lbs. **\$239**

Multi-Purpose

Colored TC & STC Carts

BUSTC111PR - Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 40^{1/2}"H. 2^{3/4"} deep tubs. Shelf clearance 12". Blue shelves with purple legs. Wt. 29 lbs.

RDSTC111YW - Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 40^{1/2}"H. 2^{344"} deep tubs. Shelf clearance 12". Red shelves with Yellow legs. Wt. 29 lbs.

RDSTC221BU - Top and middle flat shelves and bottom tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x $35^{1/2"}$ H. $2^{3/4"}$ deep tubs. Shelf clearance 12". Red shelves with blue legs. Wt. 26lbs.

BUSTC121GY - Top and bottom, tub shelf, and middle flat shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38"H, 2^{3/4"} deep tubs. Shelf clearance 12".

Blue shelves with gray legs. Wt. 28 lbs.

GNSTC111GN - Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x $40^{1/2}$ "H. $2^{344"}$ deep tubs. Shelf clearance 12". Green shelves with Green legs. Wt. 29 lbs.

GNTC11BK - Two tub shelf utility cart with 4" casters, two with locking brake. 32"W x 24"D x 37^{1/2}"H. 2^{3/4"} deep tubs. Shelf clearance 25". Green tubs with black legs. Wt. 41 lbs.

All STC and TC carts on the next two pages are available with colored legs and shelves. Use the codes on the previous page to specify colors.



GNSTC111GN • 24"W x 18"D x 40½"H • 29 Lbs.\$257 GNTC11BK • 32"W x 24"D x 37½"H • 41 Lbs. \$378

- 24" x 18" Heavy Duty Utility Carts
- Push handle molded into top shelf.
- Easy and guiet rolling.
- Easy assembly with rubber mallet included.
- Available in black, putty or gray color.
- Carts available with 2, 3 or 4 shelves.
- Lifetime warranty!

STC11 - Two tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 381/2"H. 23/4" deep tubs. Shelf clearance 26". Specify black, gray or putty color. Wt. 23 lbs.

STC221 - Top and middle flat shelves and bottom tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 351/2"H. 23/4" deep tubs. Shelf clearance 12". Specify black, gray or putty color. Wt. 26lbs.

STC111 - Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 401/2"H. 23/4" deep tubs. Shelf clearance 12". Specify black, gray or putty color. Wt. 29 lbs.

STC1111 - Four tub shelf utility cart with 4" casters, two with locking brake and 24"W x 18"D x 46^{3/4}"H, 2^{3/4}" deep tubs. Shelf clearance 83/4". Specify black, gray or putty color. Wt. 38 lbs.

STC121 - Top and bottom, tub shelf, and middle flat shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38"H, 2^{3/4}" deep tubs. Shelf clearance 12". Specify black, gray or putty color. Wt. 28 lbs.

STC211 - Top flat shelf and middle and bottom tub shelves utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38"H. 23/4" deep tubs. Shelf clearance 12". Specify black, gray or putty color. Wt. 28 lbs.



LPCSA - 3-outlet, 15' electrical assembly. UL & CSA list Wt. 3 lbs. \$95

Options





	STC112	
C5I - 5" casters in	STC122	
lieu of 4" casters.		
\$37	STC212	
As a seperate unit:		
<mark>C5</mark> - \$68	STC2111	







\$212 STC1111 • 24"W x 18"D x 46³/4"H • 38 Lbs. STC111 • 24"W x 18"D x 401/2"H • 29 Lbs. \$261

All STC and TC carts now available in 6 shelf colors and 9 leg colors! see page 52.





bly. UL & CSA listed	STC121 • 24"V	V x 18"D x 38"H	• 28 Lbs.	\$207	STC2	11 • 24"W x 18"l	D x 38"H • 28 Lbs	s. \$207
	Model #		Colors	Shelf Cleara		Height	Weight	Price
STBW/LTBW - 8" big wheel assembly	STC12		Black, Gray, Putty	26″		36″	21 lbs.	\$173
for STC \$67 and TC models. \$91	STC21		Black, Gray, Putty	26″		36″	24 lbs.	\$173
	STC112		Black, Gray, Putty	12″		38″	28 lbs.	\$207
C5I - 5" casters in lieu of 4" casters.	STC122		Black, Gray, Putty	12″		35 ¹ /2″	23 lbs.	\$195
\$37 As a seperate unit:	STC212		Black, Gray, Putty	12″		35 ¹ /2″	28 lbs.	\$195
C5 - \$68	STC2111		Black, Gray, Putty	8 ³ /4″		44 ¹ /2″	38 lbs.	\$256



32" x 24" Heavy Duty Utility Carts

TC11 - Two tub shelf utility cart with 4" casters, two with locking brake. $32^{\circ}W \times 24^{\circ}D \times 37^{1/2^{\circ}}H$. $2^{3/4^{\circ}}$ deep tubs. Shelf clearance 25". Specify black, gray or putty color. Wt. 41 lbs.

TC211 - Top flat shelf and middle and bottom tub shelves utility cart with 4" casters, two with locking brake. 32"W x 24"D x 37"H. $2^{34^{24}}$ deep tubs. Shelf clearance 11". Specify black, gray or putty color. Wt. 60 lbs.

TC112 - Top and middle tub shelf and bottom flat shelf utility cart with 4" casters, two with locking brake and 32"W x 24"D x 37"H, 2³⁴" deep tubs. Shelf clearance 11". Specify black, gray or putty color. Wt. 55 lbs.

TC111 - Three tub shelf utility cart with 4" casters, two with locking brake and 32"W x 24"D x 38^{1/2}"H, 2^{3/4}" deep tubs. Shelf clearance 11". Specify black, gray or putty color. Wt. 61 lbs.

TC1111 - Four tub shelf utility cart with 4" casters, two with locking brake and 32"W x 24"D x $44^{1/2}$ "H, $2^{3/4"}$ deep tubs. Shelf clearance 8". Specify black, gray or putty color. Wt. 76 lbs.

PTC21 - Top flat shelf and bottom tub shelf utility cart with pneumatic wheels, two with locking brake and 32"W x 24"D x 36"H, 2^{344"} deep tubs. Shelf clearance 25". Specify black, gray or putty color. Wt. 67 lbs.

TC21 - Top flat shelf and bottom tub shelf utility cart with 4" casters, two with locking brake and 32"W x 24"D x 36"H, $2^{34"}$ deep tubs. Shelf clearance 25". Specify black, gray or putty color. Wt. 43 lbs.

PTC111 - Three tub shelf utility cart with 8" pneumatic wheels, two fixed, two swivel with locking brake. 32"W x 24"D x 39"H. 2³⁴" deep tubs. Shelf clearance 11". Specify black, gray or putty color. Wt. 66 lbs.

SP8 - Solid rubber high profile semi-pneumatic tires. Add suffix "SP" to model number.



P8 - Air filled, non-marking pneumatic tires. Add suffix "P" to model number.

FR8 - Heavy duty 8" foam rubber casters. Add suffix "FR" to model number.




New Audio/Visual!



Prestige

PS3800 - Mobile lectern with privacy panel. Dark gray laminate top with black powder coat painted steel frame and back panel.

\$172



MB4836 - Same as above with board measurements of 48"W x 36"H. \$232

MB6036 - Same as above with board measurements of 60"W x 36"H. \$265

MB7240 - Same as above with board measurements of 72"W x 40"H. \$291



PS2633 - Projector table with gray laminate top and black frame. Left panel of table top tilts 30° using crank. Includes 2" casters two with brake. 29^{1/2"}W x 19^{1/2"}D x 23^{1/2"}-33"H. **\$265**

56



Prestige

PS3144 - Adjustable height lectern with gray laminate top and black frame. Includes four adjustable glides. **\$135**



Steel Overhead Projector Tables

- Roll formed steel shelves.
- 3-outlet, 15' UL and CSA listed electric assembly.
- 4" casters, two with brake.
- Powder coat paint finish. Black or gray color. OHT292S also available in putty.
 - Side shelves drop down for easy mobility.
 - Assembly required.

OHT29 - Sit-down, adjustable height, steel overhead projector table. Projector platform adjusts from 17 ½" to 27 ½". Complete with 3-outlet, 15´ electric assembly, UL and CSA listed. Specify color, black or gray. Assembly required. Wt. 36 lbs.

OHT39 - Stand-up, adjustable height, steel overhead projector table. Projector platform adjusts from 27½" to 37½". Complete with 3-outlet, 15´ electric assembly, UL and CSA listed. Specify color, black or gray. Assembly required. Wt. 47 lbs.

OHT292S - Sit down, adjustable height steel overhead projector table with additional lower storage shelf. Projector platform adjusts from 17 ½" to 27 ½". Complete with 3-outlet, 15' electric assembly, UL and CSA listed. Includes 4" casters, two with locking brake. Specify color black, putty or gray. Assembly required. Wt. 43 lbs.

AOHT1826 - Adjustable height mobile Projector table. Side shelves fold down for easy mobility. Projector platform adjusts from $20 \frac{1}{2}$ "H to 34"H. Projector platform measure 18"W x $17 \frac{1}{2}$ "D. Side shelves measures $12 \frac{1}{4}$ "W x 16"D and adjust from 26" to 39". Constructed of heavy-duty laminate with steel frame. Assembly required. Teak color/black frame. Wt. 32 lbs.

AVJOH Models Feature:

- Roll formed steel shelves.
- 3-outlet, 15' UL and CSA listed electric assembly.
- Projector platform well adjusts 0 to 10" in 1" increments.
- Powder coat paint finish. Black color.
- Assembly required.

AVJOH - Adjustable height steel overhead projector table for stand-up or sit-down use. Work surface adjusts from 25" to 45". Includes 4" casters, two with locking brake. Wt. 63 lbs.

AVJOH48T - 48" wide adjustable height steel overhead projector table with terminal platform. Terminal platform adjusts and tilts in 1" increments. Includes 4" casters, two with locking brake. Wt. 78 lbs.

AVJOH48 - Same as above without terminal platform. Wt. 72 lbs.

Endura® Overhead Projector

- Lifetime warranty. Molded shelves and legs won't stain, scratch, dent or rust.
- 3-outlet, 15' surge suppressing electric assembly, UL & CSA listed.
- Retaining lip prevents supplies from sliding off shelves.
- Integral safety push handle.
- Includes set of sure grip pads to keep equipment from sliding.
- Molded cord wrap.
- 4" ball bearing casters, two with locking brake.
- Model OHT50 accommodates the 3M 900 and 9000 series overhead projectors (excluding the 9700 series).
- All models ship UPS.

OHT32 - Compact stand-up overhead projector table. Assembly required. Black color only. Wt. 31 lbs.

OHS32 - Same features as OHT32 with middle storage tray shelf for storing transparencies and other supplies. Assembly required. Wt. 32 lbs.

OHT42 - Stand-up table for large overhead projectors. Includes large work area for transparencies and other supplies. Assembly required. Black color only. Wt. 43 lbs.

OHT42PS - Same as above with steel pull-out keyboard shelf. Black color only. Wt. 47 lbs.

OHT42PSC - Same as above with locking cabinet. Black color only. Wt. 79 lbs.

OHT42C - Same as OHT42 with locking cabinet. Black color only. Wt. 75 lbs.

OHS42 - Same features as OHT42 with top shelf storage tray shelf for storing transparencies and other supplies. Assembly required. Black color only. Wt. 44 lbs.







Endura® Overhead Projector

- Lifetime warranty. Molded shelves and legs won't stain, scratch, dent or rust.
- 3-outlet, 15' surge suppressing electric assembly, UL & CSA listed.
- Retaining lip prevents supplies from sliding off shelves.
- Integral safety push handle.
- Includes set of sure grip pads to keep equipment from sliding.
- · Molded cord wrap.
- 4" ball bearing casters, two with locking brake.
- Model OHT50 accommodates the 3M 900 and 9000 series overhead projectors (excluding the 9700 series).
- All models ship UPS.

OHT20 - Compact sit-down overhead projector table. Assembly required. Black color only. Wt. 23 lbs.

OHT30 - Sit-down overhead projector table. Includes two sets of legs to allow top shelf height to match OH projector. Plastic side shelves hold transparencies and other supplies. Assembly required. Specify putty, gray, or black color. Wt. 29 lbs.

OHT40 - Stand-up overhead projector table with same features as above. Specify putty, gray, or black color. Wt. 30 lbs.

OHT40C - Stand-up overhead projector table with cabinet. Includes two sets of legs to allow top shelf height to match OH projector. Plastic side shelves hold transparencies and other supplies. Assembly required. Specify putty, gray, or black color. Wt. 56 lbs.

OHT50 - Stand-up table accommodates the new large overhead projectors and provides a large work area for transparencies and other supplies. Assembly required. Black color only. Wt. 35 lbs.

OHT50C - Same as above with locking cabinet. Black color only. Wt. 57 lbs.

Duraweld Tables

- Roll formed shelves with powder coat paint finish.
- Tables are robotically arc welded.
- · Cable pass through holes.
- 1/4" retaining lip around each shelf.
- 3-outlet, 15' UL and CSA listed electric assembly with cord plug snap.
- 4" ball bearing casters, two with locking brake.
- · AV and AVJ models have safety mats.
- · Big wheel models available.
- · Cabinet models have reinforced locking doors with full length piano hinges.
- (UL) models 13"

AVJ42 models - Adjustable height tables either open shelf or cabinet tables that come with electric assembly. Tables are black, green, red, yellow, or royal blue color except for models AVJ42C and AVJ42BC come in black color only.

AVJ42 - Open shelf table with 4" casters. 41 lbs

AVJ42B - 8" big wheels on one end and LSS safety strap. (1) listed. 48 lbs

AVJ42C - Cabinet table with 4" casters. 55 lbs.

AVJ42BC - Same as above with 8" big wheels on one end and LSS safety strap. listed. 62 lbs

AV26 - Open shelf table w/4" casters & electric assembly, 31 lbs

AV26B - Same as above w/8" big wheels on one end & LSB safety belt. (1) listed. 38 lbs

AV34 - Open shelf table w/4" casters & electric assembly. 41 lbs

AV34B - Same as above with 8" big wheels on one end and LSB safety belt. listed, 47 lbs

AV42 - Open shelf table w/4" casters & electric assembly. 42 lbs.

AV42B - Same as above with 8" big wheels on one end and LSB safety belt. listed. 48 lbs.

ATV56 models - Traditional TV tables with either open shelves or cabinet. Tables are black, green, red, yellow, or royal blue color except for models ATV56C and ATV56BC come in black color only

ATV56 - Adjustable height 24"deep open shelf table. 58 lbs.

ATV56B - Adjustable height 24" deep open shelf table w/8" big wheels on one end. 81 lbs.

ATV56C - Adjustable height 24" deep cabinet table. 89 lbs.

ATV56BC - Adjustable height 24" deep cabinet table w/8" big wheels on one end. 93 lbs

60



AV42 AV34B	J.	AV26
AV26 • 24"W x 18"D x 26"H • 31 Lbs.	\$358	AV26B • w/8" big wheels & safety strap • 38 Lbs. \$435
AV34 • 24"W x 18"D x 34"H • 41 Lbs.	\$385	AV34B • w/8" big wheels & safety strap • 47 Lbs. \$462
AV42 • 24"W x 18"D x 42"H • 42 Lbs.	\$399	AV42B • w/8" big wheels & safety strap • 48 Lbs. \$478

Specify color when ordering AVJ42 or AVJ42B: AVJ42 = Black AVJ42GN = Green AVJ42RD = Red AVJ42YW = Yellow AVJ42RB = Roval Blue



ATV56C • w/locking cabinet • 89 Lbs.

ATV56BC • w/cabinet & big wheels • 93 Lbs.\$872



Steel Adjustable Height AV

AVJ42CKD - Adjustable height table with locking cabinet. Features powder coat paint finish, retaining lip around each shelf, and 4" casters, two with locking brake. Height adjusts in 2" increments from 30"-42". 24"W x 18"D x 30"-42"H. Wt. 62 lbs.

AVJ42KD - Same as above without locking cabinet. Wt. 44 lbs.



ATW56 - Adjustable height wide base table with 4" casters, two with locking brake and electric assembly. Wt. 80 lbs.

ATW56C - Wide base table with cabinet, 4" casters, two with locking brake and electric assembly. Wt. 106 lbs.

ATW48EUL - Adjustable height wide base table with back pannel. Includes 4" casters, two fixed two swivel with locking brake, UL and CSA listed electric assembly and LSB safety belt. Wt. 81 lbs.

ATW48CEUL - Adjustable height wide base table with cabinet. Includes 4" casters, two fixed two swivel with locking brake, UL and CSA listed electric assembly and LSB safety belt. Wt. 102 lbs.

- Wide base for increased stability.
- Roll formed shelves with baked-on powder coat paint finish.
- 1" square tubular steel legs with durable black powder coat paint finish.
- 3-outlet, 15´ UL and CSA listed electric assembly.
- 4" ball bearing casters, two with brake.
- Assembly required.
- Lifetime Warranty.
- Ships UPS.

TVW54i - Wide base with electric and 4" casters. 59 lbs.

TVW48i - Wide base with electric and 4" casters. 56 lbs.

TVW44i - Wide base with electric and 4" casters. 58 lbs.

FRTVW4828i - Extra wide base with electric and 8"foam rubber casters. 96 lbs.

TVW54C - Wide base w/locking cabinet, electric, and 4" casters. 93 lbs

TVW48C - Wide base w/ locking cabinet, electric, and 4" casters. 92 lbs

TVW44C - Wide base w/ locking cabinet, electric and 4" casters. 91 lbs

VC - VCR bracket fits all Luxor LTE TV mounts. Adjusts from 14" to 20" wide to accommodate most front loading recorders. VCR rests on 2³/₄" x 6" brackets. Swivels independently of TV mount. All mounting hardware included. Wt. 5 lbs.

LVC - Locking VCR bracket. Adjusts from 14" to $21\frac{1}{2}$ " wide to accommodate most DVD/VCR while resting on $2\frac{1}{2}$ " x 6" brackets. Swivels independently of TV mount. All mounting hardware included. Wt. 6 lbs.


DVC - Adjustable dual stacking VCR bracket fits all Luxor LTE TV mounts. Adjusts from 14" to 20" wide. VCRs rest on $2\frac{3}{4}$ " x 6" brackets. Attaches and swivels independently of TV mount. All mounting hardware included. Wt. 7 lbs.





TVS Video Tables

- All models have 20"D x 32"W shelves.
- Roll formed shelves with baked-on powder coat paint finish.
- 1" square tubular steel legs with durable powder coat paint finish.
- Integral safety push handle and slots for safety belt.
- 3-outlet, 15' UL and CSA listed electric assembly.
- 4" casters, two with locking brake. 2" casters standard on some models.
- 1/2" retaining lip and sure grip safety pads prevent equipment from sliding.
- Cabling hole in top and middle shelves for easy cord pass through.
- Plug snap keeps plug secured to wrapped cord.
- Cabinet models have reinforced doors with full piano hinges and set of two keys.
- Assembly required.



TVS44			$\begin{array}{c} & 32 \longrightarrow \\ \hline 18^{1/2} \\ \hline \\ & &$	TVS4		$\begin{array}{c} \longrightarrow 32 \rightarrow \\ \hline 22 \\ \hline 16 \\ \hline 30^{1/4} \rightarrow \\ \hline 0 & 0 \end{array}$	TVS	$\overset{36}{\underset{35}{\overset{5}}{\overset{5}{\overset{5}{\overset{5}{\overset{5}}{\overset{5}{\overset{5}{\overset{5}}{\overset{5}}{\overset{5}{\overset{5}}{\overset{5}}{\overset{5}}{\overset{5}{\overset{5}}{\overset{5}}{\overset{5}}{\overset{5}}{\overset{5}}{\overset{5}}}}}}}}}$	
TVS554	•	5 shelf	video table	•	32″W x 2	0″D x 54″H	•	81 Lbs.	\$588
TVS54	•	3 shelf	video table	•	32″W x 2	0″D x 54″H	•	55 Lbs.	\$478
TVS48	•	3 shelf	video table	•	32″W x 2	0″D x 48″H	•	54 Lbs.	\$467
TVS44	•	3 shelf	w/2" casters	•	32″W x 2	0″D x 44″H	•	49 Lbs.	\$445
TVS34	•	3 shelf	w/2" casters	•	32″W x 3	20″D x 34″ŀ	• •	48 Lbs.	\$436
TVS36	•	2 shelf	w/VCR DVD h	older	• 32½″ W	/ x 21″D x 3	36″H	• 44 Lbs.	\$344
				Cal	oinet Moo	dels			
TVES54C	•	4 shelf	video table	•	32″W x 2	0″D x 54″H	•	96 Lbs.	\$957
TVS54C	•	3 shelf	video table	•	32″W x 2	0″D x 54″H	•	83 Lbs.	\$863
TVS48C	•	3 shelf	video table	•	32″W x 2	0″D x 48″H	•	82 Lbs.	\$852
TVS44C	•	3 shelf	w/2" casters	•	32″W x 2	0″D x 44″H	•	77 Lbs.	\$836
TVS34C	•	3 shelf	w/2" casters	•	32″W x 2	0″D x 34″H	•	76 Lbs.	\$821

TVS44C ←20→

32-

18^{1/2}



Large Screen Multi-Media Cart

16

16

TV40RT - 40" high, pyramid shape, two shelf, large screen multi-media cart with 5" casters, two with locking brake, 3-outlet 15´ UL & CSA listed electric assembly, and 2" wide 20´ long safety strap with easy lock buckle. Includes $18\frac{1}{2}$ " x 17"accessory shelf which mounts under top shelf. Constructed of $\frac{7}{8}$ " high-density particleboard with resilient vinyl T-moulding. Assembly required. Black color. Wt. 103 lbs.







- Large Screen Monitor Tables
- · Designed to move heavy equipment
- Heavy gauge steel, arc welded.
- · Safety push handle.
- 1^{1/2}" retaining lip on all shelves.
- 3-outlet, 15' electric assembly, UL and CSA listed.
- 8" non-marring pneumatic tires, 2 fixed, 2 swivel with brake.
- Slots in top shelf for optional safety strap.
 - · Non-skid safety pads.
 - Durable baked-on powder coat paint.
 - Lifetime warranty.

TVP44SP - Three shelf table with semipneumatic tires. Holds up to 37" TV monitor. 121 lbs.

TVP44 - Three shelf table. Pyramid shape ensures greater stability. 121 lbs.

TVP44C - Same as above with locking cabinet. Holds up to 37" TV monitor. 165 lbs.

TVP44LT - Heavy-duty three shelf table. Holds up to 40" TV monitor. 126 lbs.

TVP44LTC - Same as above with locking cabinet. Holds up to 40" TV monitor.

TVP32 - Two shelf table. Pyramid shape ensures greater stability. 96 lbs.

TVP32LT - Heavy-duty two shelf large screen monitor table. 101 lbs.

> **SP8** Solid rubber high profile semi-pneumatic tires available in place of full pneumatic wheels. Add suffix "SP" to model number. Example: TVP44SP.



FR8 heavy duty 8" foam rubber casters. Add suffix "FR" to model number.

Universal Table Accessories Equipment Holder

MTO Supply and equipment holder. Holds pens, screwdrivers etc... between tension mounted loops. Includes 12 hooks that mount to loops. \$22 2 lbs



SAFETY BELT LRS2 15' long, 1" wide ratcheting safety strap with "J" hooks. 2 lbs. \$55





SAFETY BELT ty belt. Wt. 1 lbs.



SAFETY BELT LHB 10 feet long, 2 inches wide safe- LSB 8 feet long, 1 inch wide strap\$64 with "J" hooks and easy lock



RATCHET STRAP LRS 12 feet long, 1 inch wide strap LSS 10 feet long, 1 inch wide with ratcheting buckle. Wt. 1 lbs. \$61



SAFETY STRAP safety strap with easy-lock buckle. \$27 Wt. 1 lbs. LSS2 Same as above, 10 feet long, 2 inches wide.\$34



ELECTRONIC SECURITY SYSTEM LSA Alarm lock with 6-foot cable. Provides extra security by emitting an ear piercing alarm when tampered with. Wt. 2 lbs. .\$92 LSAK Same as above but keyed alike. Wt. 2 lbs.\$92 LSAP Optional - two additional mounting plates. 1 lb. \$26



SECURITY SYSTEM LSK 6' cable, two mounting plates SW Plastic cord wrap for small plas- LCDWR Wire CD holder, holds 24 and lock. Wt. 2 lbs.....\$53 LSO Optional - two additional mounting plates. Wt. 1 lbs. .\$24 LCK 3-foot cable, two mounting plates and lock. Wt. 3 lbs. .\$46



ELECTRICAL CORD WRAP tic carts. Wt. 1 lb. carts. Wt. 1 lb.\$21



WIRE CD HOLDER\$14 CD's. Wall mount or desktop appli-LW Plastic cord wrap for large plastic cation. Chrome color. 5^{1/2}"W x 15"H x 51/4"D. Wt. 2 lbs. .\$10




DUAL WHEEL CASTERS DW 4" dual wheel casters. Wt. 10 lbs. \$64 In lieu of standard casters add suffix "DW"\$26



5" CASTERS C5 Heavy duty 5" ball bearing casters, two with locking brake. Wt. 5 lbs.....\$68 In lieu of standard casters add suffix "<mark>C5</mark>" \$37



BIG WHEEL ASSEMBLY LBW Two 8" big wheel rolling ball bearing, hard rubber wheels. Wt. 11 lbs. \$96



SLIDE OUT MOUSE SHELF EMS Mounts to existing pull-out keyboard shelf on Luxor's Endura workstations. Minor modifications required for installation on tables purchased prior to 1997. Wt. 8 lbs.\$64



SIDE SHELE 18"D plastic workstations. Wt. 7 lbs. \$43



VCR COMPARTMENT els. Wt. 7 lbs. \$44

66 __



SUPPLY BASKETS LES 12"W x 18"D. Fits on the side of T5 For use with, 24" wide Endura models and LEW units. Wt. 5 lbs. \$52



RECOIL POWER ASSEMBLY TRVC Enclose your video equipment RE20 Two-outlet, 20' heavy duty Wt. 4 lbs. \$115



SAFETY STRIPS equipment from sliding. Wt. 1 lbs. \$51



ELECTRIC ASSEMBLY ESE Optional 6-outlet, 15' surge sup-Wt. 4 lbs.



FOAM RUBBER CASTERS LSGS Set of six 2" x 10" adhesive FR8 FR8 heavy duty 8" foam rubber strips with sure grip surface. Keeps casters. Add suffix "FR" to model number. Wt. 29 lbs.\$169




ELECTRIC LEES 3-outlet surge suppressing for security. Fits all LE Endura mod- cord, UL listed. Extends and locks. pressing electric assembly with reset. power cord and cord wrap bracket. Wt. 3 lbs.\$90

LE26 • 24"W x 18"D x 26"H • 23 Lbs. \$27	
LEB26 • with 8" big wheels • 33 Lbs. \$35	-
LE26C • with locking cabinet • 46 Lbs. \$55	
LEB26C • with big wheels & cabinet • 55 Lbs. \$60	7 LEB34C • with big wheels & cabinet • 58 Lbs. \$694
	3-outlet, 15' surge suppressing elec- tric assembly, UL and CSA listed. Molded cord wrap attaches around table leg and swings out for easy access. 18" Deep x 24"
	Wide top shelf reinforced with single aluminum bar. Available in black,
LE42WC Walnut cabinet available for any unit. Add "WC" LE42	gray and putty with walnut or gray cabinet. For walnut add #WC" to model number

<u> </u>	<u>, o o</u>
LE42 • 24"W x 18"D x 42"H • 32 Lbs.	\$334
LEB42 • with 8" big wheels • 37 Lbs.	\$412
LE42C • with locking cabinet • 55 Lbs.	\$616
LEB42C • with big wheels & cabinet • 60 Lbs.	\$708

Multi-Height Endura® Tables

Height adjusts from 16"-42"





LEDUO • 24"W x 18"D x 16-42"H • Multi-height open shelf table with 3-outlet surge electric • 28 lbs.						
	LEBDUO • 24"W x 18"D x 16-42"H • Same as above with 8" big wheels • 38 lbs.	\$423				
	LEDUOC • 24"W x 18"D x 16-42"H • Mult-height with locking cabinet & surge electric • 51 lbs.	\$628				
	LEBDUOC • 24"W x 18"D x 16-42"H • Same as above with 8" big wheels • 60 lbs.	\$681				

Audio/Visual

- Endura® Video/equipment Tables
- Top shelf reinforced with one aluminum bar.
- Integral safety push handle is molded into top shelf for a sturdy sure grip.
- Recessed door handle on locking cabinet models.
- •Full piano door hinge for maximum strength on cabinet models.
- Big wheel models are UL listed.
- •Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- •1/4" retaining lip and sure grip safety pads prevent equipment from sliding.
- "Cable track" cord management system keeps cords neatly secured and free of entanglements.
- Cabling hole in top shelf with cord guide cover.
- 4"ball bearing casters, two with locking brake.
- 3 outlet, 15' surge suppressing electric assembly, UL and CSA listed.
- Electric assembly in handle, cabinet and big wheel designs are patented.

LE26 - Open shelf table with surge electric. Wt. 23 lbs.

LEB26 - (%) listed. Open shelf table with surge electric, 8" big wheels on one end and LSS safety strap. Wt. 33 lbs.

LE26C - Locking cabinet table with surge electric. Wt. 46 lbs.

LEB26C - (1) listed. Locking cabinet table with surge electric, 8" big wheels on one end and LSS safety strap. Wt. 55 lbs.

LE34 - Open shelf table with surge electric. Wt. 30 lbs.

LEB34 - (1) listed. Open shelf table with surge electric, 8" big wheels on one end and LSS safety strap. Wt. 35 lbs.

LE34C - Locking cabinet table with surge electric. Wt. 53 lbs.

LEB34C - (4) listed. Locking cabinet table with surge electric, 8" big wheels on one end and LSS safety strap. Wt. 58 lbs.

LE42 - Open shelf table with surge electric. Wt. 32 lbs.

LEB42 - ⁽¹⁾ listed. Open shelf table with surge electric, 8" big wheels on one end and LSS safety strap. Wt. 37 lbs.

LE42C - Locking cabinet table with surge electric. Wt. 55 lbs.

LEB42C - (b) listed. Locking cabinet table with surge electric, 8" big wheels on one end and LSS safety strap. Wt. 60 lbs.

Endura[®] Video Tables

- Top shelf reinforced with two aluminum bars.
- Integral safety push handle is molded into top shelf for a sturdy sure grip.
- Recessed door handle on cabinet models.
- Full piano door hinge for maximum strength on cabinet models.
- Locking cabinet includes set of two keys.
- Electric assembly in handle, cabinet and big wheel designs are patented.
- 8" big wheel models available.
- · Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- 1/2" retaining lip and self adhesive safety strips prevent equipment from sliding.
- "Cable track" cord management system keeps cords neatly secured and free of entanglements.
- Cabling hole in top shelf with cord guide cover.
- 4" ball bearing casters, two with locking brake.

LE27 - Open shelf table with surge electric. Wt. 43 lbs.

LEB27 - Open shelf table with surge electric, 8" big wheels on one end. Wt. 48 lbs.

LE27C - Locking cabinet table with surge electric. Wt. 74 lbs.

LEB27C - Locking cabinet table with surge electric, 8" big wheels on one end. Wt. 84 lbs.

LE40 - Open shelf table with surge electric. Wt. 52 lbs.

LEB40 - Open shelf table with surge electric, 8" big wheels on one end. Wt. 60 lbs.

LE40C - Locking cabinet table with surge electric. Wt. 84 lbs.

LEB40C - Locking cabinet table with surge electric, 8" big wheels on one end. Wt. 90 lbs.

LE48 - Open shelf table with surge electric. Wt. 53 lbs.

LEB48 - Same as above with 8" big wheels on one end. Wt. 60 lbs.

LE48C - Locking cabinet table with surge electric. Wt. 85 lbs.

LEB48C - Same as above with 8" big wheels on one end. Wt. 92 lbs.

LE54 - Open shelf table with surge electric. Wt. 54 lbs.

LEB54 - Open shelf table with surge electric, 8" big wheels on one end. Wt. 62 lbs.

LE54C - Locking cabinet table with surge electric. Wt. 86 lbs.

LEB54C - Locking cabinet table with surge electric, 8" big wheels on one end. Wt. 93 lbs.



LE27C LE27C LE27C LEB27	
LE27 • 32"W x 24"D x 27"H • 43 Lbs. \$447	LE40 • 32"W x 24"D x 40"H • 52 Lbs. \$532
LEB27 • with 8" big wheels • 48 Lbs. \$532	LEB40 • with 8" big wheels • 60 Lbs. \$629
LE27C • with locking cabinet • 74 Lbs. \$845	LE40C • with locking cabinet • 84 Lbs. \$940
LEB27C • with big wheels & cabinet • 84 Lbs. \$940	LEB40C • with big wheels & cabinet • 90 Lbs. \$1029
	LEB54C

LE48 • 32"W x 24"D x 48"H • 53 Lbs.	\$550	LE54 • 32"W x 24"D x 54"H • 54 Lbs.	\$563
LEB48 • with 8" big wheels • 60 Lbs.	\$636	LEB54 • with 8" big wheels • 62 Lbs.	\$648
LE48C • with locking cabinet • 85 Lbs.	\$958	LE54C • with locking cabinet • 86 Lbs.	\$975
LEB48C • with big wheels & cabinet • 92 Lbs.	\$1050	LEB54C • with big wheels & cabinet • 93 Lbs.	\$1062

LEB48C




↑ 15³¼

Multi-Height Endura® Tables

 $\begin{array}{c} \begin{array}{c} \\ 25^{1/2} \\ 24 \\ 24 \\ -26^{1/2} \end{array}$

LE54

Height adjusts from 27"-54"



LELDUO • 32"W x 24"D x 27-54"H • Multi-height open shelf table with 3-outlet surge electric • 56 lbs. \$591	
LELBDUO • 32"W x 24"D x 27-54"H • Same as above with 8" big wheels • 65 lbs.	\$674
LELDUOC • 32"W x 24"D x 27-54"H • Mult-height with locking cabinet & surge electric • 88 lbs.	\$1005
LELBDUOC • 32"W x 24"D x 27-54"H • Same as above with 8" big wheels • 97 lbs.	\$1096




Endura[®] Editing/Production Centers

Production Centers Feature:

- Fluid pan head mono pod camera mount.
- Molded plastic shelves and legs won't stain, scratch, dent or rust. Integral push-pull handle.
- Cord management system.
- 3-outlet, 15' surge suppressing electric
- assembly, UL and CSA listed. Reinforced doors and cabinet panels are heavy
- gauge steel with baked-on powder coat paint finish. Doors on cabinet models have full piano hinges, two
- point locking system and set of two keys.
- Mono pod mount adjusts from 34" 56" from middle shelf.
- 8" big wheels

VP34B & VPC37B





Editing Centers Feature:

- · Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- Integral safety push handle is molded into top shelf for a sturdy sure grip.
- · Top shelf reinforced with two aluminum bars except LE33 and LEB33

Centers

Editing

Endura®

- · Comes with 3 outlet, 15' surge suppressing electric assembly, UL and CSA listed.
- 4" casters, two with locking brake. · 1/2" retaining lip and self adhesive safety strips
- prevent equipment from sliding.
- · Cabling hole in top shelf with cord guide cover.

LEVC Carts Feature:

- Top shelf reinforced with one aluminum bar on mod-els LEVC34 and LEVC42.
- Top shelf reinforced with two aluminum bars on model LEVC45.
- Integral safety push handle is molded into top shelf for a sturdy sure grip.
- · Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- 4" ball bearing casters, two with locking brake.
- Assembly required.
- TRVC is also sold separately. Fits all LE Endura models
- Complete with 3 outlet, 15' surge suppressing electric assembly, UL and CSA listed.

LEVC42 - 42" two-shelf Endura[®] equipment table with tamper-resistant video compartment. Complete with 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed, 4" casters, two with locking brake. 24"W x 18"D x 42"H. Wt. 29 lbs.

LEVC34 - Same features as above 34"H.

LEVC45 - Same features as above 32"W x 24"D x 351/2"H.

70



VP34B • 24"W x 18"D x 34"H • Open shelf production center • 43 Lbs. \$670 VPC37B • 24"W x 18"D x 34"H • Production center with cabinet • 66 Lbs. \$926 VP40B • 32"W x 24"D x 36"H • Open shelf production center • 60 Lbs. \$898 VPC40B • 24"W x 18"D x 36"H • Production center with cabinet • 25 Lbs. \$1278

LE60 & LEB60



LE60

LE60 • 32"W x 24"D x 60"H • 5 Shelf editing center • 81 Lbs.	\$742
LEB60 • 32"W x 24"D x 60"H • 5 Shelf editing center w/8" big wheels • 81 Lbs.	\$866
LE44 • 32"W x 24"D x 47½"H • 4 Shelf editing center • 52 Lbs.	\$653
LEB44 • 32"W x 24"D x 47½"H • 4 Shelf editing center w/8" big wheels • 74 Lbs.	\$734
LE33 • 24"W x 18"D x 46½"H • 4 Shelf editing center • 36 Lbs.	\$362
LEB33 • 24"W x 18"D x 46½"H • 4 Shelf editing center w/big wheels • 41 Lbs.	\$447



LEVC34 • 24"W x 18"D x 34"H • 27 Lbs.

LEVC45 • 32"W x 24"D x 35½"H • 47 Lbs. \$500



Endura[®] Video Consoles

- 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed.
- Convenient cord wrap on back panel. Plug snap keeps plug secured to wrapped cord.
- Recessed door handles.
- Ventilation louvers in back panels.
- 4" casters, two with locking brake.
- Integral safety push handle is molded into shelf.
- Retaining lip on top shelf.
- Cabinet doors and panels are heavy gauge steel with baked-on powder coat paint finish. Cabinet design is patented.
- Reinforced locking doors have full piano hinges. Includes set of 2 keys.
- Provisions for cable pass through between shelves and cable hole in top shelf.

LE56LC - 55" high partially enclosed lower locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. Wt. 159 lbs.

LEF40C - 44" high locking video console with 4" casters, two with locking brake, 3outlet, 15´ surge suppressing electric assembly, UL and CSA listed, and one shelf.

Wt. 111 lbs. Shown with optional LECS metal shelf. Order separately. Wt. 18 lbs.

LEF56C - 59" high locking video console with 4" casters, two with locking brake and 3-outlet, 15´ surge suppressing electric assembly, UL and CSA listed. Wt. 159 lbs

LE65C - 65" high partially enclosed locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. Wt. 134 lbs.

LEB65C - Same as above with 8" big wheels on one end. Wt. 161 lbs.

LEF42C - 42" high locking video console with 4" casters, two with locking brake and 3-outlet, 15´ surge suppressing electric assembly, UL and CSA listed. Wt. 77 lbs.

LEF34C - 34" high locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. Wt. 66 lbs.

LE50C - 50" high partially enclosed locking video console with 4" casters, two with locking brake and 3-outlet, 15' surge suppressing electric assembly, UL and CSA listed. Assembly required. Wt. 68 lbs.

LEB50C - Same as above with 8" big wheels on one end. Wt. 73 lbs.

Low Priced Plastic Tables

- Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- Electric in handle and big wheel design are patented.
- Cabling hole in top shelf for cord management.

24"W x 18"D shelves

- · Integral safety push handle and cord wrap.
- · Retaining lip around each shelf.
- · Optional 3-outlet, 15' UL listed power cord mounts in handle.
- · 4" ball bearing casters, two with locking brake.
- · Heavy duty 8" big wheel models available.
- · Assembly required.






L			
l	LP42 • 42" H• Open shelf table • 24 Lbs.	\$207	
l	LP42E • 42" H• With electric • 27 Lbs.	\$264	
l	LP42BW • 42" H• With 8" big wheels • 31 Lbs.	\$291	
l	LP42EBW • 42" H• Electric and 8" big wheels • 31 Lbs.	\$348	
l	LP42C • 42" H• With locking cabinet • 47 Lbs.	\$480	
l	LP42CE • 42" H• With cabinet and electric • 49 Lbs.	\$539	L
l	LP42CBW • 42" H• With cabinet and 8" big wheels • 54 Lbs.	\$568	L
l	LP42CEBW • 42" H• Electric, cabinet, 8" big wheels • 64 Lbs.	\$627	L

EMCPU - CPU tower holder fits most plastic carts.

72






$\rightarrow \rightarrow \rightarrow \rightarrow \phi \phi$	0 0
LPDUO • Multi-height table • 25 Lbs.	\$227
LPDUOE • With electric • 26 Lbs.	\$287
LPDUOBW • With 8" big wheels • 32 Lbs.	\$314
LPDUOEBW • With electric and 8" big wheels • 32 Lbs.	\$369
LPDUOC • With locking cabinet • 48 Lbs.	\$503
LPDUOCE • With cabinet and electric • 49 Lbs.	\$562
LPDUOCBW • With cabinet and 8" big wheels • 55 Lbs.	\$586
LPDUOCEBW • With cabinet, electric & big wheels • 55 Lbs.	\$648
LPLDUO • Large multi-height table • 52 Lbs.	\$486
LPLDUOE • With electric • 54 Lbs.	\$551
LPLDUOBW • With 8" big wheels • 60 Lbs.	\$578
LPLDUOEBW • With electric and 8" big wheels • 62 Lbs.	\$633

- 32"W x 24"D shelves
- Lifetime warranty. Molded plastic shelves and legs won't stain, scratch, dent or rust.
- Electric in handle and big wheel design are patented.
- Cabling hole in top shelf for cord management.
- Integral safety push handle and cord wrap.
- cord wrap.Retaining lip around each shelf.
- Optional 3-outlet, 15' UL listed power cord mounts in handle.
- Low Priced Plastic Tables
- 4" ball bearing casters, two with locking brake.
- Heavy duty 8" big wheel models available.
- · Assembly required.





LP27 • 27" H • Open shelf table • 36 Lbs.	\$330	LP40 • 40" H • Open shelf table • 44 Lbs.	\$426
LP27E • 27" H • With electric • 36 Lbs.	\$417	LP40E • 40" H • With electric • 46 Lbs.	\$490
LP27BW • 27" H • With 8" big wheels • 41 Lbs.	\$417	LP40BW • 40" H • With 8" big wheels • 54 Lbs.	\$516
LP27EBW • 27" H • Electric and 8" big wheels • 41 Lbs.	\$474	LP40EBW • 40" H • Electric and 8" big wheels • 55 Lbs.	\$572
LP27C • 27" H • With locking cabinet • 68 Lbs.	\$704	LP40C • 40" H • With locking cabinet • 77 Lbs.	\$808
LP27CE • 27" H • With locking cabinet and electric • 70 Lbs.	\$762	LP40CE • 40" H • With cabinet and electric • 78 Lbs.	\$894
LP27CEBW • 27" H • Electric, cabinet, 8" big wheels • 68 Lbs	. \$848	LP40CEBW • 40" H • Electric, cabinet, 8" big wheels • 84 Lbs.	\$953



LP48 • 48" H • Open shelf table • 47 Lbs.	\$444	LP54 • 54" H • Open shelf table • 48 Lbs.	\$456
LP48E • 48" H • With electric • 48 Lbs.	\$508	LP54E • 54" H • With electric • 49 Lbs.	\$519
LP48BW • 48" H • With 8" big wheels • 55 Lbs.	\$535	LP54BW • 54" H • With 8" big wheels • 56 Lbs.	\$547
LP48EBW • 48" H • Electric and 8" big wheels • 55 Lbs.	\$591	LP54EBW • 54" H • Electric and 8" big wheels • 60 Lbs.	\$602
LP48C • 48" H • With locking cabinet • 79 Lbs.	\$827	LP54C • 54" H • With locking cabinet • 80 Lbs.	\$840



L220 - Adjustable magnetic whiteboard with an aluminum frame. Easy flip locks allow you to adjust the unit from 31"H - 47"H. Can be used as a tabletop or 31" free standing floor unit. Comes complete with a handle for easy transport. The whiteboard is bright white porcelain over metal and measures 16"W x 22"H x 1"D. The aluminum frame measures 21"W x 31 - 47"H x 21"D. Assembly required. Wt. 11 lbs.

L240 - Adjustable magnetic whiteboard with an aluminum frame. Easy knob adjustment allows you to adjust the unit from 40"H - 57"H. Can be used as a tabletop or free standing floor unit. Comes complete with a handle for easy transport and a 2" tray for marker and eraser storage. The whiteboard is bright white porcelain over metal and measures 26"W x 36"H x 1"D. The aluminum frame measures 27"W x 40 - 57"H x 29"D. Assembly required. Wt. 22 lbs.

L270 - Double sided magnetic whiteboard with an aluminum frame. Knob adjustment locks the whiteboard into place once you have it at the required position. Comes complete with 2" casters, two with locking brake. The whiteboard measures 22"W x 34"H x 1"D. The aluminum frame measures 32"W x 57"H x 27"D. Assembly required.

L340 - Large double sided magnetic whiteboard with a heavy duty aluminum frame. The reversing mechanism is designed to make flipping to the other side a cinch. Easy adjusting knob locks the whiteboard into place once you have it at the required position. Comes complete with 2" casters, two with locking brake. The whiteboard measures 46"W x 34"H x 1"D. The aluminum frame measures 47"W x 73"H x 24"D. Assembly required. Wt. 38 lbs.

74





Economy Easels

L250 - Portable aluminum lecturer's easel with fold out adjustable chart holder and quick release easel pad clamps. Push button leg release allows for easy height adjustment and compact storage size. 68"H. Wt. 7 lbs.

L200 - Portable aluminum poster easel with fold out adjustable chart holder. Leg release allows for easy height adjustment and compact storage size. 68"H. Wt. 5 lbs.

C200 - Water repellent nylon carrying case will accommodate models L200 and L250. Wt. 3 lbs.

C300 - Water repellent nylon carrying case will accommodate model L300. 43" x 31" x 2". Wt. 4 lbs.

L300 - Lecturer's pad/presentation easel, features aluminum tubular frame, a white board surface which can be used with dry erase markers or for a slide presentation. Includes 24" marker tray and will accommodate easel pad. Push button leg release allows for easy height adjustment and compact storage size. Floor or table top application. 72"H. Wt. 14 lbs.

P504P - Package of 3 plain easel pads, 50 sheets each. 21"W x 30"H. Wt. 22 lbs.

L100 - Hardwood poster easel constructed of solid mahogany with a satin finish. Light wt. yet sturdy. 65"H. Assembly required. Wt. 5 lbs.

L150 - Heavy duty hardwood poster easel. Solid mahogany A-frame construction with a satin finish. Adjustable chart holder. Folds flat for storage. 63"H. Assembly required. Wt. 15 lbs.



Lecterns/Wood Laminate

LX9128 - Adjustable height lectern complete with 2" casters, 2 with brake. Plastic knob on adjusting mechanism allows for height adjustments. Top with retainer lip tilts to allow for flat work surface. Constructed of heavy-duty laminate with steel frame. Minimal assembly required. Red Oak with black frame. Wt. 23 lbs.

LX50 - All steel electrically welded lectern with black finish. Tilts back on rear wheels for easy mobility. Ships assembled. Wt. 43 lbs.




	Audio/Visual	-
Notes:		
		$\neg \neg$
		-

• Available in light executive gray color.

78

- Pockets made from durable, injection molded plastic, mounted on tubular steel frames.
- Standard pocket size of 12^{5/8}"W x 9^{1/4}"H x 1"D.
- For easy mobility, most models come complete with 2" casters, two with locking brake.
- Ships via UPS.









LD9

LD3 • 15¼"W x 14½"D x 54"H • 23 Lbs. • 12 pocket mobile literature holder	\$281
LD4 • 14½"W x 12"D x 34½"H • 16 Lbs. • 8 pocket mobile literature holder	\$199
LD5 • 28¾"W x 12"D x 34½"H • 22 Lbs. • 16 pocket mobile literature holder	\$302
LD6 • 40¾"W x 12"D x 34½"H • 27 Lbs. • 24 pocket mobile literature holder	\$335
LD9 • 12¾"W x 4"D x 31½"H • 14 Lbs. • 8 pocket partition style literature rack	\$134

Storage Systems

Display Racks

- LH models feature:
- Available as wall mounts or desktop application.
- Clear acrylic pockets.
- Standard pocket size of $8^{7/8"}W \ x \ 11^{3/4"}H \ x \ 3"D,$ except where noted.







· Hardware for mounting included with units.

• Ships via UPS.

LH1 • 11 ¹ / ₈ "W x 12 ¹ / ₄ "H • 4 Lbs. • 1 pocket literature holder			
LH2H • 21"W x 12¼"H • 6 Lbs. • 2 pocket horizontal literature holder			
LH3H • 30%"W x 12%"H • 9 Lbs. • 3 pocket horizontal literature holder			
LH3V • 11%"W x 36%"H • 10 Lbs. • 3 pocket vertical literature holder			
LH2H3V • 21"W x 36%"H • 16 Lbs. • 6 pocket literature holder			
LH2H4V • 21"W x 49"H • 22 Lbs. • 8 pocket literature holder			
LH3H3V • 30"W x 37"H • 24 Lbs. • 9 pocket literature holder			
LHCF • 3%"W x 8%"D x 12%"H • 8 Lbs. • 1 pocket desk top literature holder			
LHDTF • 9½"W x 9½"D x 16%"H • 6 Lbs. • 3 pocket desk top literature holder			

LDW8 - Mobile wire literature rack with black powder coat finish. Comes with eight, 1" deep and 14" wide display area. Comes complete with 1" chrome furniture casters. Measures 14"W x 12"D x 49"H. Black color. Wt. 22 lbs.

LDW24 - Same as LDW8. 1" deep and 30" wide display area. Measures 30"W x 12"D x 49"H. Black color. Wt. 32 lbs.







79

LDW8 • 14"W x 12"D x 49"H • 22 Lbs.

LDW24 • 30"W x 12"D x 49"H • 32 Lbs.

Storage Systems

Library Book and Video Trucks

- Heavy gauge steel construction.
- Quiet and easy rolling anti-shimmy 4" casters.8" big wheel models also available.
- Most models ship knocked-down for economical, damage free shipping.
- 11" shelf clearance, excluding MT2.

- Double slanted shelves provide a $6^{1/2^{\prime\prime}}$ deep shelf on each side.
- Baked-on powder coat paint finish.

These library book trucks and video tape storage trucks offer a wide range of color and style.

Colorize your environment by choosing the color cart and accent stripe that best suits your particular style.

Use the following color codes when ordering:

Book Truck Colors

Accent Stripe Colors









81

VT2 • 32"W x 24"D x 60"H • Two slanted shelves. Provides 9½" deep shelves. Putty color only. • 33 Lbs.

VT22 • 28%"W x 17"D x 30%"H • Four 6%6" slanted shelves truck. • 45 Lbs.

VT222 • 28¾"W x 17"D x 41"H • Six 6[%]₁₆" deep slanted truck. • 62 Lbs.

 ${\bf B} \bullet {\bf 8}''$ big wheels added to any book or video truck \bullet 10 Lbs.

Lindeex [E32P 69 [ERX7TR 23 [LTS24 22 [PL000E 72 A0If120 57 GNTCTBK 53 10 10 33 11 33 11 34 33 11 34 33 11 34 33 11 34 11	_					
LLHA LLHA LLHA LLHA LLHA LLHA LLHA LLHA LHA P LP14 J AIC1232 S2 HI13 H9 LE4007 68 LEMSZIWRY J LMAC210 J LP14 J AIC322 S2 H64 S9 LE41 H		<u> </u>				
LLHA LLHA LLHA LLHA LLHA LLHA LLHA LLHA LHA P LP14 J AIC1232 S2 HI13 H9 LE4007 68 LEMSZIWRY J LMAC210 J LP14 J AIC322 S2 H64 S9 LE41 H		$\mathbf{O}\mathbf{V}$		LEM32TWR24	LLTSE	
LLHA LLHA LLHA LLHA LLHA LLHA LLHA LLHA LHA P LP14 J AIC1232 S2 HI13 H9 LE4007 68 LEMSZIWRY J LMAC210 J LP14 J AIC322 S2 H64 S9 LE41 H			LE3467	LEM32TWRK24	LMA	LPT2769
ADNT122 ST GNTC11BK SI FEAC FEASTWRT 24 LMC2 19 LP14 .51 ATC322 S2 HE13 .49 LE40WT .69 LEM3TWRT 24 LIMAWAB 33 LP148 .51 ATC32 S2 HE13 .70 BSCFA .50 LE42 .71 LEMSS .20 LP36 LP36 LP36 LP36 LP36 LP36 .20 LP36 .20 LP36 .20 LP36 .20 LP36 LP36 LP37 LSS .60 LP37 LSS .60 LP37 LSS LP36 LP37 LSS .63 LP37 LSS LP36 LP37 <td></td> <td></td> <td></td> <td>LEM32TWRKPS 24</td> <td>LMC</td> <td></td>				LEM32TWRKPS 24	LMC	
ADNT1828						
ATC322 52 IEIC4 69 IFRASS/CB 22 IPAM B F B ATC323 52 IBC4 50 IEA 67 IERASS/CB 72 IPTA 69 ATV666 60 IBP 51 IEA 67 IERMS 26 IPZ60W 72 IES 66 ATV666 61 IEA 67 IERMS 26 IPZ60W 72 ISS 66 ATV646 65 61 IEA 67 IEA 68 IEA 73 ISCOWMT 20 ISCOWT 21 ISCOWT 20 ISCOWT 21 ISCOWT 20 ISCOWT 21 ISCOWT 21 ISCOWT 20 ISCOWT 20 ISCOWT 20 ISCOWT 20 ISCOWT 20 ISCOWT 20 <td>AOHT182657</td> <td>GNTC11BK53</td> <td></td> <td></td> <td></td> <td></td>	AOHT182657	GNTC11BK53				
ATC32 5.2 IECA 69 IEM32/JEC 22 IP24 IP74 69 LEB33 70 IBCFA 51 IEA2 67 IEM8 72 IP74 69 LEB33 70 IBCFA 51 IEA2 67 IEM8 72 IP75 18 64 ATV566 60 IF5 50 15 IEA4 70 IEM8 22 IP26CF 72 LSA 66 ATV566 60 IS5 50 15 IEA4 70 IEM5 26 IP26CF 72 LSA 66 ATV666 16 IS8 50 15 IEA8 68 IEM5 76 IP27CF 13 ISCS/WMT 20 ATV656 10 JCB4 9 IES4 68 IES73 12 ISCS/WMT 20 ISCS/WMT 20 ISCS/WMT 20 ISCS/WMT 20 ISCS/WMT 20 ISCS/WMT 20	ATC232					
ATUGE						
LFB33 .70 BECFA .51 LEAPC .67 LEMPP 26 LP2C .72 LFS .66 ATV6666 .60 IPTS .50 15 LE44 .70 LEMPS .22 LP2ACE .72 LFS .66 ATV666C .60 ISB .50 15 LE44 .69 LEMSS .25 LP2ACE .72 LSA .66 ATV66K4M .19 ISD .51 LE48 .68 LEMSS .26 LP2ACE .72 LSA .66 ATV656 .61 JCB40 .49 LE480/T .69 LEMSS .26 LP2ACE .73 LSCS/WMT .20 LSCS/WMT <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
ATV56B .00 IFP .51 LE4P .10 LEMPS .26 LP3CSW .27 LP3CW .28 .66 ATV56KC .00 IPTS .51 LE48 .68 LEMSS .26 LP3CEW .27 LS3CW .66 ATV65KC .1 JCB30 .49 LE40VT .68 LEMSS .26 LP3CW .25 .66 ATV65C .1 JCB8 .49 LE54 .68 LEV24 .70 LP3CEW .31 LSCSWMO .20 ATV56C .100 .75 LE54(T .68 LEV23 .70 LP3CEW .31 LSCSWMO .20 LP3CEW .31 LSCS .66 ATV34 .00 .100 .75 LE54(T LEV23 .21 <td></td> <td></td> <td>LE4267</td> <td></td> <td></td> <td></td>			LE4267			
ATV-66C 00 IPTS 50.51 LE44 70 LEMRO 21.22 LP36/E 72 LSA 66 ATV65KC 00 ISB 50.51 LE49 69 LEMS 26 LP36/E 72 LSA 66 ATV65KC 01 ITB 50.51 LE48 68 LEMSDUO 26 LP36/E 72 LSA 66 ATV469C 11 JCB30 49 LE40 68 LENST 26 LP27 73 LSC25WMT 20 ATV65C 11 JCB8 49 LE44 68 LEV3 70 LP70 73 LSC2WMT 20 ATV65C 01 JCB8 49 LE44 68 LEV3 70 LP27C 73 LSCWMT 20			LE42C67	LEMFP26	LP26C72	LRS66
AIV66C .00 IPIS 50.51 LEA4 .70 LEMRO 21,22 LPACE .72 LSA .66 AIV66C AIV66C SD S1 LEA8 .68 LEMSDUO 26 LPACE .72 LSA .66 AIV66C AIV66C LF ITB BD S1 LEA8 .68 LEMSDUO 26 LPACE .72 LSA .66 AIV66C AI ILGBA 49 LESOC .71 LEPS .66 LP27 .73 LSCSWMT .20 AIV65C .61 JCBA 49 LES4 .68 LEVC3 .70 LP27CE .73 LSCWM .20 AV26 C00 L1005 .77 LES4 .68 LEVC3 .70 LP27CE .73 LSCWM .21 LPA4 .25 .66 AV24 C0 L200 .74 LES4 .21 LP27E .73 LSCWM .73 LSCWM .74 LSSA .66 AV42 C0 L200 .74 L			LE42PC18	LEMPS	LP26CBW72	LRS2
ATV66C .00 ISB 50 LE4P 60 LP3CEBW 72 LSAK 66 ATV65KB	ATV56BC60				LP26CE72	LSA
ATVGKRB4 .19 ISD .51 LF48 .66 LFMSDLIO 26 LP26F .72 LSAP .66 ATVM42CEUL .61 ITB .50.51 LF48C .68 LFMSS .26 LP27F .73 LSC2WMT .20 ATV56C .61 JCB4M .49 LE40C .71 LEPS .24 LP27C .73 LSC2WMT .20 ATV56C .61 JCB4M .46 LEVC3 .70 LP27CE .73 LSCWMO .20 AV2A .60 L1005 .47 LE54C .68 LEVC3 .70 LP27CE .73 LSCWM .25 .66 AV34 .60 L100 .75 LE54C .71 LFW26 .21 LP27EW .73 LSCM .55 .66 AV42 .60 L20 .74 LE54C .71 LFW26 .21 LP27EW .73 LSCM .74 L55 .66	ATV56C60	ISB				
ATV4RECUL AT TTB 50.51 LEAGC AG LEMSS 26 LP3GEW 72 LES AG ATV495C AT JCBA0 49 LEWT 69 LEMSS 26 LP77 73 LSC20MMT 20 ATV56C AG LIDB 49 LEWGT 68 LEVC34 60 LP77 T3 LSC20MMT 20 AV26 AO LIDB 74 LES 64 LEVC34 70 LP77CEW T3 LSC3 66 AV34 AO LIDD 75 LESTO T2 LEVC42 70 LP77EW T2 LSS .66 AV42 AO L200 74 LESA T1 <lev28< td=""> 21 LP34EW T2 LTSS .66 AV42 AO L200 74 LESA T1<lev28< td=""> 21 LP34CW T2 LT34 .77 AV42 AO L200 74 LESA T1<lev28<< td=""><td>ATV56KB419</td><td></td><td></td><td></td><td></td><td></td></lev28<<></lev28<></lev28<>	ATV56KB419					
ATUMBEUL 61 JCR30 49 LEART 69 LENST 75 LESS 77 LESS 73 LESS 74 LESS 75 LESS 76 173 LESS 76 174 174 174 174 174 174 174						
ATM95 61 JCB40 49 LESG 71 LEPS3 74 LEPS1 73 LESCMMM 73 ATV56 60 LI00 75 LES4 68 LEVC4 70 LP77E 73 LSCM60 20 AV26 60 LI00S2 47 LES4C 68 LEVC42 70 LP77E 73 LSK 66 AV34 60 LI00S3 47 LE544 33 LEVC42 70 LP77E 73 LSK 66 AV42 60 L20 74 LE544 33 LEVC42 71 LP420 72 LSS 66 AV42 60 L20 74 LE53 66 71 LEW32 71 LP34CE 72 LT34 77 AV42 60 L20 74 LE526 71 LEW32 71 LP34CE 72 LT34 74 74 L7347 174 AV422C 72		,				
ATVB6C 61 JCB8 49 LES4 68 LES 66 LP7C 73 LSCM0 26 AV26 60 L10052 47 LESAT 69 LEVC42 70 LP27CEBW 73 LSG 66 AV34 60 L10052 47 LESAT 33 LEV262 70 LP27CEBW 73 LSG 66 AV34 60 L100 75 LESATO 33 LEW26 22 LP27E 73 LSS 66 AV42 60 L200 74 LES64 70 LEW28 21 LP34W 72 LSS 66 AV42 60 L200 74 LE56 71 LEW27 21 LP34W 72 LT34 77 AV426 60 L300 75 LE326 67 LEW35 21 LP34DEW 72 LT34C 174 AV428 20 LAM22830 17 LEB3						
AV26 60 L100				LEPS324	LP27BW73	LSC50WMT20
AV248 .60 L10052 .47 LESAT .69 LEVC/22 .70 LP7/CEW .73 LSC .66 AV24 .60 L150 .77 LE5541 .33 LEVC45 .70 LP2/TEW .73 LSA .66 AV24 .60 L200 .75 LE56LC .71 LEW28 .71 LP34EW .72 LSS .66 AV22 .60 L200 .74 LES6 .26 LEW28 .71 LP34CW .72 LSS .66 AV122 .60 L240 .74 LE56 .71 LEW32 .71 LP34CW .72 LT34 .77 AV1226 .60 L300 .74 LE526 .67 LEW4C .71 LP34CEW .72 LT34C .18 .17 AV1428 .01 .74 LE527 .68 LFT1 .34 .72 LT45C .77 MV142KB .01 LAX2KB .01 LAX2KB			LE54	LES	LP27C73	LSCW6020
AV268 .60 L10052 .47 LES44 .83 LEVC42 .70 LP27E .73 LSN .66 AV34 .60 L1050 .75 LES541 .33 LEVC45 .70 LP27E .73 LSN .66 AV42 .60 L200 .75 LES64.C .71 LFW28 .21 LP34W .72 LSS .66 AV42 .60 L200 .74 LES6 .71 LEW22 .21 LP34EW .2 LSS2 .66 AV42 .60 L200 .74 LES6 .67 LEW22 .21 LP34CEW .21 LT342 .17 AV422 .60 L340 .74 LEB27 .68 LEW24 .22 LT45C .17 LV342 .21 LP34EW .21 LT45C .17 LV428 .01 LAM2030 .17 LEB34 .67 LH21 .79 LP40EW .73 LT45L .17 AV1428 .01 LAM2030 .17 LEB34 .67 LH21 .79<			LE54C68	LEVC3470	LP27CE73	LSGS66
AV34 60 L10053 47 LE554 33 LEVC45 70 LP27EBW 73 LSO 66 AV340 60 L200 75 LE554TO 71 LEW28 21 LP34 72 LSS 66 AV420 60 L200 74 LE56 26 LEW29C 21 LP34W 72 LSS 66 AV420 60 L240 74 LE56 70 LEW32 LP34C 72 LT342S 77 AV1420 60 L230 75 LE66C 71 LEW27C LP34C 72 LT342S 71 AV142C 60 L300 75 LE52C 67 LEW32 LP34C 72 LT45C 71 AV142C 60 LA0 74 LE527 68 LEW40C 194 LP34E 72 LT45C 71 AV142C LAMC2033 71 LE534 74 LH11 79 LP4050 73	AV26B60	L100S247				
AV348 .60 L150 .75 LES5ATO .33 LEW26 .22 LP24 .73 LESPM .74 AV42 .60 L220 .74 LES6A .76 LES6A .71 LEW28 .21 LP34C .72 LSS .66 AV42 .60 L220 .74 LES6A .71 LEW29C .21 LP34C .72 LT34 .77 AV428 .60 L270 .74 LES6C .71 LEW32TWR .21 LP34CBW .72 LT342S .17 AV428C .60 L300 .75 LEB26C .67 LEW40C .21 LP34CEBW .22 L145C .17 AV428C .64 L340 .74 LEB27 .68 LEW71 .31 L145C .17 L145C .17 L143C .17 L143C .17 L143C .21 L143C .21 L143C .17 L143C .17 L143C .17 L143C .17 L143C .17 .1143C .17 .1143C .21	AV34	L100S347				
AV42	AV/34B 60	1150 75				
AVA2B 60 L220 74 LESS 26 LEW32 21 LP34BW 72 LESS 66 AVA2 60 L240 74 LE66 70 LEW32 71 LW32 LT34 71 LW32 LT34 71 LW32 LW32						
AVA2 60 L240 74 LE60 70 LEW32 21 LP34C 72 LT34 17 AVI428 60 L270 75 LE65C 71 LEW32 LP34CBW 72 LT342S 17 AVI428 60 L300 75 LEB2AC 67 LEW35 1 LP34CBW 72 LT45C 17 AVI428 60 L300 75 LEB2AC 67 LEW85 12 LP34CBW 72 LT45C 17 AVI42CKD 61 LAC72030 28 LEB2AC 67 LH2H 79 LP40C 145C 17 AVIA2KD 01 LAC7203 LEB4AC 67 LH2H 79 LP40C 33 LT45L 17 AVIA2KD 61 LD2D 68 LE94A 79 LP40C 33 LT61 33 AVIA4KB 71 LCB4A <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
AVL/228/B4 .19 L250 .75 LE65C .71 LEW32TWR .21 LP34CBW .72 LT342S .17 AVL428 .60 L300 .75 LEB26 .67 LEW35 .21 LP34CE .72 LT34PC .18 AVL42C .60 L340 .74 LEB27 .68 LEWM0C .21 LP34CE .72 LT45C .17 AVL42KB .20 LAMC3037 .17 LEB34 .67 L12H .79 LP40W .21 LT45CL .17 AVL42KB C.20 LAMC3037 .17 LEB34 .67 L12H .79 LP40W .33 LT4FC .18 AVL42KB C.20 LAMC3037 .17 LEB44C .67 L13H3 .79 LP40E .33 LTF1 .12 AVL42KB C.20 LCDWR .66 LEB42C .67 L13H3 .79 LP40E .33 LTF1 .12 .12 .12 .12 .12				LEW29C21		
AVL2B 60 L270 .74 LEB2 67 LEW35 .21 LP34CE .72 LT34PC .18 AVJ42B .60 L300 .75 LEB2cC .67 LEW35 .21 LP34CE .72 LT45 .17 AVJ42C .60 L340 .74 LEB2rC .68 LFT71 .34 LP34CE .72 LT45C .17 AVJ42KBC .20 LANC3937 .17 LEB34C .67 LH1 .79 LP40D .73 LT45L .174 AVJ42KBC .20 LANC3937 .17 LEB34C .67 LH2H3 .79 LP40C .73 LT45L .174 .174SPC .18 AVJ2KBC .20 LCDW .66 LEB42 .67 LH3H .79 LP40CE .73 LTE12 .13 AVJ0H48 .74 LCPUTA .29 LEB44 .67 LH3H3 .79 LP40CEBW .73 LTE12 .12			LE60 70	LEW3221	LP34C72	LT3417
AV.428 60 L270 74 LEB26 67 LEWA0C 21 LP34CE 72 LT34PC .18 AV.142C 60 L300 75 LEB24C 67 LEWA0C 21 LP34CEW 72 LT45 17 AV.142C 61 LACT2030 78 LEB27 68 LFT71 34 LP34CEW 72 LT45CL 17 AV.142KBC 0 LANC2037 17 LEB34C 67 LH1 79 LP40 73 LT45LL 17 AV.42KBC 0 LAMC2033 17 LEB34C 67 LH2H 79 LP40E 73 LTE10 12 AV.124KBC 0 LAMC3037 17 LEB34C 67 LH2H4 79 LP40EW 73 LTE10 13 AV.124BC 0 LCD20 66 LEB42 67 LH3H3 79 LP40CEW 73 LTE11 33 AV.124BC 67 LEB42 67			LE65C71	LEW32TWR21	LP34CBW72	LT342S17
AVJ42C 60 L300 75 LEE42C 67 LEWAC 21 LP34CEW 72 LT45 17 AVJ42C 60 L340 74 LEB27 68 LEWKB 21 LP34E 72 LT45C. 17 AVJ42KB 20 LAMC2936 17 LEB34 67 LH1 79 LP40W 73 LT45CL 17 AVJ42KBCDL 16 LAMC2037 17 LEB34C 67 LH2H 79 LP40W 73 LT45CL 17 AVJ42KBCDL 16 LEWAC 68 LH2H3V 79 LP40C 73 LTE10 13 AVJOH 61 LCDWR 66 LEB42 67 LH3H3V 79 LP40CEBW 73 LTE11 13 AVJOH4807 71 LCPUTA 79 LEB44 70 LH3V 79 LP40CEBW 73 LTE17 12 12 14 144 144 171 143 144		L27074	LEB26	LEW3521	LP34CE	
AVJA2C 60 L340 74 LEB27 68 LEWKB 21, 22 LP34E 72 LT45C 17 AVJAZKD 61 LACT2030 28 LEB27C 66 LFT71 .34 LP34EBW 72 LT45CL 17 AVJAZKB 20 LAMC2037 17 LEB34C 67 LH1 79 LP40 73 LT45LL 17 AVJAZKB 20 LAMC2037 17 LEB34C 67 LH1 79 LP40CH 73 LT45C 17 AVJAZKD 61 LCD20 36 LEB40 67 LH3H3V 79 LP40EBW 73 LT71 13 AVJOH4 57 LCK 66 LEB44 70 LH3V 79 LP40EBW 73 LT71 12 12 12 12 12 12 12 12 12 17 13 12 12 12 12 12 14 14 14	AVJ42BC60	L300				
AVJAZKD 61 LACT2030 28 LEB27C 66 LFT71		L340				
AVJ42KB 20 LAMC2936 17 LEB34 67 LH1 79 LP40 73 LT45LL 17 AVJ42KBC 20 LAMC3037 17 LEB34C 67 LH1 79 LP40E 73 LT45LL 17 AVJ42KBC 10 LCD20 .36 LEB40 68 LH2HAV 79 LP40CE 73 LTE1 12 AVJCPU 20 LCDWR .66 LEB42 .67 LH3H3V 79 LP40CE 73 LTE11 13 AVJOH4 57 LCK .66 LEB42 .67 LH3H3V .79 LP40EBW .73 LTE11 13 AVJOH4805.34 LCT2 .29 LEB48 .68 LH6F .79 LP42BW .72 LTE3 12 AVJOH480M2 .34 LCT2 .29 LEB46 .68 LH0F .79 LP42BW .72 LTE4 .22 .2 .12 .2 .2 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
AVJA2KBC 20 LAMC3037 17 LEB34C 67 LH2H 17 LF45PC 18 AVJ42KBCDL .19 LBW .66 LEB40 .68 LH2H3V .79 LP40C .73 LTEF .12 AVJAZKD .61 LCD20 .36 LEB40 .68 LH2H4V .79 LP40CE .73 LTET1 .13 AVJOH4 .57 LCR .66 LEB42 .67 LH3H .79 LP40EEW .73 LTET2 .13 AVJOH48 .57 LCPU1A .29 LEB48 .68 LH6 LP42 .72 LTE4 .12 AVJOH48MM .34 LCT2 .29 LEB50C .71 LHAWS .28 LP42C .72 LTE4 .12 AVJOH48M .34 LCT26 .29 LEB50C .71 LHAWS .84 LP42C .72 LTE4 .12 AVJOH48M .57 LCT43 .30 LE						
AVJAZKGOL 19 LBW 66 LEB40 67 LHAV 79 LP40C 73 LTE1 12 AVJA2KD .61 LCD20 .36 LEB40 .68 LH2H4V .79 LP40CE .73 LTE1 .13 AVJOPU .20 LCDWR .66 LEB42 .67 LH3H .79 LP40CE .73 LTE1 .13 AVJOH .57 LCK .66 LEB42 .67 LH3H .79 LP40CE .73 LTE1PA .12 AVJOH4805 .34 LCT15 .30 LEB48 .68 LHB .66 LP42 .72 LTE4 .12 AVJOH480M .34 LCT2 .9 LEB50C .11 LHOWS 28 LP42C .72 LTE4 .12 AVJOH480M .34 LCT26 .9 LEB60 .10 LCW218 48 LP42C .72 LTE4 .12 AVJOH480M .50						
AVJAZND 6.1 LCD20 36 LEB40C 68 LH2H4V 79 LP40CE 73 LTE10 13 AVJOPU .20 LCDWR .66 LEB42 .67 LH3H .79 LP40CE .73 LTE11 .13 AVJOH .57 LCPU1A .29 LEB44 .70 LH3V .79 LP40EBW .73 LTE12 .13 AVJOH48M25 .34 LCT2 .29 LEB48 .68 LHB .79 LP42W .72 LTE3 .12 AVJOH48MM .34 LCT2 .29 LEB46 .68 LHDF .79 LP42W .72 LTE4 .12 AVJOH48MM .34 LCT2 .29 LEB46 .68 LHDF .79 LP42CBW .72 LTE4 .12 AVJOH48M .34 LCT2 .29 LEB50C .68 LHOY .79 LP42CBW .72 LTE4 .12 .12 .12 .12			LEB34C67	LH2H79	LP40BW73	LT45PC18
AVJCPU 20 LCDWR				LH2H3V79	LP40C73	LTE112
AVLCPU .20 LCDWR .66 LEB42 .67 LH3H .79 LP40EBW .73 LTE11 .13 AVJOH48 .57 LCVU1A .29 LEB44 .70 LH3V .79 LP40EBW .73 LTE12 .13 AVJOH48MZ .34 LCT2 .29 LEB48 .68 LHB .66 LP42 .72 LTE1 .12 AVJOH48MM .34 LCT2 .29 LEB48 .68 LHD .79 LP42CBW .72 LTE4 .12 AVJOH48MM .34 LCT2 .29 LEB50 .71 LHDAWS .28 LP42C .72 LTE4 .12 AVJOH48MM .34 LCT26 .29 LEB50 .70 LICW4218 .48 LP42CEW .72 LTE4 .12 AVJOH48T .50 LCT6A .29 LEB00 .67 LICW17314 .47 LP42EBW .72 LTEV .13 BUSTC121GY	AVJ42KD61		LEB40C68	LH2H4V79	LP40CE73	LTE1013
AVJOH 57 LCK 66 LEB42C .67 LH3H3V .79 LP40E .73 LTE12 .13 AVJOH48M5 .57 LCPU1A .29 LEB48 .66 LH2V .72 LTE1PA .12 AVJOH48M5 .34 LCT2 .29 LEB48 .68 LHB .66 LP42 .72 LTE3 .12 AVJOH48MM .34 LCT2 .29 LEB48C .68 LHDT .79 LP42BW .72 LTE3 .12 AVJOH48MM2 .34 LCT2 .29 LEB54 .68 LHDTF .79 LP42CBW .72 LTE4 .12 AVJOH48MM2 .34 LCT2 .29 LEB64 .68 LHDTF .79 LP42CBW .72 LTE4 .12 AVJOH48MM2 .34 LCT2 .29 LEB60 .70 LICW318 .48 LP42CE .72 LTE7 .14 BC55 .50 LCT6 .29 LEBDUO .67 LICW1218 .47 LP42EW .72 LTEV	AVJCPU20	LCDWR66		LH3H 79		
AVJOH48 .57 LCPU1A .29 LEB44 .70 LH3V .79 LP40EBW .73 LTE1PA .12 AVJOH48M25 .34 LCT1 .30 LEB48 .68 LHB .66 LP42 .72 LTE2 .12 AVJOH48MM .34 LCT2 .29 LEB48C .68 LHCF .79 LP42BW .72 LTE35 .12 AVJOH48MM .34 LCT2 .29 LEB48C .68 LHCF .79 LP42CBW .22 LTE6 .12 .12 .14 .14 .157 LCT3 .30 LEB54C .68 LHOTF .79 LP42CBW .22 LTE6 .12 .12 .14 .16 .15 .16 .12 .16 .12	AVJOH	LCK				
AVJOH48M25 3.4 LCT15 3.0 LEB48 1.68 1.66 LP42 .72 LTE2 .12 AVJOH48M5 3.4 LCT2 .29 LEB48 .68 LHCF .79 LP42BW .72 LTE35 .12 AVJOH48MM .34 LCT26 .29 LEB46 .68 LHCF .79 LP42CBW .72 LTE4 .12 AVJOH48MM2 .34 LCT29 .31 LEB54 .68 LHOTF .79 LP42CBW .72 LTE6 .12 AVJOH48T .57 LCT43 .30 LEB54 .68 LICW3018 .48 LP42CB .72 LTE6 .12 AVJOH48T .50 LCT6 .29 LEB65C .71 LICWS .48 LP42CB .72 LTE7 .14 BC55 .50 LCT6H .29 LEBDUO .67 LICW12918 .47 LP42EBW .72 LTEV .13 BUSTC111PR .53 LCT143 .27 LEB43C .67 LICW1304 .47 LP48E	AVJOH4857					
AVJOH48M5 3.4 LCT2 2.9 LEB48C 6.68 LHCF 7.9 LP42BW 7.2 LTE35 1.2 AVJOH48MM 3.4 LCT26 .29 LEB48C .68 LHCF .79 LP42BW .72 LTE4 .12 AVJOH48MM 3.4 LCT26 .29 LEB54C .68 LHOTS .79 LP42C .72 LTE4 .12 AVJOH48MZ 3.4 LCT2 .21 LEB54C .68 LHOWS .28 LP42C .72 LTE7 .14 BC45 .50 LCT6A .29 LEBD0 .67 LICW3018 .48 LP42EBW .72 LTEV .13 BC855 .50 LCT6H .29 LEBDUO .67 LICW12918 .47 LP42EBW .72 LTEV .13 BUSTC11PR .53 LCTE .29 LEDUOC .67 LW4239 .47 LP48C .73 LTVS .14 C200						
AVJOH48MM .34 LCT26 .29 LEB50C .71 LHDAWS .28 LP42C .72 LTE4 .12 AVJOH48MM2 .34 LCT29 .31 LEB54 .68 LHDTF .79 LP42CBW .72 LTE6 .12 AVJOH48T .57 LCT43 .30 LEB54C .68 LICW3018 .48 LP42CEW .72 LTE7 .14 BC45 .50 LCT6 .29 LEB60 .70 LICW4218 .48 LP42CEW .72 LTE9 .13 BCB55 .50 LCT6 .29 LEB0UO .67 LICW73014 .47 LP42 .72 LTEV .13 BUSTC11PR .53 LCTE .29 LEB0UOC .67 LIW339 .47 LP48C .73 LTEV .13 BUSTC11PR .53 LCTL4282 .27 LEF30C .1 LIWCD .48 LP48EW .73 LUD2 .10 .30 .10 .55 .56 .1 LW4259 .47 LP48EW .73 LUF42						
AVJOH48MM2 34 LCT29 31 LEB54 68 LHDTF 79 LP42CBW 72 LTE6 12 AVJOH48T .57 LCT43 .30 LEB54 .68 LHDTF .79 LP42CBW .72 LTE7 .14 BC45 .50 LCT5A .29 LEB60 .70 LCW18 .48 LP42CE .72 LTE7 .14 BC55 .50 LCT6B .29 LEB60 .71 LICW2S .48 LP42E .72 LTEV .13 BCB55 .50 LCTCH .29 LEBDUO .67 LICW72918 .47 LP42E .72 LTEV .13 BUSTC11PR .53 LCTL .29 LEDUO .67 LIW339 .47 LP48C .73 LTVS .14 C200 .75 LCTL428 .27 LEF34C .71 LIWCD .48 LP48E .73 LUD2 .10 C300 .75 LCTL428 .27 LF34C .71 LIWCD .48 LP48E .73 LUFMRC						
AVJOH48T .57 LCT43 .30 LEB54 .63 LICW3018 .48 LP42CE .72 LTE7 .14 BC45 50 LCT6A .29 LEB66C .71 LICW4218 .48 LP42CE .72 LTE7 .14 BC55 50 LCT6 29 LEB60C .71 LICW2S .48 LP42E .72 LTE7 .14 BC845 50 LCTCH 29 LEBDUO .67 LICW12918 .47 LP42EBW .72 LTEV .13 BUSTC11PR .53 LCTC 29 LEDUO .67 LIW3014 .47 LP42EBW .73 LTEV2 .13 BUSTC12IGY 53 LCTL428 .27 LEDUO .67 LIW4239 .47 LP48E .73 LUD2 .13 G200 .75 LCTL2428 .27 LEF40C .71 LIWCD .48 LP48E .73 LUD4 .10 .33 .100 .10 .33 .100 .10 .33 .10 .33 .10						
BC45 50 LCT5A 29 LEBGO 30 LICW4218 48 LP42CEBW 72 LTEB 14 BC55 50 LCT6 29 LEBDUO 67 LICW12918 47 LP42CEBW 72 LTE9 13 BCB55 50 LCT6H 29 LEBDUO 67 LICWT2918 47 LP42EBW 72 LTEV 13 BUSTC111PR 53 LCTE 29 LEBDUOC 67 LICWT3014 47 LP48 73 LTEV 13 BUSTC111PR 53 LCTL 29 LEDUOC 67 LIW3639 47 LP48E 73 LTEVD 33 BUSTC121GY 53 LCTL2428 7 LEFAC 66 LIWR29 47 LUB2 102 102 102 102 102 103 100 102 102 102 102 102 102 102 102 102 102 102 102 102			LEB54	LHDTF	LP42CBW72	LTE612
BC45 50 LCT5A 29 LEB60 .70 LICW4218 .48 LP42CEBW .72 LTE8 .14 BC55 50 LCT6 29 LEB66C .71 LICWES .48 LP42E .72 LTE9 .13 BCB45 50 LCTCH 29 LEBDUO .67 LICWT3014 .47 LP42EBW .72 LTEV .13 BUSTC11IPR .53 LCTE 29 LEDUO .67 LIW3639 .47 LP48BW .73 LTEV2 .13 BUSTC11GY .53 LCTL2428 .71 LEES .66 LIWBR .48 LP48E .73 LUD2 .10 C300 75 LCTL243 .27 LEF40C .71 LIWCD .48 LP48E .73 LUD2 .10 C336 54 LCTL29 .27 LEF40C .71 LIWR .48 LP54 .73 LUFMPRG .11 C536 34 LCT29 .27 LEF42C .71 LIWRO .48 <td< td=""><td>AVJOH48T57</td><td></td><td>LEB54C68</td><td>LICW301848</td><td>LP42CE72</td><td>LTE714</td></td<>	AVJOH48T57		LEB54C68	LICW301848	LP42CE72	LTE714
BC55 50 LC76 29 LEB65C .71 LICWES .48 LP42E .72 LTE9 .13 BCB55 50 LC76B .29 LEBDUO .67 LICWT2918 .47 LP42EBW .72 LTEV .13 BCB55 50 LC7CH .29 LEBDUO .67 LICWT3014 .47 LP42BW .73 LTEV .13 BUSTC11IPR .53 LCTL .29 LEDUO .67 LIW363 .47 LP48BW .73 LTEVD .13 BUSTC12IGY .53 LCTL1830 .27 LEDUOC .67 LIW4239 .47 LP48C .73 LUD2 .10 C300 .75 LCTL2435 .27 LEF34C .71 LIWCD .48 LP48E .73 LUFMPRC .11 C5 54 LCTL245 .27 LEF40C .71 LIWRE .48 LP54E .73 LUFMPRG .11 C536 .34 LCTL29 .27 LEF40C .71 LIWRE .48	BC45	LCT5A			LP42CFBW 72	
BCB45 .50 LCT6B .29 LEBDUO .67 LIGWT2918 .47 LP42EBW .72 LTEV .13 BCB55 .50 LCTCH .29 LEBDUO .67 LIGWT2918 .47 LP48BW .73 LTEV .13 BUSTC111PR .53 LCT .29 LEDUO .67 LIW3639 .47 LP48BW .73 LTEVD .13 BUSTC11GY .53 LCTL1830 .27 LEDUOC .67 LIW3639 .47 LP48BW .73 LTEVD .13 BUSTC11GY .53 LCTL2428 .71 LEDUOC .67 LIW3639 .47 LP48EW .73 LUD2 .10 C300 .75 LCTL2428 .27 LEFAC .71 LIWCD .48 LP48EW .73 LUD4 .10 .10 .10 .103 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10 .11 .10	BC55	LCT6				
BCB55 50 LCTCH 29 LEBDUOC .67 LICWT3014 .47 LP48 .73 LTEV2 .13 BUSTC11PR .53 LCTL .29 LEDUO .67 LIW3639 .47 LP48W .73 LTEVD .13 BUSTC12IGY .53 LCTL1830 .27 LEES .66 LIW4239 .47 LP48C .73 LTVS .14 C200 .75 LCTL2428 .27 LEF34C .71 LIWCD .48 LP48E .73 LUD2 .10 C300 .75 LCTL2435 .27 LEF34C .71 LIWCD .48 LP48EW .73 LUD3 .10 C5 54 LCTL245 .27 LEF34C .71 LIWR5 .48 LP54 .73 LUFMPRC .11 C51 54 LCTL29 .27 LEF36C .71 LIWR0 .48 LP54E .73 LUPMC .10 .2536 .34	BCB45 50					
BUSTC111PR 5.3 LCTE 29 LEDUO 67 LIW3639 47 LP48BW 73 LTEVD 13 BUSTC121GY 5.3 LCTL1830 27 LEDUOC 67 LIW4239 47 LP48C 73 LTVS 14 C200 .75 LCTL2428 27 LEFS 66 LIWBR .48 LP48E .73 LUD2 10 C300 .75 LCTL2425 27 LEF34C .71 LIWBR .48 LP48E .73 LUD2 10 C5 54, 66 LCTL2452 .27 LEF40C .71 LIWRE .48 LP54 .73 LUFMPRC .11 C51 54 LCTL29 .27 LEF40C .71 LIWRO .48 LP54 .73 LUFMPRG .11 C536 34 LCW120 .31 LELBUO .68 LWSS .48 LP54E .73 LUPM .10 CSC57 .32	BCB55 50					
BUSTC121GY 53 LCTL1830 .27 LEDUOC .67 LIW4239 .47 LP48C .73 LUD2 .14 C200 .75 LCTL2428 .27 LEES 66 LIWBR .48 LP48E .73 LUD2 .10 C300 75 LCTL2435 .27 LEF34C .71 LIWCD .48 LP48E .73 LUD2 .10 C5 54 LCTL29 .27 LEF40C .71 LIWRS .48 LP54 .73 LUFMPRC .11 CS36 34 LCTSB 29 LEF56C .71 LIWRO .48 LP54 .73 LUFMPRG .11 CS36S 34 LCW120 .31 LELBDUO .68 LWSS .48 LP54E .73 LUPM .10 CSC47 32 LCW120D .31 LELBUUO .68 LKCP10 .36 LPCSA .54 LUPMS .11 CSC58KD .32 LCW180B .31 LELDUO .68 LKCP11 .36 LPDU						
C200						
C200			LEDUOC67	LIW423947	LP48C73	LTVS14
C300				LIWBR	LP48E73	LUD2
C5	C30075	LCTL243527				
C51	C5 54, 66	LCTL245227				
CS36						
CS36S 34 LCW120 31 LELBDUO 68 LIWSS 48 LP54E 73 LUPM 10 CSC47 32 LCW120D 31 LELBDUO 68 LIWSS 48 LP54E 73 LUPM 10 CSC57 32 LCW120DB 31 LELDUO 68 LKCP10 36 LPCSA 54 LUPMSS 11 CSC57 32 LCW180 31 LELDUO 68 LKCP10 36 LPCSA 54 LUPMSS 11 CSC58KD 32 LCW180 31 LEM32 23 LKCP10 36 LPD300 49 LUPMW 10 CSC61 32 LCW180B 31 LEM32 23 LKCP12 36 LPDUO 72 LUPMWX 11 DVC 62 LCW2948 28 LEM32DUO 22 LKCP14 36 LPDUOBW 72 LVC 62 DW 66 LDDFS68 11 LEM32DU						
CSC47						
CSC57						
CSC58KD .32 LCW180 .31 LELDOC .68 LKCP10 .36 LPD300 .49 LUPMW .10 CSC61 .32 LCW180B .31 LELDOC .68 LKCP11 .36 LPD300 .49 LUPMW .10 DVC .62 LCW2948 .28 LEM32 .23 LKCP14 .36 LPDUOBW .72 LUPMWX .11 DVC .66 LDDFS68 .11 LEM32DUO .22 LKCP14 .36 LPDUOC .72 LVDH .7 EMCA48 .35 LDDFS80 .11 LEM32FT .25 LLMSC .15 LPDUOCE .72 LW .66 EMCA48T .35 LDW24 .79 LEM32FT .25 LLMSC .15 LPDUOCE .72 LWT970 .48 EMCPU .72 LDW8 .79 LEM32FT .25 LLMSD .15 LPDUOCE .72 LWT970 .48 EMCPU .72 LDW8 .79 LEM32FT .25 LLMSD .15 LPDUOE </td <td></td> <td></td> <td>LELBDUOC68</td> <td>LIWUB48</td> <td>LP54EBW73</td> <td></td>			LELBDUOC68	LIWUB48	LP54EBW73	
CSC58KD			LELDUO68	LKCP1036	LPCSA	LUPMSS11
CSC61	CSC58KD32			LKCP1136	LPD30049	
DVC	CSC6132					
DW						
EMCA48 35 LDDFS80 11 LEM32FT 25 LLMSC 15 LPDUOCBW .72 LW 66 EMCA48 35 LDW24 79 LEM32FT 25 LLMSC 15 LPDUOCBW .72 LW 66 EMCPU 72 LDW8 79 LEM32FT 25 LLMSC 15 LPDUOCE 72 LWT970 48 EMCPU 72 LDW8 79 LEM32FT 23 LLMSD 15 LPDUOCE 72 LX50 76 EMS 23, 66 LE26 67 LEM32P 25 LLMSW 15 LPDUOE 72 LX9128 35, 76 ESE 22, 66 LE26C 67 LEM32P5 25 LLMSW2537 .15 LPDUOEBW 72 LXAPL 7 FR8 21, 55, 65, 66, 69 LE27 68 LEM32PT 25 LLMSWB 15 LPE 69 LXCTM1 11 FRTVW4828 62 LE27 68 LEM32P						
EMCA48T 35 LDW24 79 LEM32FT0 25 LLMSC 115 LPDUOCE 72 LWT970 48 EMCPU 72 LDW8 79 LEM32FT0 25 LLMSC 2537 15 LPDUOCE 72 LWT970 48 EMCPU 72 LDW8 79 LEM32FT0 25 LLMSC 2537 15 LPDUOCE 72 LWT970 48 EMS 23, 66 LE26 67 LEM32P 25 LLMSW 15 LPDUOE 72 LX9128 35, 76 ESE 22, 66 LE26C 67 LEM32P5 25 LLMSW2537 .15 LPDUOEBW 72 LX4PL 77 FR8 21, 55, 65, 66, 69 LE27 68 LEM32PT 25 LLMSWB 15 LPE 69 LXCTM1 11 FR7VW4828i 62 LE27C 68 LEM32PT5 25 LLMSWB 77 LPLDU0 72 LXCTM2 11						
EMCPU 72 LDW8 79 LEM32K 23 LLMSD 15 LPDUOCEBW .72 LX50 76 EMS 23, 66 LE26 67 LEM32K 25 LLMSD 15 LPDUOCEBW .72 LX50 76 ESE						
EMS						
ESE			LEM32K23	LLMSD15	LPDUOCEBW .72	
ESE			LEM32P25	LLMSW15	LPDUOE72	
FR8 21, 55, 65, 66, 69 LE27	ESE	LE26C				
FRTVW4828i .62 LE27C68 LEM32PT525 LLPMS7 LPLDUO72 LXCTM211						
LEWI325						
			LEIVIJZJ	LL3W10013	LFLDUUDW12	LAFDL/

LXPSD11	PTC21	TLMD221,22
LXSCS7	RDSTC111YW .53	TLMS
LXUA1330L6	RDSTC221BU .53	TLOH2940
LXUF1330L6	RE20	TLOH3840
LXUF26376	S2440	TLPC
LXUF37606	SC14	TLSB
LXUT1330L6	SCB30	TRVC
LXUT26376	SCB30C	TV40RT64
LXUT37606	SP10014	TVES54C64
MB3624	SP8 21, 55, 65, 69	TVP3265
MB483656	SPD14049	TVP32LT65
MB603656	SST2L	TVP4465
MB7240	SST2S	
		TVP44C65
MMC5634	STBW/LTBW54	TVP44LT65
MRCS146	STC11	TVP44LTC65
		TVT 44LTC05
MRCS246	STC11154	TVP44SP65
MRCW146	STC111154	TVS3464
MRCW246	STC11254	TVS34C64
MSB4249	STC1254	TVS3664
MSC37		
	STC12154	TVS4464
MT11	STC12254	TVS44C64
MT111	STC21	TVS4864
MT11281	STC21154	TVS48C64
MT12	STC2111	TVS5464
MT122	STC21254	TVS54C64
MT2	STC22154	TVS55464
MT22	SW66	TVW4263
MT22280, 81	Т5	TVW4463
MT3		TVW44C62
	TC11	
MTC30DL/N51	TC111	TVW44CEUL63
MTC30DLL/N51	TC1111	TVW44EUL63
MTC40DLL/N51	TC112	TVW44i62
MTC40DN51	TC12	TVW4863
MTCL	TC12155	TVW48C62
MTCLL	TC12255	TVW48CEUL63
	TC21	TVW48EUL63
MTO66		
MWC5433	TC211	TVW48i62
OEPS2623	TC2111	TVW5463
OEPS3223	TC21255	TVW54C62
OHS32	TC22155	TVW54i62
OHS4258		TVW55463
OHT20	TL183040	TVW554C63
OHT29	TL1830MD40	T\///E5/C 62
	TL1030IVID40	TVWE54C63 TWP4663
OHT292S57	TL1837	TWP4663
OHT3059	TL2428YY38	TWP46P63
OHT3258	TL2435RR38	UCC1
OHT3957	TL2452	VC
	TL2453	
OHT4059		VP34B70
OHT40C59	TL2454	VP40B70
OHT42	TL2458	VPC37B70
OHT42C58	TL24P4	VPC40B70
OHT42PS58	TL28	VT2
OHT42PSC58		VT22
	TL362838	
OHT5059	TL363538	VT222
OHT50C59	TL36W	WT69
		VVI
P504P75	TL37TV40	
P8	TL4	
PC42KB18	TI 4000 00	
PC44KBC18	TL4828	
PC44NDC10	TL4828	
	TL4828MM40	
PC51KB18	TL4828MM40 TL483538	
	TL4828MM40	
PC51KB18 PCS2430	TL4828MM40 TL483538 TL4835MM40	
PC51KB18 PCS2430 PPD20049	TL4828MM40 TL483538 TL4835MM40 TL485037	
PC51KB18 PCS2430 PPD20049 PS263356	TL4828MM40 TL483538 TL4835MM40 TL485037 TL48W38	
PC51KB18 PCS2430 PPD20049 PS263356	TL4828MM40 TL483538 TL4835MM40 TL485037 TL48W38	
PC51KB18 PCS2430 PPD20049 PS263356 PS314456	TL4828MM 40 TL4835 38 TL4835MM 40 TL4850 37 TL48W 38 TL6028 37	
PC51KB18 PCS2430 PPD20049 PS263356 PS314456 PS380056	TL4828MM 40 TL4835 38 TL4835MM 40 TL4850 37 TL48W 38 TL6028 37 TL6035 37	
PC51KB18 PCS2430 PPD20049 PS263356 PS314456	TL4828MM 40 TL4835 38 TL4835MM 40 TL4850 37 TL48W 38 TL6028 37	
PC51KB 18 PCS24 30 PPD200 49 PS2633 56 PS3144 56 PS3800 56 PS3945 16	TL4828MM 40 TL4835 38 TL4835MM 40 TL4850 37 TL48W 38 TL6028 37 TL6035 37	
PC51KB 18 PCS24 30 PPD200 49 PS2633 56 PS3144 56 PS3800 56 PS3945 16 PS570KD 32	TL4828MM .40 TL4835 .38 TL4835MM .40 TL4850 .37 TL48W .38 TL6028 .37 TL6035 .37 TL6050 .37 TLKB .37	
PC51KB 18 PCS24 30 PPD200 49 PS2633 56 PS3144 56 PS3800 56 PS3945 16	TL4828MM 40 TL4835 38 TL4835MM 40 TL4850 37 TL48W 38 TL6028 37 TL6035 37	

