

# Quality

for All  
of  
Automotive





## Luxor carts for your Service Department

Save time by keeping tools organized and accessible. The high density polyethylene material used to manufacture these carts is unaffected by acids, solvents and petroleum products. They will never scratch, rust, dent or discolor.



## Luxor carts for your Body Shop

Mobility of tools and equipment creates an efficient working environment. Almost all of your equipment can be mounted to our carts as well. Choose from different cart and wheel configurations to suit your needs.



## Luxor carts for your Car Wash/Detail Area

Rust and corrosion will never be a concern with the Luxor carts. They can not be damaged by water, cleaning solvents, or cleaning equipment.



## Luxor carts for your Waiting Area

Organize your waiting room and maximize the use of your space by utilizing magazine racks, storage bins, TV/VCR tables and mounting systems.

# Customize It!


Modify Luxor carts to suit your needs. Add clamps to support your hoses, magnetic bars for tools and parts, and mount your equipment for a more efficient work environment. Whether they are your accessories or Luxor's, create the perfect cart.







**MTC30N**



MTCLL - Locking lid available for all MTC, LPT42, and LPT44 models.



**MTC25N**



**MTC20N**



**MTC34F/N**



**MTC25D/N**

## **MTC25/N**

Three shelf service cart with top and bottom flat shelves and one middle storage tray. Includes 4" swivel casters, two with locking brake. Weight 35 lbs.

## **MTC30N**

Three shelf service cart with top and middle storage trays and bottom flat shelf. Includes 4" swivel casters, two with locking brake. Weight 30 lbs.

## **MTC20N**

Two shelf service cart with top storage tray and bottom flat shelf. Includes 4" swivel casters, two with locking brake. Weight 25 lbs.

## **MTC-34F/N**

Three shelf service cart with top and bottom flat shelves and one middle storage tray. Includes 4" swivel casters, two with locking brake. Weight 35 lbs.

## **MTC25D/N**

Three shelf service cart has top storage tray with six tray dividers and two flat shelves. Includes 4" casters, two with locking brake. Weight 31 lbs.

# Service


## LE34C/N

Partially enclosed locking service cart with three flat shelves. Includes 4" swivel casters, two with locking brake. Weight 52 lbs.



## MTC30C/N

Partially enclosed locking service cart with one top tray and two flat shelves. Includes 4" swivel casters, two with locking brake. Weight 53 lbs.



Shown with optional LEE electric assembly

## LE48C/N

Partially enclosed large capacity locking service cart with three flat shelves. Includes 4" swivel casters, two with locking brake. Weight 87 lbs.



## HE38

Large capacity two shelf service cart with 4" swivel casters, two with locking brake. Weight 37 lbs.



## HE33

Large capacity three shelf service cart with 4" swivel casters, two with locking brake. Weight 42 lbs.







**LEW32N**

## **LEW32N**

32" high, two shelf extra wide workstation. Includes 4" swivel casters, two with locking brake or adjustable leveler glides. Shown with optional TLMD and TLMD2 storage drawers available in black, blue, red, green, or yellow. Shelf clearance 23.5" Weight 53 lbs.



**AVJ42KB**

## **AVJ42KB**

Compact steel mobile workstation with pull-out shelf. Unit adjusts in 2" increments from 26" to 42" in height. Comes complete with a 3-outlet, 15' UL and CSA electric assembly, and 4" casters, two with locking brake.



**ATC332**

## **ATC332**

Three shelf compact adjustable utility cart constructed of blow molded plastic with metal frame. 22"W x 15.5"D x 32"H. Complete with 3" heavy duty casters, 2 with brake. Red color only. Weight 20 lbs.

5 colors are available in a durable baked on powder coat finish.



**ATC232**

## **ATC232**

Two shelf compact adjustable utility cart constructed of blow molded plastic with metal frame. 22"W x 15.5"D x 32"H. Complete with 3" heavy duty casters, 2 with brake. Red color only. Weight 17 lbs.

## STC Carts

### Features:

- Choose from 2, 3, or 4 shelf models
- Choose either a flat shelf or a 2<sup>3</sup>/<sub>4</sub>" deep tub shelf (refer to key chart)
- Easy assembly with rubber mallet included
- 18"x24" (STC) offers 300 lb. capacity
- Black or gray color
- Lifetime Warranty!


### STC11

Two tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 38<sup>1</sup>/<sub>2</sub>"H. Shelf clearance 26".

### STC121

Top and bottom tub shelf, middle flat shelf with 4" casters, two with locking brake. 24"W x 18"D x 38H. Shelf clearance 12".

STC carts are 18"x24" with 2<sup>3</sup>/<sub>4</sub>" Deep tubs and a 300 lb. capacity. Top shelf is reinforced with one aluminum bar.



**STC11**




**STC121**

### Key

**TC**= 24"D x 32"W Cart  
**STC**= 18"D x 24"W Cart


Example:



**1**= Tub Shelf  
**2**= Flat Shelf

Model #	Diagram	Colors	Height	Shelf Clearance	Weight
STC12		Black, Gray	36"	26"	24 lbs.
STC21		Black, Gray	36"	26"	24 lbs.
STC112		Black, Gray	38"	12"	29 lbs.
STC122		Black, Gray	35 <sup>1</sup> / <sub>2</sub> "	12"	28 lbs.
STC212		Black, Gray	35 <sup>1</sup> / <sub>2</sub> "	12"	28 lbs.
STC211		Black, Gray	38"	12"	31 lbs.

### STC Wheel Options




C5- 5" casters instead of standard 4" casters.



LTBW, and STBW-Big wheel assembly for TC and STC models.

### Electrical Option

LPCSA- 3-outlet, 15' electrical assembly. UL & CSA listed.





**STC111**



**STC1111**

Shown with optional big wheel assembly



**STC211**



**STC221**

## **STC111**

Three tub shelf utility cart with 4" casters, two with locking brake. Shelf clearance 12"

## **STC1111**

Four tub shelf utility cart with 4" casters, two with locking brake. Shelf clearance 12"

## **STC211**

Flat top shelf, middle and bottom tub shelf utility cart with 4" casters, two with locking brake. Shelf clearance 12"

## **STC221**

Two flat top shelves, tub bottom shelf utility cart with 4" casters, two with locking brake. Shelf clearance 12". Shown here with optional steel drawers (see page 12 for details).



# Service

## TC Carts

### Features:

- Choose from 2, 3, or 4 shelf models
- Choose either a flat shelf or a 2<sup>3</sup>/<sub>4</sub>" deep tub shelf (refer to key chart)
- Easy assembly with rubber mallet included
- 32"x24" (TC) offers 400 lb. capacity (up to 800 lb. capacity with wheel options)
- Black or gray color
- Lifetime Warranty!

### TC21

Top flat shelf, bottom tub shelf with 4" casters, two with locking brake. 32"W x 24"D x 36H. Shelf clearance 25".

### TC1111

Four tub shelf utility cart shown with optional big wheel assembly. 32"W x 24"D x 44H. Shelf clearance 8".



TC carts are 24"x32" with 2<sup>3</sup>/<sub>4</sub>" Deep tubs and a 400 lb. capacity. All shelves are reinforced with two aluminum bars.



TC21



TC1111

### Key

**TC**= 24"D x 32"W Cart  
**STC**= 18"D x 24"W Cart

Example:

**STC112**

Small Tub Cart    Top Tub Shelf    Middle Tub Shelf    Bottom Flat Shelf

**1**= Tub Shelf  
**2**= Flat Shelf


Model #	Diagram	Colors	Height	Shelf Clearance	Weight
TC12		Black, Gray	36"	25"	42 lbs.
TC121		Black, Gray	37"	11"	61 lbs.
TC122		Black, Gray	35 <sup>1</sup> / <sub>2</sub> "	11"	55 lbs.
TC212		Black, Gray	35 <sup>1</sup> / <sub>2</sub> "	11"	64 lbs.
TC221		Black, Gray	35 <sup>1</sup> / <sub>2</sub> "	11"	60 lbs.
TC211		Black, Gray	37"	11"	70 lbs.

### TC Wheel Options

These wheel options add 400 lbs. to the total weight capacity of TC carts



SP8-Solid rubber high profile semi-pneumatic tires. Add suffix "SP" to model number.



P8-Air filled, non-marking pneumatic tires. Add suffix "P" to model number.



FR8-Heavy duty 8" foam rubber casters. Add suffix "FR" to model number





## TC222

Three flat shelves, with 4" casters, two with locking brake. Shown with optional cable wraps. 32"W x 24"D x 37H.



## TC111

Three tub shelves with 4" casters, two with locking brake. 32"W x 24"D x 37H. Shelf clearance 11".



## TC112

Top and middle tub shelf, flat bottom shelf with 4" casters, two with locking brake. 32"W x 24"D x 37H. Shelf clearance 11".



## TC221

Two flat top shelves and tub bottom shelf shown with optional FR8 heavy duty foam rubber casters and cable wraps.

## SPTC211/N

Same great features as the TC211 tub cart but with 8" semi-pneumatic tires. Features bottom and middle tub shelf. Overall capacity 800 lbs. Weight 100 lbs.



SPTC211/N

## STC2211925-B

STC tub cart with all steel locking storage unit (19"W x 5"D). Drawer fronts available in seven colors and a multitude of drawer depths.



STC2211925-B

## PTC21/N

Same great features as the regular TC21 tub cart but with 8" pneumatic tires. Features bottom tub shelf and flat top shelf. Overall capacity 800 lbs. Weight 72 lbs.



PTC21/N



## LPT44

Stand-up tool/utility cart with flat work surface area for convenience, two large tub base shelves for plenty of storage, and a small top tub shelf for additional parts and accessories. Comes with 4" casters, two with locking brake. Weight 55 lbs.



## LPT42

Stand-up tool/utility cart with flat work surface area for convenience, large tub base shelf for plenty of storage, and a small flat top shelf for additional parts and accessories. Comes with 4" casters, two with locking brake. Weight 50 lbs.



## LWT970

Easy transport wire dolly with white powder coat finish. Ideal for transporting cartons, mail, parts, and accessories. Comes with 6" pneumatic wheels. Weight 30 lbs. Weight capacity 400 lbs.



# Body Shop

## 39T

Accessory top surface For 39W unlimited modules. Wood with walnut laminate  
39"W x 17<sup>1</sup>/<sub>2</sub>"D x <sup>7</sup>/<sub>8</sub>" thick.

## 3925

5" drawers 11<sup>1</sup>/<sub>4</sub>" High

## 1925

5" drawers 11<sup>3</sup>/<sub>4</sub>" High

## 3917

7<sup>1</sup>/<sub>2</sub>" drawers 9" High

## 39BCC


Equipment storage cabinet base for added storage space of materials and equipment. Locking storage compartment with dust guard. 39"W x 17<sup>1</sup>/<sub>2</sub>"D x 19<sup>1</sup>/<sub>2</sub>"H. Come with 2" casters.

## STC2211925


This is a STC221 cart with the 1925 drawer unit installed.

## 39 Series Modules

39" wide x 17<sup>1</sup>/<sub>2</sub>" Deep



Modular system allows you to mix and add storage cabinets as your needs grow.



### 39L

Accessory lock assembly for locking three or four drawer modules. Field installed only.



### 39RB, 39RBC

Recessed base raises systems to better working height and provides recessed kick plate. 5

## Drawer and Cabinet Front Color Choices

Specify color choice by adding letter suffix to model number:

- C = Cabernet
- F = Forest
- P = Putty
- R = Red
- Y = Yellow
- I = Irish
- M = Marine



STC2211925

**Before**



**After**



## **TC221FR**

Heavy duty cart with a flat top and middle shelf and a tub bottom shelf. Pictured with 8" heavy duty foam rubber casters and cable wraps. The top and middle shelf were modified to hold an 8" tank and still allow ample work space. 800 lb. weight capacity.

## **LEW35N**

Three flat shelf utility cart with optional CTC tank caddy for 6" tank. No tools needed to insert or lift out tank. Using caddy will prevent tank from tipping over and becoming a safety hazard. A must for anyone using a torch. It can also be outfitted with a FEB fire extinguisher bracket for more job site safety. Brackets will support two extinguishers.

# Car

A car wash is not the best place to use metal or wood. Over a period of time from the constant moisture, wood cabinets will rot and metal cabinets will rust. Buckets sitting all over do not make an efficient work environment either.

**Before**



After reorganizing the work area utilizing a LEWS4, and a STC111, supplies no longer sat on the floor being exposed to standing water, and cleaning supplies that are used most often are kept mobile using the STC cart. Never again will rust, rotting, or any chemical damage be a problem.

**After**



**LEWS4**





**LEWS4**

### LEWS3

57" high, three shelf storage unit complete with leveler glides. Shelf clearance 25". Weight 72 lbs.

### LEWS4

69" high, four shelf storage unit complete with leveler glides. Shelf clearance 19". Weight 93 lbs.

### LEWS5


71" high, five shelf storage unit complete with leveler glides. Shelf clearance 15". Weight 115 lbs.

### TLD1N

Deep storage bin with translucent plastic lid. 16W x 12D x 13H. Available in red, blue, yellow, green or black color. Weight 8 lbs.

### STC111


Three tub shelf utility cart with 4" casters, two with locking brake. 24"W x 18"D x 40<sup>1</sup>/<sub>2</sub>H. (See the full line of STC carts on page 6)



**LEWS3**



**LEWS4**



**LEWS5**



**TLD1N Bins**

**LEWS4**




**STC111**

# Waiting Area

## SCB30C

Three shelf serving cart with locking cabinet and side shelf. Includes 3-outlet, 15' U.L. and C.S.A listed electric assembly, 8" big wheels, and caster bumpers. Comes in putty, black, or gray with walnut cabinet. Clearance between shelves 6<sup>1</sup>/<sub>4</sub>" and 17<sup>3</sup>/<sub>4</sub>". 24"W x 18"D x 33"H. Weight 63 lbs. Assembly required.



## L270

Double sided magnetic whiteboard with an aluminum frame. knob adjustment locks the whiteboard into place once you have it at the required position. Comes complete with 2" casters, two with locking brake. The whiteboard measures 22"W x 34"H x 1"D. The aluminum frame measures 40"W x 60"H x 24"D. Weight 30 lbs. Assembly required.



## TL2428

24" wide workstation with 2 shelves and 2" casters, two with locking brake. Assembly required. Maximum height 28" Weight 53lbs.



# Waiting Area



## LDW8

Mobile wire literature rack with black powder coat finish. Comes with eight, 1" deep and 14" wide display area. Comes complete with 1" chrome furniture caster. Measures 14"W x 12"D x 49"H. Black color Weight 22 lbs.



## LDW24

Same as LDW8. 1" deep and 30" wide display area. Measures 30"W x 12"D x 49"H. Black color Weight 32 lbs.



## TVW44i

44" high wide base video table with roll formed shelves and baked-on powder coat paint finish. 1" square tubular steel legs with 4" ball bearing casters, two with brake. Comes with 3-outlet, 15' UL and CSA listed electric assembly. Available in 44", 48", and 54" height.



## TLDB2

Deep storage bin with casters and padded lid. Available in black, blue, red, green, or yellow. (clear lid TLDB1) 11<sup>3</sup>/<sub>4</sub>" Deep. 16<sup>3</sup>/<sub>4</sub>"W x 12<sup>1</sup>/<sub>4</sub>"D x 13<sup>1</sup>/<sub>2</sub>"H.



# Waiting Area

## TVW48i

48" high wide base video table with roll formed shelves and baked-on powder coat paint finish. 1" square tubular steel legs with 4" ball bearing casters, two with brake. Comes with 3-outlet, 15' UL and CSA listed electric assembly. Weight 56 lbs.

## TVW54i

Same as TVW48i except 54" high  
Weight 59 lbs.

## TVW48LVC

48" high video table with roll formed shelves and baked-on powder coat paint finish. 1" square tubular steel legs with 4" ball bearing casters, two with brake. Integral safety push handle and slots for safety belt.  $\frac{1}{2}$ " retaining lip and sure grip safety pad prevents equipment from sliding. Cabling hole in top and middle shelves allows for easy cord pass through. Shown with optional VCR/DVD mount. Weight 66 lbs.

## ATV56

Traditional open shelf TV tables with either open shelves or cabinet. Available in black, green, red, yellow, and royal blue to match your waiting room colors. Adjusts from 36" to 54" in height. Weight 77 lbs.

## ATV56C

Same as above with deep cabinet. Available in black only. Weight 89 lbs.



TVW48i



TVW54i



TVW48LVC



ATV56




ATV56C

# Waiting Area



**LTE1**




**LTE1**

Platform wall mount will accommodate most 19" and 20" TV receivers. TV rests on 20" wide by 13 1/2" deep platform with 1/2" front retainer lip. Maximum forward tilt 15 degrees and 240 degree swivel capability. Load capacity 90 lbs. Weight 18 lbs.



**LTE4**




**LTE4**

Adjustable, full platform wall mount will accommodate most 19" to 27" TV receivers. TV rests on 13 1/2" deep platform with a full 1" front retainer lip which adjusts up to 30 1/2" wide. Platform is perforated to allow the monitor to be bolted down for added security. Maximum forward tilt 15 degrees and 240 degree swivel capability. Load capacity 110 lbs. Weight 20 lbs.



**LTE10**




**LTE10**

Full platform locking wall mount will accommodate most 25" to 27" receivers. TV rests on a 15" deep platform. Features 240 degree swivel and a maximum forward tilt of 15 degrees. Platform is perforated to allow the monitor to be bolted down and locked in place for added security. Load capacity is 110 lbs. Weight 26 lbs.



**LTE8**




**LTE8**

Adjustable full platform, yoke style, ceiling mount will accommodate most 19" to 29" TV receivers. TV rests on a 13" deep platform with full 1" front retainer lip that adjusts up to 30" wide. Platform is perforated to allow the monitor to be bolted down for added security. Maximum forward tilt 10 degrees and 360 degree swivel capability. Load capacity 110 lbs. Weight 26 lbs.



**LTE11**




**LTE11**

Platform wall mount will accommodate up to a 14" TV receiver. TV rests on a 12" wide by 11" deep platform with 1/2" front retainer lip. Maximum forward tilt of 15 degrees and 240 degree swivel capability. Load capacity 66 lbs. Weight 11 lbs.



**LTE12**




**LTE12**

Platform wall mount with pivoting arm will accommodate up to a 14" TV receiver. TV rests on a 12" wide by 11" deep platform with 1/2" front retainer lip. Maximum forward tilt of 15 degrees and 240 degree swivel capability. Load capacity 66 lbs. Weight 12 lbs.



**LETV**



**LETV**

VCR bracket fits all Luxor LTE TV mounts. Adjusts from 14" to 20" wide to accommodate most front loading recorders. VCR rests on 2 3/4" x 6" brackets. Swivels independently of TV mount. All mounting hardware included. Weight 5 lbs.



Luxor would like to thank Libertyville Lincoln Mercury, Quick Lane, and Allison Auto Body for allowing the use of their facilities to photograph the Luxor carts featured in this catalog.



2245 Delany Road  
Waukegan, IL 60087  
Phone: (847) 224-  
1800  
Toll Free Ph: (800)  
323-4656

Fax: (847) 244-1818  
Toll Free Fax: (800) 327-  
1698  
Email: [sales@luxor-  
furn.com](mailto:sales@luxor-furn.com)  
[www.luxorfurn.com](http://www.luxorfurn.com)