

## Solvent Media Film & Vinyl Technical Data Sheet

### Backlit Gloss Eco-Sol 8.2 mil

Backlit Gloss has a specialized coating specifically for eco-sol ink that works well with solvent inks and provides tremendous color reproduction. It has a high gloss surface that doesn't require lamination for fine detail provided there is even light distribution. The film is water proof, fast drying, and easy to install because of its rigidity and anti-curl properties.

#### Technical Properties

Caliper/Gauge:	8.2 mil	Ink: Mild Solvent, Eco-Solvent, Latex
Weight:	285g	Opacity:
Adhesive:	NA	Gloss (60°): 80
Availability:	36", 54", 60"	Whiteness: 85
Printing Environment:	15°C - 30°C	
Ideal Storage Conditions:	Temperature 10-25°C, 50% Relative Humidity in original packaging.	
Shelf Life:	One year at ideal storage conditions	

#### Printing Tips:

Dry time will vary depending on ink type and is recommended to pre head printer heaters to around 30°C. ICC profiles available for popular software rips. Please wait for material to dry completely before taking up media.

#### Finishing/Mounting Recommendations:

Before finishing please allow image to dry 24 hours.

#### Main Applications:

Light boxes, Backlit trade show displays, Department stores, luminous advertising, Bus/Metro shelter, POP/POS

#### Disclosure:

All product specifications and data are subject to change without notice. All recommended settings, properties and technical information are based upon tests that are believed to be reliable. Supplier disclaims any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. Supplier disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify supplier's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. The purchaser of this product has the sole responsibility for determining if the product described is a suitable fit for purchaser's application and intended use.

Liability for defective products shall not exceed the purchase price paid by purchaser for the product. If a product is found to be defective, as determined by supplier, the sole obligation of supplier and sole remedy for purchaser is replacement of the defective product without additional charge. No additional compensation for a defective product will be made. This document does not stand as a guarantee of performance or satisfaction.

Product names and markings noted herein may be trademarks of their respective owners.