

# **Trophy Chair**

## Instruction Booklet - 2006

You **MUST** also view the enclosed DVD **BEFORE** using your new treestand!! Weight Limit 260 lbs. total.

Tree Size: 8" - 30"

#### READ ME FIRST!!!

Please read carefully **BEFORE** using your new Summit Trophy Chair.

Congratulations! You have purchased the finest commercially available tree seat on the market today. Summit's Trophy Chair is designed and built to provide years of trouble-free, successful hunting with a minimum of maintenance and care. It is certified to meet the requirements of the Treestand Manufacturers Association (TMA) Standards. This booklet is provided to you to outline the recommended use, care and maintenance of your Summit Trophy Chair.

## **Warnings and Precautions**

- YOU MUST FULLY READ, UNDERSTAND AND FOLLOW THESE INSTRUCTIONS!
- ANYTIME THIS TREE SEAT IS USED IN CONJUNCTION WITH A PLATFORM SUCH AS THE BASIC SYSTEM, IT IS <u>MANDATORY</u> THAT A SAFETY HARNESS BE USED!!
- DO NOT USE THIS OR ANY OTHER TREESTAND IF YOU HAVE BEEN USING DRUGS OR ALCOHOL OR ARE PHYSICALLY IMPAIRED IN ANY WAY!
- FOR YOUR SAFETY, DO NOT USE ANY TREESTAND DURING STORMS, WHEN TREES ARE WET OR ICY, OR ON TREES THAT ARE LEANING OR THAT APPEAR DEAD OR DISEASED!
- DO NOT USE ANY TREESTAND IF YOU HAVE NOT FOLLOWED THE MANUFACTURERS CARE AND MAINTENANCE GUIDELINES!
- DO NOT USE ANY TREESTAND UNLESS YOU ARE IN GOOD PHYSICAL SHAPE. THE ABILITY TO DO SEVERAL PUSH-UPS, CHIN-UPS, SIT-UPS, ETC. IS REQUIRED FOR YOUR SAFETY!
- BE WELL RESTED AND NEVER GET IN A HURRY. HURRYING CAUSES ACCIDENTS!!
- IF YOU LOAN OR SELL THIS TREESTAND, IT IS YOUR RESPONSIBILITY TO FURNISH THE BUYER A COPY OF THESE INSTRUCTIONS AND THE
  VIDEO THAT CAME WITH THE TREESTAND. MAKE SURE THEY WATCH THE VIDEO AND READ / UNDERSTAND THE INSTRUCTIONS!
- FAILURE TO FOLLOW THESE INSTRUCTIONS MAY CAUSE SERIOUS INJURY OR DEATH!!

## **Warning**

Before each use of your Summit Treestand, ALWAYS inspect the treestand for any structural damage, cracks, cable wear or abrasion that may have occurred in transporting your treestand. DO NOT USE IF <u>ANY</u> DAMAGE IS FOUND! DO NOT leave your treestand outdoors when it is not being used. <u>Any tubing that is allowed to fill</u> with rainwater and freeze WILL rupture or burst. DO NOT use your treestand if this happens.

Summit products are manufactured under one or more of the following US patents: 4,991,690; 5,226,505; 5,413,192; 5,937,969; 5,971,104; 5,975,242; 6,182,792; 5,979,603; 6,397,973 and Des. 417,011; 420,147. Summit MegaSampson, Bucksteps, Seat-O-The-Pants Safety Line and Rapid Climb Stirrups are patent pending.

### Section 1. Assembling your new Trophy Chair.

#### Part 1. Trophy Chair Assembly

- **Step 1.** Place two short shank bushings on the **outside** of the bracket on the Arm Support Assembly as shown in **Figure 1**.
- **Step 2.** Place two short shank bushings on the **outside** of the middle bracket on the Seat Post as shown in **Figure 1**.
- **Step 3.** Place two short shank bushings on the **outside** of the lower bracket on the Seat Post as shown in **Figure 1**.
- Step 4. Position the Arm Support and Seat Post as shown in Figure2. Secure with two 3/4" bolts and lock nuts. Wrench tighten.
- **Step 5.** Position the Support rod as shown in **Figure 2.** Secure each side using one 3/4" bolt with lock nuts. **Do not overtighten as this connection is designed to pivot.** Seat Frame should slide and pivot. If it does not, slightly loosen bolt.
- **Step 7.** Position seat then slide it down onto the Arm Support Bar as shown in **Figure 3**.
- **Step 8.** Use two self tapping screws to secure the seat webbing to the Arm Support bar. Run the screws in from the side as shown in **Figure 4**. A powered screw driver works best for this step.
- **Step 9.** Position the arm rest pads as shown in **Figure 5**. The cable ties for attaching the pads are "in-line" cable ties: Note the correct and incorrect ways of attaching. To attach pull the cable ties snug, cut off the excess, and rotate the clasp to the underside of the pad. Use two cable ties per pad.
- **Step 10.** Push the looped end of the cam buckle strap through the welded wire loop on the top of the Seat Post. Loop the strap and buckle back through the sewn loop to create a cinch knot as shown in **Figure 6**.

### Part 2. Carrying your Trophy Chair


To carry the Trophy Chair, first fold it flat. Next, take the supplied green tourniquet buckle strap and wrap it around the frame to secure it as shown in **Figure 7**. Take the long cam buckle tree strap and bring it over your shoulder. Clip the double J-Hook into the Support Rod slide to secure as shown in **Figure 8**.


#### Section 2. Use of the Trophy Chair.

- **Step 1.** Wrap the cam buckle strap around the tree and hook the double J-Hook into the seat frame as shown in **Figure 9.**
- Step 2. Pull the free end of the strap until tight.
- **Step 3.** Push down on the chair to seat it on the tree.
- **Step 4.** Wrap the supplied green tourniquet buckle strap the frame and the tree to secure (**See Figure 10**).
- **Step 5.** Secure the seat back to the tree by wrapping the bungee cord around the tree and clipping it to its self.


#### Section 3. Maintenance and Care of Your Treestand.

Because of the quality construction techniques used in manufacturing, your Summit Treestand is very durable under normal hunting conditions. However, since all hunting equipment that is exposed to the elements requires some maintenance and care, the following guidelines for caring for your treestand should be used. DO NOT leave your treestand outdoors when it is not being used. Any tubing that is allowed to fill with rainwater and freeze WILL rupture or burst. DO NOT use your treestand if this happens. If your treestand is exposed to the elements, it will be necessary to cover the seat to prevent rain and moisture from saturating the material. This will extend the life of the seat material as well as make it more comfortable the next time it is used.














Figure 5

The powder coat finish that is applied at the factory is very durable and should need touch ups only in areas of heavy wear or accidental impact.


Should you damage any part of your Summit Treestand, contact your nearest authorized Summit dealer or the factory to obtain the proper corrective action procedure and/or replacement parts for the treestand. Unauthorized repairs, modifications, or alterations will void the warranty and could degrade the integrity of the treestand. You must perform periodic inspections of the treestand for damage. WARNING: DO NOT use the treestand if ANY obvious or suspected damage is observed.

**CAUTION:** Look for nicks, gouges, cuts, cracks, bends, corrosion or similar damage that can be the result of improper user or accidental damage. For instance, this could occur if someone else used the treestand without knowledge of its proper use, or if the treestand were dropped, hit by a motor vehicle or subject to corrosive conditions, etc. Summit Treestands have the highest structural integrity by design, material selection and manufacturing techniques, but as its owner, only your continued care will assure trouble free performance. When the above-mentioned guidelines are followed, your Summit Treestand will provide years of successful hunting.

### **Tips**


You will easily learn how to use your Summit treestand more efficiently and make it more effective for your hunting.

Changing your sitting position can relieve muscle stress and reduce fatigue. This will allow a longer hunt and perhaps an opportunity for a shot. Although it must be done slowly and quietly, repositioning and changing the height of your seat by raising or lowing the seat frame just a couple of inches could make a difference. This changes the hip to knee angle. Moving the seat straps, again slowly and quietly, forward or backward on their support bar will alter the sitting position also. Being comfortable will result in no movement and reduce being detected by game either from sight or from sound.









#### Limited Warranty

(A) Warranty

Summit Treestands, LLC (Summit) warrants to the original retail purchaser that all products manufactured by it are free from defects in material and manufacture at the time of shipment for sixty (60) months from the date of purchase. Summit will repair or replace any part found defective if the unit claimed to be defective shall be returned to Summit, postage prepaid, within the warranty period.

This warranty shall not apply to any product which has been subjected to misuse; misapplication; neglect (including but not limited to improper maintenance); accident; improper installation; modification (including but not limited to use of unauthorized parts or attachments); adjustment or repair. THE FOREGOING IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED (INCLUDING THOSE OF MERCHANTABILITY AND FITNESS OF ANY PRODUCT FOR A PARTICULAR PURPOSE), AND OF ANY OTHER OBLIGATION OF LIABILITY ON THE PART OF THE COMPANY.

#### (B) Limitation of Liability

It is expressly understood that Summit's liability for its products, whether due to breach of warranty, negligence, strict liability, or otherwise, is limited to the repair of the product, as stated above, and Summit will not be liable for any other injury, loss, damage, or expense, whether direct or consequential, including but not limited to loss of use, income, profit, or damage to material, arising in connection with the sale, installation, use of, inability to use, or the repair or replacement of Summit's products.

Summit reserves the right to make alterations or modifications in its products at any time, which in its opinion, may improve the performance and efficiency of the product. It shall not be obligated to make such alterations or modifications to products already in service.

Please fill out the warranty card and return to:

You can also register your warranty card on line at:

SUMMIT Treestands, LLC. 715 Summit Dr. Decatur, AL 35601


www.summitstands.com/warranty.aspx

#### **Parts List**

BOX CONTENTS INOTHI CHAIR				
PN	DESCRIPTION	QTY		
10922	Trophy Chair Seat Post Assy.	1		
71121	Trophy Chair Support Assy.	1		
85037	Trophy Chair Foam Seat	1		
72023	Trophy Chair Packet	1		

## 72023 TROPHY SYSTEM ACCESSORY PACKET CONTENTS

12023 I KOI	III SISIEM ACCESSORI TACKET	CONTENT
PN	DESCRIPTION	QTY
71223	12" Arm Pad	2
85051	In-Line Cable ties	4
85048	Cam buckle strap	1
10886	2006 Instructional DVD	1
Written instru	actions for Trophy Chair Assembly	
22023	Hardware Packet	1





Visit us on the web at www.summitstands.com for accessories and upgrades!

Cut Along Lir	ne		Cut Along Line	
	Wai	ranty Card for	r Summit Treestand	
	Treesta	and Purchased: T	Frophy Chair (PN 82023)	
Owners Name:	Street Address:			
City:	State:	ZIP:	Phone: (	
Date Purchased: Purchased From (Dealer Name): Price \$:				
Your heard about us through: Magazir	ne Advertise	ement Vide	o Friend Summit Catalog	
Other Please Explain:		_ <del></del>		