


Machine Specifications - OD 4012
Accepts 7 Interchangeable Binding Modules
For Flexible Space Saving and Punch & Bind Combinations



EZ Change Die System
Auto Reversing Feature

UL & CE Approved



FEATURES:

- ✓ The OD 4012 Punch Comes With Both a Manual and an Auto-Reversing Feature.
- ✓ All Dies for the OD 4012 Feature Our Ingenious Patented Swing Away Die Pin Retainer System. Allows Quick Access to all Die Punch Pins while Holding them Firmly in Place. Easily Disengage Any Die Punch Pin.
- ✓ 12 Standard Interchangeable Die Patterns Available. (Each Die is Priced Separately)
 - Combs
 - Wire Loop
 - Plastic Coils
 - Velo Bind™ GBC
 - 3 Hole Loose Leaf
- ✓ Easy, "Paper to Pin" Sight Alignment, For Balanced Hole to Edge Margins on Odd-Sized Applications.
- ✓ Punching Capacity Rated up to 25 Sheets of 20 lb. or 80gsm. Equal to 50 pages. The Number of Sheets Depends on the Paper Weight and Punch Pattern Used.
- ✓ Uses 11" (A4) Size Dies With Open Sides for Wider Sheet Punching Capability.
- ✓ Die Removes With No Tools Required, Nothing to Take Apart.
- ✓ 60 Cycles Per Minute.
- ✓ Smooth, Quiet, Power on Demand Operation.
- ✓ Use Foot Pedal, Versa Switch or Palm Switch
- ✓ Large Capacity U-View Waste Tray.
- ✓ OD 4800 and OD 4000 Dies and HD Modules work on the OD 4012, adding additional useful life to existing equipment.

THE ULTIMATE IN:

Quality Paper Punching and Book Binding Equipment at Affordable Prices

OD 4012 - MACHINE SPECIFICATIONS

ELECTRICAL REQUIREMENTS			WEIGHT		DIMENSIONS		
VOLTS AC	AMPS	Hz	MACHINE	SHIPPING	HEIGHT	WIDTH	DEPTH
115	4	60	48 lbs	57.7 lbs	6½"	16"	18"
230	2	50	21.8 Kg	26.17 Kg	165 mm	406 mm	457 mm

12 Standard Punch Die Patterns Available. All Other Patterns Available Upon Request.



OD 4012 with HD 8000




OD 4012 with OD 4300




OD 4012 with OD 4470




OD 4012 with HD 4170



OD 4012 with HD 8370



OD 4012 with PAL-M



OD 4012 with HD-e4100



OD 4012 with HD-e4100 & KF-50