

Virtually invisible under water

Very low stretch

Excellent sensitivity

Great casting

SILVER THREAD

PERFORMANCE TECHNOLOGY







SILVER THREAD PERFORMANCE TECHNOLOGY



SIVET BURNER OF THE PROPERTY O

Silver Thread Fluorocarbon is virtually invisible under

water but has excellent visibility above the water. Fluorocarbon material is very abrasion-resistant and possesses great strength qualities. This product can be used where maximum strength is needed, but visibility must be kept to a minimum. Excellent as a leader on a Carolina rig or braided line leader when flipping or pitching in clear water, Fluorocarbon gives you sensitivity and low-stretch features not found in other monofilament lines.

"Silver Thread Fluorocarbon is the most incredible line I've ever used. It is ridiculous how good it is. When you catch 30 pounds and you don't even re-tie and your line isn't even frayed or nicked...that's incredible! I've never seen a fishing line that was like that."

At Silver Thread, we continually strive to push the

envelope. In 1985, we introduced copolymer fishing line to the world. Copolymer fishing lines set the standard for abrasion resistance, small diameter, great knot strength and superior casting that common monofilaments just can't measure up to. What makes copolymer fishing line special? The copolymerization process. Combining several nylon monomers creates a stronger, more stable fishing line with a smaller diameter. Over the years, several new formulas have been introduced.

Our technology and the drive to produce the best possible products set us apart from the competition. Please enjoy your time on the water, and make Silver Thread the choice for each of your fishing experiences.

FLUOROCARBON I	FILLER	SPOOLS

SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM
ZFC600200	200	183	6	3	.0082	.210
ZFC800200	200	183	8	4	.0094	.240
ZFC1000200	200	183	10	5	.0106	.270
ZFC1200200	200	183	12	6	.0118	.300
ZFC1400200	200	183	14	7	.0129	.330
ZFC1700200	200	183	17	9	.0145	.370
ZFC2000200	200	183	20	10	.0155	.395



Zell Rowland, Bassmaster Tour pro, winner of 2003 Tour event at Santee Cooper Lakes

on the market, period! If you're looking for a line to withstand the punishment big fish can dish out in heavy cover, this line is it. Developed by polymerizing multiple nylon monomers, Silver Thread Excalibur is stronger and more stable. Plus, its diameter is consistent throughout the entire spool. What does this mean to you? Better quality, innovative technology and the best heavy-duty fishing line available.

CLEAR						
EXCALI	BUF	R FIL	LER	SF	POOLS	3
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM
ZSTX400350	350	320	4	1.8	.0070	.179
ZSTX600350	350	320	6	2.7	.0096	.245
ZSTX800350	350	320	8	3.6	.0108	.275
ZSTX1000350	350	320	10	4.5	.0119	.303
ZSTX1200350	350	320	12	5.4	.0129	.330
ZSTX1400350	350	320	14	6.4	.0139	.355
ZSTX1700350	350	320	17	7.7	.0156	.399
ZSTX2000350	350	320	20	9.1	.0163	.416
ZSTX2500350	350	320	25	11.3	.0183	.467

30

13.6

.0199

508

ZSTX3000350

350

320


EXCALI	BUR	MINI	BU	LK	SPOO	LS
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM
ZSTX401000	1,000	914	4	1.8	.0070	.179
ZSTX601000	1,000	914	6	2.7	.0096	.245
ZSTX801000	1,000	914	8	3.6	.0108	.275
ZSTX1001000	1,000	914	10	4.5	.0119	.303
ZSTX1201000	1,000	914	12	5.4	.0129	.330
ZSTX1401000	1,000	914	14	6.4	.0139	.355
ZSTX1701000	1,000	914	17	7.7	.0156	.399
ZSTX2001000	1,000	914	20	9.1	.0163	.416
ZSTX2501000	1,000	914	25	11.3	.0183	.467
ZSTX3001000	1,000	914	30	13.6	.0199	.508

EXCAL	_IBUF	BU	LK	SPC	OLS
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN

SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM	
ZSTX403000	3,000	2,742	4	1.8	.0070	.179	
ZSTX603000	3,000	2,742	6	2.7	.0096	.245	
ZSTX803000	3,000	2,742	8	3.6	.0108	.275	
ZSTX1003000	3,000	2,742	10	4.5	.0119	.303	
ZSTX1203000	3,000	2,742	12	5.4	.0129	.330	i
ZSTX1403000	3,000	2,742	14	6.4	.0139	.355	6
ZSTX1703000	3,000	2,742	17	7.7	.0156	.399	١
ZSTX2003000	3,000	2,742	20	9.1	.0163	.416	
ZSTX2503000	3,000	2,742	25	11.3	.0183	.467	
ZSTX3003000	3,000	2,742	30	13.6	.0199	.508	7

Sam Swett, FLW and Bassmaster Tour pro Winner FLW Tour Tournament Atchafalaya Basin

Excalibur®




SUPER Silver Thread


Super Silver Thread was designed to be a high-quality

CLEAR

all-around fishing line. With excellent knot strength, abrasion resistance and a small diameter, this line can be used anywhere for any species of fish. Copolymer technology makes this line very easy to cast due to the consistency of diameter throughout the entire spool of line. No matter what your underwater prey, Super Silver Thread is a good choice to take along on your next fishing adventure.

SUPER	FIL	LER	SPC	בוחנ	<u> </u>	
					_	
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	
ZSST400330	330	302	4	1.8	.0070	.179
ZSST600330	330	302	6	2.7	.0086	.220
ZSST800330	330	302	8	3.6	.0100	.255
ZSST1000330	330	302	10	4.5	.0112	.287
ZSST1200330	330	302	12	5.4	.0128	.327
ZSST1400330	330	302	14	6.4	.0136	.347
ZSST1700330	330	302	17	7.7	.0147	.375
ZSST2000330	330	302	20	9.1	.0161	.410
ZSST2500330	330	302	25	11.3	.0183	.465
ZSST3000330	330	302	30	13.6	.0199	.508
CLEAR						
SUPER	BU	LK S	POC	ILS		
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM
ZSST403000	3000	2742	4	1.8	.0070	.179
ZSST603000	3000	2742	6	2.7	.0086	.220
ZSST803000	3000	2742	8	3.6	.0100	.255
ZSST1003000	3000	2742	10	4.5	.0112	.287
ZSST1203000	3000	2742	12	5.4	.0128	.327
ZSST1403000	3000	2742	14	6.4	.0136	.347
ZSST1703000	3000	2742	17	7.7	.0147	.375
ZSST2003000	3000	2742	20	9.1	.0161	.410
ZSST2503000	3000	2742	25	11.3	.0183	.465
ZSST3003000	3000	2742	30	13.6	.0199	.508





Silver Thread ANA

Silver Thread AN40 was developed with the stealth approach in mind.

Designed with an incredibly small diameter, this line can really cover the distance. The AN40 formula is very limp and supple, making it a favorite among fishermen. If you require long casts and low underwater visibility to get close to the fish, look no further than AN40. Available in original silver and low-visibility green.

COLORS	: 5=511	VER, C	:=GREE	iv.			
AN40	FILL	ER S	PO	DLS			
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM	
ZAN400300	300	274	4	1.8	.0070	.179	
ZAN600300	300	274	6	2.7	.0086	.220	
ZAN800300	300	274	8	3.6	.0100	.256	
ZAN1000300	300	274	10	4.5	.0112	.287	
ZAN1200275	275	251	12	5.4	.0128	.328	
ZAN1400275	275	251	14	6.4	.0136	.349	
ZAN1700275	275	251	17	7.7	.0147	.377	
ZAN2000275	275	251	20	9.1	.0161	.413	
ZAN2500250	250	229	25	11.3	.0183	.469	
ZAN3000250	250	229	30	13.6	.0200	.513	

COLORS: SISILVER, GIGREEN. AN40 BULK SPOOLS

SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM
ZAN403000	3000	2742	4	1.8	.0070	.179
ZAN603000	3000	2742	6	2.7	.0086	.220
ZAN803000	3000	2742	8	3.6	.0100	.256
ZAN1003000	3000	2742	10	4.5	.0112	.287
ZAN1203000	3000	2742	12	5.4	.0128	.328
ZAN1403000	3000	2742	14	6.4	.0136	.349
ZAN1703000	3000	2742	17	7.7	.0147	.377
ZAN2003000	3000	2742	20	9.1	.0161	.413
ZAN2503000	3000	2742	25	11.3	.0183	.469
ZAN3003000	3000	2742	30	13.6	.0200	.513

TO ORDER, SPECIFY CATALOG NUMBER AND COLOR. EXAMPLE:ZAN17<u>6</u>00275

Silver Thread Trout

Silver Thread Trout Line was designed to complement

the newest trout fishing techniques used today. When bait fishing for trout, you need a line that's very sensitive to even the lightest strike. It's got to have low-stretch qualities to set the hook quickly and efficiently in moving water. Silver Thread Trout Line possesses the same small-diameter high-strength ratio that made us famous in a green, low-stretch formula designed specifically for trout. Available in 1 pound increments to fit any trout fishing situation. An excellent leader material for fly fisherman.



GREEN TROUT FILLER SPOOLS METERS LB TEST. AVG. DIA. IN AVG. DIA. MM SKU YDS KG ZT200165 165 150 2 1 .0049 .125 .0057 .145 ZT300165 165 150 1.5 3 ZT400165 165 150 4 2 .0062 .160 ZT500165 165 150 5 2.5 .0070 .178 ZT600165 165 150 6 3 .0078 .200







When you're after saltwater gamefish you need strength, abrasion

resistance, low stretch and great casting. All these qualities can be found in Silver Thread Saltwater. Strength to hold up to big, hard-fighting fish. Abrasion resistance to match up to sharp teeth. Low stretch to drive the hook through. Great casting to reach out to those fish that always seem to be just out of reach. Combine all of these qualities with a small-diameter copolymer design and ultraviolet resistance, and Silver Thread adds up to one whale of a saltwater fishing line.

Silver Thread Shock Leader features a special copolymer design

that results in smaller diameters and a high abrasion resistance. Its soft formula is much easier to tie knots and rig. The spool features a special line keeper that allows the angler to pull off just the right amount of leader and then hold the remaining line securely in place.



GREEN							
SALT	WATER	1/4	LB	SP	OOLS		
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM	
ZSW81/4	2,075	1897	8	3.6	.1000	.256	
ZSW101/4	1,644	1503	10	4.5	.0112	.287	
ZSW121/4	1,270	1161	12	5.4	.0128	.328	
ZSW141/4	1,123	1027	14	6.4	.0136	.349	
ZSW161/4	1,009	922	16	7.3	.0143	.363	
ZSW201/4	805	736	20	9.1	.0161	.413	
ZSW301/4	522	477	30	13.6	.0200	.513	

SHOCK	LEA	DER I	FILL	ER S	POOL	.s	
SKU	YDS	METERS	LB TEST.	KG	AVG. DIA. IN	AVG. DIA. MM	
ZSL160055	55	50	16	7.3	.01299	.33	
ZSL200055	55	50	20	9.1	.01457	.37	
ZSL250055	55	50	25	11.3	.01713	.435	
ZSL300055	55	50	30	13.6	.01850	.47	
ZSL350055	55	50	35	15.8	.02047	.52	
ZSL400055	55	50	40	18.14	.02244	.57	
ZSL500055	55	50	50	22.68	.02441	.62	
ZSL600055	55	50	60	27.22	.02756	.7	
ZSL800055	55	50	80	36.29	.03071	.78	
ZSL1000055	55	50	100	45.36	.03425	.87	
ZSL1300055	55	50	130	58.97	.03858	.98	





SILVER THREAD HAT

SKU NAME

LWST001NAVY Silver Thread Hat

Unstructured, low-vis, sandwich bill hat from the makers of The Game[®] Caps.

Silver Thread • PRADCO-Fishing 3601 Jenny Lind Road • Fort Smith, AR 72901 Phone 479.782.8971 • Fax 479.783.0234

Trademarks in this catalog are property of EBSCO Industries, Inc.

UW10222-05S



Printed in the U.S.A. ©2004 EBSCO Industries, Inc.

