

Instruction Booklet Summit ATV 2 Row Planter

2006 84013

www.summitATV.com



Please read carefully **BEFORE** using you new Summit ATV Product.

Congratulations! You have purchased the finest commercially available ATV implement on the market today. Summit ATV Products are designed and built to provide years of trouble-free, successful use. This booklet is provided to you to outline the recommended use, care and maintenance of your Summit ATV Product.

Warnings and Precautions

- FAILURE TO READ, UNDERSTAND AND FOLLOW THESE INSTRUCTIONS MAY LEAD TO SERIOUS INJURY OR DEATH!
- READ, UNDERSTAND AND OBEY YOUR ATV'S INSTRUCTION / SAFETY MANUAL BEFORE USING THIS PRODUCT! ALWAYS WEAR A HELMET!
- DO NOT EXCEED A SAFE SPEED FOR THE TERRAIN AND SOIL CONDITIONS ENCOUNTERED! NEVER USE ON STEEP SLOPES! NEVER EXCEED
 YOUR RIDING CAPABILITIES!
- DO NOT EXCEED YOUR ATV'S MAXIMUM RATED TOWING CAPACITY!
- DO NOT OPERATE IF YOU HAVE BEEN USING DRUGS OR ALCOHOL!
- SUMMIT'S LINE OF ATV IMPLEMENTS ARE DESIGNED FOR USE WITH AN ATV OR GARDEN TRACTOR ONLY. <u>DO NOT USE</u> WITH A CAR, TRUCK OR ANY OTHER VEHICLE!
- SUMMIT'S LINE OF ATV IMPLEMENTS ARE NOT DESIGNED FOR HIGH SPEED TRANSPORT ON PUBLIC ROADS!
- YOU MUST USE A 2" BALL TO CONNECT THE 2 ROW PLANTER TO YOUR ATV!
- DO NOT USE THE PLOT MULE FOR HUMAN TRANSPORTATION!
- KEEP BYSTANDERS AND CHILDREN CLEAR WHEN OPERATING!
- KEEP HANDS, FINGERS AND FEET CLEAR OF ALL POTENTIAL PINCH POINTS DURING ADJUSTMENT AND OPERATION FAILURE TO DO SO
 MAY RESULT IN SERIOUS INJURY OR DEATH!
- CHECK AND RETIGHTEN ALL BOLTS PRIOR TO EACH USE!
- AFTER USE WITH FERTILIZERS OR OTHER CHEMICALS, THOROUGHLY RINSE WITH CLEAN WATER!
- LUBRICATE ALL GREASE FITTINGS BEFORE FIRST USE!
- LUBRICATE ALL MOVING PARTS AFTER EVERY USE!
- USE CAUTION WHEN CUTTING THE BANDING MATERIAL HOLDING THE 2 ROW PLANTER TO THE SHIPPING SKID. BANDS MAY BE UNDER TENSION AND WILL HAVE SHARP EDGES!
- WARNING! THE 2 ROW PLANTER TRACKS WIDER THAN YOUR ATV TAKE CARE WHEN MANEUVERING AROUND TREES OR DOWN TRAILS!

Section 1. Assembling Your New 2 Row Planter

Step 1. Remove the shrink material holding the planter hoppers.

Step 2. Using the long threaded bolts and wing nuts, attach the hoppers to the planter frame as shown in **Figure 1**.

Step 3. Disconnect the shipping strap and lower the tongue assembly to the ground.


Step 4. Remove the lower safety clip and pin from the bracket on the tongue assembly. Insert one end of the manual lift, line up the holes and reinstall the pin and safety clip (**See Figure 2**)


Step 5. Repeat for the top bracket as shown in Figure 3.

Step 6. Hammer the attached hand crank bar into the manual lift as shown in **Figure 4**.


Step 7. Connect the Power Lift wiring harness to your ATV's Power source. **WARNING: RUN WIRING HARNESS AWAY FROM MOVING PARTS AND POSSIBLE PINCH POINTS!**

Please refer to the enclosed Covington Planter Instructions for use and parts lists. NOTE the Covington Planter Instructions may show option equipment not included with this Planter.









Limited Warranty

(A) Warranty

Summit Treestands, LLC (Summit) warrants to the original retail purchaser that all products manufactured by it are free from defects in material and manufacture at the time of shipment for twelve (12) months from the date of purchase. Summit will repair or replace any part found defective if the unit claimed to be defective shall be returned to Summit, postage prepaid, within the warranty period.

This warranty shall not apply to any product which has been subjected to misuse; misapplication; neglect (including but not limited to improper maintenance); accident; improper installation; modification (including but not limited to use of unauthorized parts or attachments); adjustment or repair. THE FOREGOING IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED (INCLUD-ING THOSE OF MERCHANTABILITY AND FITNESS OF ANY PRODUCT FOR A PARTICULAR PURPOSE), AND OF ANY OTHER OBLIGATION OF LIABILITY ON THE PART OF THE COMPANY.

(B) Limitation of Liability

It is expressly understood that Summit's liability for its products, whether due to breach of warranty, negligence, strict liability, or otherwise, is limited to the repair of the product, as stated above, and Summit will not be liable for any other injury, loss, damage, or expense, whether direct or consequential, including but not limited to loss of use, income, profit, or damage to material, arising in connection with the sale, installation, use of, inability to use, or the repair or replacement of Summit's products.

Summit reserves the right to make alterations or modifications in its products at any time, which in its opinion, may improve the performance and efficiency of the product. It shall not be obligated to make such alterations or modifications to products already in service.

Please fill out the warranty card on the back of these instructions and return to:

SUMMIT Treestands, LLC. 715 Summit Dr. Decatur, AL 35601

You can also register your warranty card on line at: www.summitstands.com/warranty.aspx

Cut Along Line		Cut Along Line
	Warranty Card for Summit Cultipacker PN 84008	

	-		•			
Owners Name:	me: Street Address:					
City:	_ State:	ZIP:	Phone: ()		
Date Purchased: Purchased F	rom (Dealer N	Vame):		Price \$:		
Your heard about us through: Magazine	Advertiser	ment Video	Friend Summit	Catalog		
Other Please Explain:						